Willoughby Natural Heritage Register - Stage 1: Artarmon database (14/12/2009-4/07/2014)

Refer to Stage 2: Artarmon database for additional listed items.

KEY

COLUMN 1: LAND DESCRIPTION: All property addresses are listed in alphabetical order under the street name and divided into three categories (colour coded):

Residential Properties and Schools

Road reserves, drainage easements and public pedestrian linkages

Public reserves

COLUMN 2: ITEM refers to a scheduled item assessed as having natural heritage values or significance as defined in the study (e.g. single tree, tree group, remnant community, sandstone outcrop or scarp, etc.).

COLUMN 3: ECOLOGICAL COMMUNITY and map units are in accordance with Benson & Howell (1994) in Cunninghamia 3(4) pp. 677-711, Royal Botanic Gardens, Sydney. The suburb of Artarmon

retains remnant components of the former Blue Gum High Forest complex (BGHF/6b). BGHF is listed as a Critically Endangered Ecological Community (BCA 2016 & EPBCA 1999).

COLUMN 4: SPECIES = listed tree species - refer to **Key to Native Plant Species Schedule - Artarmon**.

COLUMN 5: AGE = estimated age of listed heritage tree/ item. These estimates are generally very conservative (eg. long lived species may be several decades older than estimates).

COLUMN 6: HEIGHT = estimated height (in metres)

COLUMN 7: SPREAD = estimated canopy diameter (in metres)

COLUMN 8: CONDITION refers to overall health, vigour and structure of scheduled tree(s). Description as 'regrowth' is used as a general reference to mesic shift/ level of disturbance and modification (incl. common tree/ shrub species such as *Pittosporum undulatum*, *Glochidion ferdinandi*, *Homalanthus populifolius*, etc).

COLUMNS 9-11: For a detailed explanation of ECOLOGICAL INTEGRITY, DURABILITY RANKING and CORRIDOR LINKAGES refer to WCC Natural Heritage Register (2002).

COLUMN 12: EXISTING PROTECTION identifies legislative framework for protection (as of 4/07/2014). Refer to current Willoughby LEP.

COLUMN 13: NOTES includes additional information describing listed items, context and description of remnant native components.

The data for this study was collected by Noel Ruting, LandArc Pty Limited in two stages: Stage 1 - 14/12/2009 and 4/07/2014; and Stage 2 - 23/06/2015 and 29/01/2016.

Suburb: Artarmon

Ecological Communities: Blue Gum High Forest (6b) complex

Land Description	ltem	Ecological Community	Species	Age Structure	Height [metres]	Spread [metres]	Condition	Ecological Integrity	Durability Ranking	Corridor Linkages	Existing Protection	Notes
Carlos Street - Residential Pro	perties:											Survey Date: 7 Feb-11 Feb 2011
21 Carlos Street: rear garden/ adj. to timber deck & rear bdy. to No. 20A Weedon Rd	two trees	BGHF/ 6b	Ac [1] Ac [1]	?100-150+ 20-30+	8m 10m	5m 12m	see notes good	varies: 4-5 [mainly 5]	low	restricted	T&BPO	exotic garden; Ac [1]/ see notes - v.old growth spec./ massive base 1400mm DBH/ past ext. storm & insect damage, dead wood & basal cavities/ vigorous new growth/ leader - recommend arborist inspection; Ac [1]/ good -some dead wood; remnant native ferns [incl. Calochlaena sp.]; Adiantum formosum likely cultivated origin.
27 Carlos Street: rear garden/	single tree	BGHF/ 6b	Epil [1]	?100-150+	18m	25m	good	varies: 4-5	low	restricted	T&BPO	exotic garden; Epil [1]- v. old growth

		Ochna, Tradescantia spp.]; remnant native g/covers [incl. Calochlaena, Oplismenus spp.]; Pu regrowth.
Godfrey Road - Residential Properties:		Survey Date: 7 Feb-11 Feb 2011
2A Godfrey Road: rear garden/ single tree BGHF/6b Es [1] 40-50+ 16m 18m fair 5 low restricted Tadj. to bdy. No.2 Godfrey Rd		exotic garden; Es [1]- storm damage/ epicormic growth & some dead wood/ lower canopy heavily pruned/ possibly cultivated origin; no access.
3 Godfrey Road: rear garden/ single tree BGHF/6b Es [1] 60-80+ 18m 16m good 5 low fragmented Toleran lawn area [adj. to Cordia Way]		exotic garden; Es [1]- multi-trunked/ storm damage/ some dead wood; Callicoma serratifolia X5 [10-15yrs+]/
		all likely cultivated; remnant native g/covers [Oplismenus, Dichondra spp.]; weeds [incl. Nephrolepis, Tradescantia spp.].
8 Godfrey Road: rear garden/ single tree BGHF/ 6b Epa [1] 80-100+ 12m 12m good 5 low fragmented Tout upper level adj. to rear bdy. to No.10 Shepherd Rd		exotic garden; Epa [1]- old growth multi-trunked [6+] spec./ neighbour confirmed similar size 40yrs ago/ no access.
11 Godfrey Road: rear garden/ tree group BGHF/ 6b Es [1] ?60-80+ 18m 20m good 5 low fragmented Toler lower slope adj. to bdy. to Epil [1] 10-15+ 8m 5m good Cordia Way Gf [1] 10-15+ 6m 3m good/ regrowth		exotic garden; Es [1]- possibly old growth spec./ storm damage/ some dead wood; Epil [1]/ Gf [1]- likely self-sown/ natural regen.; Backhousia myrtifolia X1 [5-10yrs+/ 3m HT]- likely cultivated origin; dom. weeds [incl. Cardiospermum, Anredera, Setaria,
14 Godfrey Road: rear garden/ two trees BGHF/ 6b Ac [1] 80-100+ 12m 16m good 5 low fragmented To adj. to rear bdy. No.6 Godfrey Rd Ac [1] ?20-30+ 6m 5m see notes	T&BPO	Nephrolepis, Tradescantia spp.]. exotic garden; Ac [1]- old growth multi-trunked spec./ owner confirmed pruning to fence height following storm damage (10yrs+)/ similar size 40yrs ago; Ac [1]/ see notes - epicormic/ lignotubers from old growth base; no remnant g/covers present.
15 Godfrey Road: rear garden/ single tree BGHF/ 6b ?Es [1] 20-30+ 16m 8m good 5 low fragmented Tadj. to rear bdy. No.19 Onyx Rd	T&BPO	exotic garden; ?Es [1]- likely cultivated origin; no access.
23 Godfrey Road: front garden/ single tree BGHF/ 6b Ac [1] 80-100+ 12m 14m good 5 low restricted To	T&BPO	Survey Date: 14 Mar-18 Mar 2011 exotic garden; Ac [1]-old growth spec./

lawn area on upper slope												possibly much older/ 1200mm DBH/ some dead wood. Survey Date: 4 Apr-8 Apr 2011
29 Godfrey Road: rear garden/ lower slope adj. to rear bdy. No.22 Sydney St	single tree	BGHF/ 6b	Es [1]	?100-150+	25m	22m	good	5	low	fragmented	T&BPO	exotic garden; Es [1]-multi-trunk spec./ 1300mm DBH/ some dead wood & epicormic growth/ part of fragmented BGHF group [see listings- Godfrey Rd/ Sydney St]; Pu regrowth; dom.weeds/ competition w. mature Cinnamomum sp.; no access onto property.
31 Godfrey Road: rear garden/ mid- to lower slope	two trees	BGHF/ 6b	Es [1] Es [1] Cal [2]	60-80+ 40-50+ 30-40+	14m 18m 5-6m	16m 9m 4-5m	good good good	varies: 4-5 [mainly 5]	low	fragmented	T&BPO	exotic garden; Es X2- multi-trunked/ 600-900mm DBH/ some dead wood & pruning history; owner confirmed- large trees in 1970s/ part of larger fragmented BGHF group [see listings]; remnant native g/covers [Dichondra, Oplismenus spp.]; Cal [2]/ Callicoma serratifolia - likely planted; weeds [incl. Celtis, Asparagus, Tradescantia spp.]. Survey Date: 14 Mar-18 Mar 2011
35 Godfrey Road: front garden/ lawn area	single tree	BGHF/ 6b	Ceg [1]	80-100+	6m	3m	good	varies: 4-5	low	restricted	T&BPO	exotic garden; Ceg [1]- old spec./ possibly cultivated origin; remnant native g/covers [Austrodanthonia sp.].
37 Godfrey Road: rear garden/ lower slope adj. to rear bdy. to reserve	two trees	BGHF/ 6b	Es [1] Es [1]	80-100+ 5-10+	25m 1.5m	25m 1m	good lopped/ reg	5 gen.	low	fragmented	T&BPO	exotic garden; Es [1]- old growth spec./ 1000mm DBH; Es [1]/ sapling-possibly lignotuber growth; no access.
41 Godfrey Road: rear garden/ lower slope adj. to rear bdy. to reserve & bdy. No.39	single tree	BGHF/ 6b	Es [1]	60 -80+	14m	14m	see notes	5	low	fragmented	T&BPO	exotic garden; Es [1]- in lawn area/ lopped/ some dead wood & leaning trunk/ competition w. <i>Araucaria</i> sp.
43 Godfrey Road: rear garden/ lower slope adj. to bdy. No.45 & rear bdy. to reserve	two trees	BGHF/ 6b	Es [1] Es [1]	80-100+ 20-30+	14m 16m	9m 10m	see notes good	5	low	fragmented	T&BPO	exotic garden/ lawn; Es [1]- old growth spec./ storm damaged crown/ insect damage, dead wood & cavities/ past pruning; Es [1]/ immature- some dead wood; part of larger BGHF group in reserve & adj. properties [see listings].
45 Godfrey Road: rear garden/ lower slope adj. to rear bdy. to reserve	two trees	BGHF/ 6b	Ac [1] Es [1]	60-80+ 50-60+	12m 16m	9m 12m	fair fair	5	low	fragmented	T&BPO	exotic garden/ lawn; Ac [1]/ fair- ext. dead wood; Es [1]/ fair- leaning trunk w. epicormic growth; remove mesh trellis on Ac trunk & Wisteria sp./ vine on both trees; part of BGHF group in reserve & adj. properties [see listings]; weeds [incl. Ligustrum, Phoenix spp.].

47 Godfrey Road: rear garden/	two trees	BGHF/ 6b	Es [1]	40-50+	18m	16m	good	5	low	fragmented	T&BPO	exotic garden; Es [1]/ good- some
lower slope adj. to rear bdy.			Es [1]	30-40+	7m	9m	poor/ lopped	d				dead wood; Es [1]/ poor/ lopped- ext.
to reserve & bdy. to No.49												dead wood; part of larger BGHF group
												in reserve & adj. properties; weeds
												[incl. Anredera, Tradescantia spp.].
49 Godfrey Road: rear garden/	single tree	BGHF/ 6b	Es [1]	?100-150+	22m	25m	good	5	low	fragmented	T&BPO	exotic garden; Es [1]- multi-trunk v.old
lower slope adj. to rear bdy.												growth spec./ massive base 1700mm
to reserve & bdy. to No.51												DBH/ some dead wood & lopping
												history; part of larger BGHF group in
												reserve & adj. properties [see listings];
												dom. weeds [Tradescantia spp.].
55 Godfrey Road: front garden/	single tree	BGHF/ 6b	Es [1]	20-30+	14m	15m	good	5	low	restricted	T&BPO	Es [1]- likely cultivated origin (unknown
adj. to front bdy.												provenance); other generic native
												planting [incl. Eucalyptus nicholii].
Marlow Road - Public Reserve	es:											Survey Date: 14 Mar-18 Mar 2011
Marlow Road Reserve												
Marlow Road Reserve is a small line										nt bushland [Are	ea C: upper	
slope/ gully north of Marlow Road cu	ul-de-sac]. The						rdered by resid	lential develor	oment.			
Area A: lower southern slope	tree group	BGHF/ 6b	Es [4]	60-80+	16-22m	16-20m	see notes	5	low	fragmented	T&BPO	highly modified/ mown grass; dom.
[below Marlow Rd cul-de-sac]			Ac [1]	60-80+	12m	12m	good					exotics/ weeds [Pinus radiata [group],
				40.00								O'
			Es[6]/ Epil[1]	10-20+	up to 6-12m	varies	good					Cinnamomum, Celtis, Tradescantia,
		_	AI [5]	10-20+	up to 6-8m	varies	good good					Ipomoea, Asparagus, Ehrharta spp.];
Area B: upper southern slope	_	-	Al [5] Es [4]	10-20+ 30-50+	•		good	varies: 4-5				, , ,
[below Marlow Rd cul-de-sac/	_	-	AI [5]	10-20+ 30-50+ 20-30+	up to 6-8m	varies	good	varies: 4-5 [mainly 5]				Ipomoea, Asparagus, Ehrharta spp.];
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49		-	Al [5] Es [4]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see
[below Marlow Rd cul-de-sac/	_		Al [5] Es [4] Es [1]	10-20+ 30-50+ 20-30+	up to 6-8m 16-22m 9m	varies 12-16m 9m	good see notes see notes					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49	_		Al [5] Es [4] Es [1] Ac [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49	_		Al [5] Es [4] Es [1] Ac [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49	_		Al [5] Es [4] Es [1] Ac [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm DBH/ varying condition/ some storm-
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49	_		Al [5] Es [4] Es [1] Ac [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm DBH/ varying condition/ some storm-damaged crowns & dead wood w. insect damage & cavities evident. Epil [1]/ fair- multi-trunk spec.; Es X1/
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49			Al [5] Es [4] Es [1] Ac [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm DBH/ varying condition/ some storm-damaged crowns & dead wood w. insect damage & cavities evident.
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49	_		Al [5] Es [4] Es [1] Ac [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm DBH/ varying condition/ some storm-damaged crowns & dead wood w. insect damage & cavities evident. Epil [1]/ fair- multi-trunk spec.; Es X1/
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49	_		Al [5] Es [4] Es [1] Ac [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm DBH/ varying condition/ some storm-damaged crowns & dead wood w. insect damage & cavities evident. Epil [1]/ fair- multi-trunk spec.; Es X1/600mm DBH- recently removed.
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49		-	Al [5] Es [4] Es [1] Ac [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm DBH/ varying condition/ some storm-damaged crowns & dead wood w. insect damage & cavities evident. Epil [1]/ fair- multi-trunk spec.; Es X1/600mm DBH- recently removed. Es/ Epil/ Al (10-20+)- likely cultivated
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49	_		Al [5] Es [4] Es [1] Ac [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm DBH/ varying condition/ some storm-damaged crowns & dead wood w. insect damage & cavities evident. Epil [1]/ fair- multi-trunk spec.; Es X1/600mm DBH- recently removed. Es/ Epil/ Al (10-20+)- likely cultivated origin (unknown provenance); some
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49			Al [5] Es [4] Es [1] Ac [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm DBH/ varying condition/ some storm-damaged crowns & dead wood w. insect damage & cavities evident. Epil [1]/ fair- multi-trunk spec.; Es X1/600mm DBH- recently removed. Es/ Epil/ Al (10-20+)- likely cultivated origin (unknown provenance); some remnant native g/covers assoc. w.
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49	_		Al [5] Es [4] Es [1] Ac [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm DBH/ varying condition/ some storm-damaged crowns & dead wood w. insect damage & cavities evident. Epil [1]/ fair- multi-trunk spec.; Es X1/600mm DBH- recently removed. Es/ Epil/ Al (10-20+)- likely cultivated origin (unknown provenance); some remnant native g/covers assoc. w. Area B/BGHF group [incl. Geranium
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49			Al [5] Es [4] Es [1] Ac [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm DBH/ varying condition/ some storm-damaged crowns & dead wood w. insect damage & cavities evident. Epil [1]/ fair- multi-trunk spec.; Es X1/600mm DBH- recently removed. Es/ Epil/ AI (10-20+)- likely cultivated origin (unknown provenance); some remnant native g/covers assoc. w. Area B/ BGHF group [incl. Geranium homeanum, Cayratia clematidea,
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49			Al [5] Es [4] Es [1] Ac [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good					Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm DBH/ varying condition/ some storm-damaged crowns & dead wood w. insect damage & cavities evident. Epil [1]/ fair- multi-trunk spec.; Es X1/600mm DBH- recently removed. Es/ Epil/ AI (10-20+)- likely cultivated origin (unknown provenance); some remnant native g/covers assoc. w. Area B/ BGHF group [incl. Geranium homeanum, Cayratia clematidea, Pseuderanthemum, Oplismenus,
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49	tree group		AI [5] Es [4] Es [1] Ac [1] Epil [1]	10-20+ 30-50+ 20-30+ 40-50+ 50-60+	up to 6-8m 16-22m 9m 12m 12m	varies 12-16m 9m 9m 16m	good see notes see notes good fair		medium-low	contiguous	T&BPO	Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm DBH/ varying condition/ some storm-damaged crowns & dead wood w. insect damage & cavities evident. Epil [1]/ fair- multi-trunk spec.; Es X1/600mm DBH- recently removed. Es/ Epil/ Al (10-20+)- likely cultivated origin (unknown provenance); some remnant native g/covers assoc. w. Area B/ BGHF group [incl. Geranium homeanum, Cayratia clematidea, Pseuderanthemum, Oplismenus, Dichondra spp.]; gen. native planting [Bint, Euc. grandis, Casuarina spp.].
[below Marlow Rd cul-de-sac/ adj. to rear bdy. Nos. 45-49 Godfrey Rd]	tree group remnant	BGHF/6b	AI [5] Es [4] Es [1] Ac [1] Epil [1]	10-20+ 30-50+ 20-30+ 40-50+	up to 6-8m 16-22m 9m 12m	varies 12-16m 9m 9m	good see notes see notes good fair	[mainly 5]	medium-low	contiguous	T&BPO	Ipomoea, Asparagus, Ehrharta spp.]; significant remnant native BGHF tree group/ part of larger highly fragmented group extending to adj. properties [see listings]; Es [9]/ [dom.]- 600-800mm DBH/ varying condition/ some storm-damaged crowns & dead wood w. insect damage & cavities evident. Epil [1]/ fair- multi-trunk spec.; Es X1/600mm DBH- recently removed. Es/ Epil/ Al (10-20+)- likely cultivated origin (unknown provenance); some remnant native g/covers assoc. w. Area B/ BGHF group [incl. Geranium homeanum, Cayratia clematidea, Pseuderanthemum, Oplismenus, Dichondra spp.]; gen. native planting

			Ac Er Gf Ps Sg Epu At	<5 up to 5-10+ up to 5-10+ ?up to 20-30+ up to 10-20+ up to 10-15+ up to 5-10+	<1m <2m <2m up to 2-3m up to 8-12m up to 8-10m up to 3-4m	<1m 1-2m <1m varies up to 4-5m varies varies	good/ reger good good good yaries good	n.				group/ community- Ac [dom.]/ Ere [2] incl.old growth specs; Ac age structure av.40-80yrs+ inter-mixed/ overlayed w. generic native planting [Eucalyptus grandis (dom.)/incl. self-sown saplings Euc. microcorys, Casuarina glauca, Melaleuca spp.] & local native planting (unknown provenance) [Sg/ Epu/ At-E. punctata, Syncarpia glomulifera, Allocasuarina torulosa & Banksia,
												Hakea, Kunzea, Acacia spp.]/- likely planted; significant native biodiversity values; remnant native understorey/dom. on upper slope [incl. Polyscias
												sambucifolia (dom.), Homalanthus, Platylobium formosum, Dianella caerulea/ D. revoluta, Davallia solida
												var. pyxidata, Glycine microphylla, Pseuderanthemum, Austrodanthonia bipartita, A. tenuior, Microlaena,
												Oplismenus spp.]/ Grevillea linearifolia, Ozothamnus spp possibly planted; Pu regrowth; recommend SEPP 19 listing; varying level of exotic weeds
For Shepherd Road unmade road r	reserve listings [contiguous wit	h Marlow Ro	ad Reserve] refe	er to Shepherd	Road - Road	Reserves, Dra	ainage Easemer	nts & Publi	c Pedestrian Link	ages.	[incl. Cinnamomum, Ligustrum, Celtis, Ochna, Asparagus, Tradescantia, Ehrharta spp.].
Onyx Road - Residential Prop	erties:											Survey Date: 4 Apr-8 Apr 2011
	single tree	BGHF/ 6b	Ac [1]	40-50+	16m	9m	good	varies: 4-5	low	fragmented	T&BPO	exotic garden; Ac [1]- in lawn area;
Onyx Road - Residential Prop 11 Onyx Road: rear garden/ adj. to rear bdy. No.16 Sydney St	Siligle (188							[mainly 5]				remnant native g/covers [Dichondra, Oplismenus, Microlaena spp.]; generic native planting [incl. Euc. microcorys on bdy./ in 9 Onyx Rd].
11 Onyx Road: rear garden/ adj.	Single nee							[mainly 5]				Oplismenus, Microlaena spp.]; generic native planting [incl. Euc. microcorys
11 Onyx Road: rear garden/ adj.	tree group	BGHF/ 6b	Epil [1] Ac [1] Epil [1]	?100-150+ 30-40+ 60-80+	22m 8m 22m	30m 9m 12m	good good good	[mainly 5]	low	fragmented	T&BPO	Oplismenus, Microlaena spp.]; generic native planting [incl. Euc. microcorys on bdy./ in 9 Onyx Rd].

23 Onyx Road: rear garden/	single tree	BGHF/ 6b	Es [1]	10-15+	9m	4m	good	5	low	fragmented	T&BPO	exotic garden; Es [1]- likely cultivated
adj. to bdy. to Cordia Way &												origin; generic native planting [incl.
bdy. to No.25 Onyx Rd												Eucalyptus grandis]; no access.
Onyx Road - Road Reserves,												Survey Date: 7 Feb-11 Feb 2011
For Cordia Way listings [between C	Dnyx Road and S	Smith Road] re	efer to Smith	Road - Road Res	serves, Draina	age Easemen	ts & Public Pedest	trian Linkag	ges.			
For Ac old growth specimen on upp	per embankmen	t/ verge adj. to	21A Onyx R	Road refer to Cord	lia Way listing	j [eastern sed	tion].					
Selwyn Street - Residential Pr	roperties:											Survey Date: 14 Feb-18 Feb 2011
16 Selwyn Road: rear garden/	single tree	BGHF/ 6b	Sg [1]	?100-150+	12m	12m	good	5	low	restricted	T&BPO	exotic garden; Sg [1]- v. old growth
lawn area adj. to bdy.												multi-trunk [3] spec./ lignotuber growth
No.18 Selwyn St												off old base/ high integrity value.
17 Selwyn Road: front garden/	two trees	BGHF/ 6b	Epil [1]	100-150+	16m	25m	good	5	low	restricted	T&BPO	terraced exotic garden/ embankment;
upper embankment adj. to front			Epil [1]	5-10+	3m	2m	good/ regen.					current construction works to house;
boundary wall												Epil [1]- v. old growth multi-trunk spec.
												in visually prominent elevated position/
												1500mm DBH/ high integrity values/
												outstanding form and scale/ remnant
												native canopy tree of BGHF/ damage
												to front bdy. wall; Epil [1]/ sapling [adj.
												to steps]- likely natural regen./ seed
												source- old growth parent tree on site;
												Pu regrowth; generic & local native
												planting [incl. Eucalyptus sideroxylon
												[8m HT], Elaeocarpus, Acacia spp.];
												Dianella splikely cultivated origin;
												weeds [Cinnamomum, Cotoneaster,
												Olea, Genista, Ochna, Asparagus,
												Nephrolepis, Ehrharta spp.];
												no remnant native g/covers evident.
Shepherd Road - Residential	Properties:											Survey Date: 14 Feb-18 Feb 2011
8 Shepherd Road: rear garden/	single tree	BGHF/ 6b	Ac [1]	80-100+	14m	12m	good	5	low	fragmented	T&BPO	exotic garden; Ac [1]- old growth
adj. to bdy. No.10 Shepherd Rd	5g.5 ti 55	20, 00	[.]	00 .00			9000			agooa		spec./ some dead wood/ pruning;
adj. to bay. No. 10 chiophora Na												also generic native planting [incl.
												Corymbia citriodora / front garden];
												no access.
13 Shepherd Road: rear garden/	single tree	BGHF/ 6b	Ac [1]	80-100+	12m	9m	good	5	low	restricted	T&BPO	exotic garden; Ac [1]- old growth
adj. to bdy. No.15 Shepherd Rd	J		[1]	22 100		3	3	•	.0	. 5510104		multi-trunk [3]/ 1 X lopped to base;
& No.10 Selwyn Rd												some insect damage; no access.
17 Shepherd Road: rear garden/	single tree	BGHF/ 6b	Epil [1]	20-30+	14m	8m	good	5	low	restricted	T&BPO	exotic garden; Epil [1]- some pruning;
lawn area	onigio troe	DOI 11 / 00	-h [1]	20 00 .	1 4111	Jili	9000	J	1044	100011000	1451 0	possibly cultivated origin; no access.
43 Shepherd Road: front garden/	single tree	BGHF/ 6b	Epa [1]	60-80+	9m	14m	good	5	low	restricted	T&BPO	exotic garden; Epa [1]- likely remnant
adj. to bdy. No.45 Shepherd Rd	onigio noc	DOI 11 / 00	-pa [1]	00 00 1	Jill	ווודו	good	J	IOVV	TOSTITUTED	ומטו ט	native BGHF group/ assoc. w. Ceg X1
aaj. to bay. 140.70 Oliephiela Na												Hative DOTH GLOUP, assoc. W. Deg AT

												[see listing No.45]; also generic native planting [incl. Corymbia citriodora].
45 Shepherd Road: front garden/ adj. to bdy. No.43 Shepherd Rd	single tree	BGHF/ 6b	Ceg [1]	?60-80+	4m	1-3m	good	5	low	restricted	T&BPO	exotic garden; Ceg [1]- multi-stemmed group [4]/ likely single tree/ assoc. w. remnant Epa X1 [see listing No.43].
Shepherd Road - Road Reserv	ves, Drainage	Easements	& Public P	edestrian Lin	kages:							Survey Date: 14 Mar-18 Mar 2011
Note: Road reservation contains ex	camples of cultiv			•			is schedule.					
Shepherd Road: unmade road reserve between Godfrey Road & Sydney Street [western portion between Nos.35 & 37 Godfrey Road]	tree group	BGHF/ 6b	Epa [1] Es [1]	60-80+ 60-80+	15m 22m	15m 22m	good good	varies: 4-5 [mainly 5]	low	restricted	T&BPO	highly disturbed/ modified community; open mown grass; Epa [1]- multi-trunk spec. on upper western slope/ adj. to No.35 Godfrey Rd; some remnant native g/covers [Austrodanthonia sp.]. Es [1]- on lower slope/ gully; possibly
eastern portion between	_	-	Eclo [1]	?50-60+	15m	7m	good	_				older/ some dead wood in crown. 2 X Eucalyptus cloeziana [Eclo]- multi-
30 & 32 Sydney Street [lower slope]			Eclo [1] Al [2] Cgu [1]	?50-60+ ?50-60+ 15-20+ <5	12m 6-10m 3m	9m 6-7m 2m	good good good					stemmed regrowth off bases/ cultivated origin; native g/covers present at bases cultivated- [Microlaena, Dichondra spp.
												other generic native planting on upper slope [Al/ Cgu/ Er, Eucalyptus grandis
For Marlow Road Reserve listings [contiguous with	Shepherd Ro	ad unmade ro	oad reserve & ad	djoining rear pı	roperty bound	laries] refer t	o Marlow Road - I	Public Rese	erves.		(10+/dom.group), <i>Acacia</i> sp.]/ all likely cultivated; exotics/ weeds.
For Marlow Road Reserve listings [Smith Road - Residential Prop		Shepherd Ro	ad unmade ro	oad reserve & ac	djoining rear pi	roperty bound	laries] refer t	o Marlow Road - I	Public Rese	erves.		(10+/dom.group), Acacia sp.]/ all likely
		Shepherd Ro	ad unmade ro	2100-150+	djoining rear pr	25m	good	o Marlow Road - I	Public Rese	fragmented	T&BPO	(10+/dom.group), <i>Acacia</i> sp.]/ all likely cultivated; exotics/ weeds.
Smith Road - Residential Prop 11 Smith Road: front garden/ adj. to front bdy. fence 20 Smith Road: front garden/	perties:		Es [1]	?100-150+ 50-60+	18m	25m	good				T&BPO	(10+/dom.group), Acacia sp.]/ all likely cultivated; exotics/ weeds. Survey Date: 7 Feb-11 Feb 2011 exotic garden; Es [1]- v. old growth multi-trunk spec./ massive base 1800mm DBH/ past insect damage w. cavity in old section/ storm damaged regrowth/ some pruning history/ recommend removing/ controlling Monstera sp. on base. exotic garden/ embankment adj. to
Smith Road - Residential Prop 11 Smith Road: front garden/ adj. to front bdy. fence	perties: single tree	BGHF/ 6b	Es [1]	?100-150+	18m	25m	good	5	low	fragmented		(10+/dom.group), Acacia sp.]/ all likely cultivated; exotics/ weeds. Survey Date: 7 Feb-11 Feb 2011 exotic garden; Es [1]- v. old growth multi-trunk spec./ massive base 1800mm DBH/ past insect damage w. cavity in old section/ storm damaged regrowth/ some pruning history/ recommend removing/ controlling Monstera sp. on base.
Smith Road - Residential Prop 11 Smith Road: front garden/ adj. to front bdy. fence 20 Smith Road: front garden/ lower eastern slope	perties: single tree	BGHF/ 6b	Es [1] Epil [1] Pu [2]	7100-150+ 50-60+ 80-100+	18m 18m 7-8m	25m 12m 9-14m	good good good	5	low	fragmented		(10+/dom.group), Acacia sp.]/ all likely cultivated; exotics/ weeds. Survey Date: 7 Feb-11 Feb 2011 exotic garden; Es [1]- v. old growth multi-trunk spec./ massive base 1800mm DBH/ past insect damage w. cavity in old section/ storm damaged regrowth/ some pruning history/ recommend removing/ controlling Monstera sp. on base. exotic garden/ embankment adj. to Cordia Way; Epil [1]-some dead wood/ storm damage; Pu [2]- incl. 1 X old
Smith Road - Residential Prop 11 Smith Road: front garden/ adj. to front bdy. fence 20 Smith Road: front garden/ lower eastern slope adj. to driveway	perties: single tree	BGHF/ 6b	Es [1] Epil [1] Pu [2] Ceg [1]	7100-150+ 50-60+ 80-100+ 60-80+	18m 18m 7-8m 5m	25m 12m 9-14m 6m	good good good good	5	low	fragmented		(10+/dom.group), Acacia sp.]/ all likely cultivated; exotics/ weeds. Survey Date: 7 Feb-11 Feb 2011 exotic garden; Es [1]- v. old growth multi-trunk spec./ massive base 1800mm DBH/ past insect damage w. cavity in old section/ storm damaged regrowth/ some pruning history/ recommend removing/ controlling Monstera sp. on base. exotic garden/ embankment adj. to Cordia Way; Epil [1]-some dead wood/ storm damage; Pu [2]- incl. 1 X old growth; Ceg [1]- possibly planted. Epil [3]- group possibly planted; Pu

adj. to bdy. No.24 Smith Rd												specimen; no access.
west garden adj. to Cordia Way	_		Epil [1]	20-30+	18m	12m	good					Epil [1]- possibly planted; Ac [1]/ see
rear garden/ western courtyard	_		Ac [1]	60-80+	16m	12m	see notes					notes - leaning trunk/ vigorous crown
[cut-out in timber deck]												growth; group is part of a significant
												remnant native BGHF group within/
												adj. to Cordia Way [see other listings];
												Elaeocarpus reticulatus X5 [5-10yrs+]
												all cultivated origin.
23 Smith Road: front garden/	single tree	BGHF/ 6b	Epa [1]	?100-150+	18m	18m	good	5	low	restricted	T&BPO	exotic garden/ lawn; Epa [1]- adj. to
lawn area [Smith Road frontage]												north bdy.wall/ fence; old growth spec.
[aka. 20A Shepherd Road]												possibly much older/ 1300mm DBH;
												no remnant native g/covers evident.
												Survey Date: 14 Feb-18 Feb 2011
40 Smith Road: rear garden/	single tree	BGHF/ 6b	Epil [1]	?100-150+	30m	30m	good	5	low	restricted	T&BPO	exotic garden; Ac [1]- v. old growth
lower slope/ gully adj. to												multi-trunked spec./ 1300mm DBH
rear bdy. No.12 Stewart St												outstanding form & scale/ high integrity
												values; generic native planting [incl.
												Acacia elata]; no remnant native
												g/covers evident; no access.
44 Smith Road: rear garden/	single tree	BGHF/ 6b	Es [1]	80-100+	22m	25m	good	5	low	restricted	T&BPO	exotic garden; Ac [1]- likely old growth
lawn area on lower slope/ adj.												specimen/ some pruning; no access.
to rear bdy. No.10 Stewart St												
46 Smith Road: rear garden/	single tree	BGHF/ 6b	Pu [1]	80-100+	9m	12m	good	5	low	restricted	T&BPO	exotic garden; Pu [1]-old growth spec./
lower slope/ adj. to rear bdy.												under canopy of Es X1 [see adjoining
No.8 Stewart St												listing for No.44 Smith Rd.].
Smith Road - Road Reserves,						in alreda el in Al	hin nahadula					Survey Date: 7 Feb-11 Feb 2011
Note: Road reservation contains exa	•	BGHF/ 6b		50-60+	22m			E	low	fragmented	T&BPO	Cail [1] nort of larger fragmented
Cordia Way: pedestrian/ bikepath	tree group	BGHF/ 0D	Epil [1]			12m	good	5	low	fragmented	TABPU	Epil [1]- part of larger fragmented
right-of-way & drainage reserve			Ac [1]/ Es [1]	<10	<3m	<2m 1-3m	good varies					BGHF group [see adjoining listings];
[western section between			Epil [2]	5-15+	5-8m			- d				highly disturbed/ modified community;
Nos.15 & 17 Weedon Rd &			Er [2]	<10	<2m	<1m	fair/ damag	ea				mulched beds/ restoration strategy/ planting [incl. Ac/ Es/ Epil/ Er saplings
Nos.20 & 22 Smith Rd]												
												[<10-15yrs]/ also Indigofera, Clematis, Lomandra, Dianella spp./all unknown
												provenance]; generic native planting [incl. Eucalyptus haemastoma X2];
												-
												restricted suite of remnant natives/ mesic regrowth [incl. Homalanthus,
												Commelina, Dichondra spp.].
Candia Mass made states / letters 0		DOUE/ O	۲۸۱ م	00.400	10	10		veries 4.5	la	f	TODDO	
Cordia Way: pedestrian/ bikepath	tree group	BGHF/ 6b	Ac [1]	80-100+	16m	16m	good	varies: 4-5	low	fragmented	T&BPO	Ac [1]- adj. to rear bdy. 21 Onyx Rd;
right-of-way & drainage reserve			Epil [1]	80-100+	20m	25m	good	[mainly 5]				Epil [1]- adj. to rear bdy. 21A Onyx Rd;
[eastern section between			Ac [1]	?100-150+	18m	22m	good					Ac [1]- upper embankment/ adj. to

Nos.11 & 13 Smith Rd & Nos.19 & 21A Onyx Rd]			Es/ Epil Cal/ Er Epil/ Es Ac/ Af	10-15+ 5-15+ <5 <5	4-9m <4m up to 1-2m up to 1-2m	varies varies <1m <1m	varies varies good good					front bdy. 21A Onyx Rd; significant old growth group/ part of larger fragmented BGHF group [see other listings]; highly disturbed/ modified community; mulched beds; past gen. & local native planting/ current restoration strategy [incl. Es/ Epil/ Ac/ Af saplings [up to 10-15yrs+]/ Acacia, Callicoma, Elaeocarpus, Callistemon, Banksia, Indigofera, Polyscias, Gahnia Lomandra, Dianella, Microlaena, Themeda, Imperata spp.]/ (unknown provenance); generic native planting [incl. Eucalyptus grandis/ E. elata, Syzygium spp.]; remnant native ferns [Calochlaena sp.]/ mesic regrowth [Homalanthus, Commelina, Imperata, Geranium, Oplismenus, Dichondra spp.]; Pu regrowth; exotics/ weeds [Cinnamomum, Erythrina, Acetosa, Tradescantia spp.].
mown grass verge: adj. to front bdy. No.21 Smith Road	single tree	BGHF/ 6b	Ac [1]	?100-150+	9m	15m	good	varies: 4-5 [mainly 5]	low	restricted	T&BPO	Ac [1]- old growth multi-trunked spec./ sculptural form/ possibly much older 1700mm DBH/ some cavities present; dom. exotics/ weeds [incl. <i>Ehrharta, Stenotaphrum</i> spp.]; remnant native grasses [incl. <i>Austrodanthonia</i> sp.].
Stafford Road - Residential P	ronartias											
28 Stafford Road: rear garden/ upper lawn area embankment	two trees	BGHF/ 6b	Ac [1] Ac [1] Pu	?100-150+ ?100-150+ up to 30-40+	12m 12m 6-7m	22m 12m varies	good good good/ reg	5 Irowth	low	restricted	T&BPO	exotic garden; Ac [1]- v. old growth multi-trunked w.outstanding sculptural form spec./ massive 1350mm DBH/ minor pruning/ high integrity values Ac [1]/ smaller spec. likely same age; both trees significant remnant BGHF; Pu regrowth on embankment; weeds [Olea sp.]; also generic native planting; no remnant native g/covers evident.
34 Stafford Road: front garden/ upper terraced embankment adj. to entry steps & front bdy.	single tree	BGHF/ 6b	Ера [1]	?100-150+	20m	20m	good	5	low	restricted	T&BPO	exotic garden; Ac [1]- v. old growth multi-trunked [3] spec./ outstanding form/ massive 1600mm diam. base at GL/ high integrity values; control/ remove <i>Wisteria</i> sp. in lower canopy.

38 Stafford Road: west garden/	two trees	BGHF/ 6b	Ceg [1]	80-100+	6m	4m	good	5	low	restricted	T&BPO	exotic garden/ Ceg [1]- old growth/
[Stewart Street frontage]			Ceg [1]	50-60+	3m	4m	good					both trees possibly planted; native g/cover [Oplismenus sp.]; no access.
50 Stafford Road: front garden/ western lawn area	two trees	BGHF/ 6b	Ac [1]	?100-150+	12m	14m	good	varies: 4-5 [mainly 5]	low	restricted	T&BPO	exotic garden/ large block; Ac [1]- v. old growth specimen/ sculptural form;
rear garden/ lawn area adj. to rear bdy. No.11 Stewart St			Ac [1]	80-100+	12m	12m	good	-				Ac [1]- old growth/ some dead wood/ vigorous dense crown; remnant native g/covers at bases of Ac X2 [incl. Austrodanthonia tenuior, Dichondra sp.]; also generic native planting [incl.
												Euc. microcorys]; weeds [Ligustrum, Cinnamomum, Senna, Nephrolepis, Ochna, Asparagus spp.].
Stewart Street - Residential P	roperties:											Survey Date: 14 Feb-18 Feb 2011
6 Stewart Street: rear garden	single tree	BGHF/ 6b	Es [1]	10-15+	14m	7m	good	5	low	restricted	T&BPO	exotic garden; Es [1]- cultivated origin/ (unknown provenance)/ confirmed by owner.
12 Stewart Street: rear garden/ lower slope	single tree	BGHF/ 6b	Egl [1] Ceg [1]	?60-80+ 80-100+	16m 6m	12m 5m	good see notes	varies: 4-5 [mainly 5]	low	restricted	T&BPO	exotic garden/ large sloping block; Egl [1]-possibly old growth spec./ past pruning; Ceg [1]- old growth spec./ possibly planted/ basal cavity; ext. gen. native planting [mature Eucalyptus punctata X2 [18-22m HT]/ Backhousia myrtifolia, Acacia parramattensis, Aphenopetalum spp.]; remnant native
												g/cover [Oplismenus, Dichondra spp.]; Pu regrowth.
Sydney Street - Residential P 14 Sydney Street: rear garden/ adj. to bdy. No.5 Onyx Rd	single tree	BGHF/ 6b	Gf [1]	30-40+	8m	7m	good	5	low	fragmented	T&BPO	Survey Date: 4 Apr-8 Apr 2011 exotic garden/ lawn; Gf [1]- on lower slope; mesic regrowth.
16 Sydney Street: rear garden/ mid-slope adj. to rear bdy. No.14 Sydney St/ 7 Onyx Rd	two trees	BGHF/ 6b	Ера [1]	?100-150+	22m	18m	good	5	low	fragmented	T&BPO	exotic garden; Epa [1]- multi-trunked/ v. old growth specimen in lawn area.
lower slope adj. to rear bdy. No.23 Godfrey Rd		-	Ac [1]	60-80+	18m	15m	good	=				Ac [1]- multi-trunk spec./possibly older-competition w. exotics [Cedrus/ Pinus
												spp.]; part of fragmented BGHF group [see listings- Sydney St/ Godfrey Rd]; no access onto property.
18 Sydney Street: rear garden/ lower slope adj. to rear bdy. No.25 Godfrey Rd	two trees	BGHF/ 6b	Ac [1] Gf [1]	?100-150+ 50-60+	16m 9m	18m 8m	fair good	5	low	fragmented	T&BPO	exotic garden/ lawn; Ac [1]- multi-trunk old growth specimen/ ext. dead wood/ competition w. mature <i>Cinnamomum</i> sp.; part of larger fragmented BGHF

												group [see listings]; no access.
20 Sydney Street: rear garden/ lower slope adj. to rear bdy. No.27 Godfrey Rd	single tree	BGHF/ 6b	Es [1]	60-80+	16m	12m	see notes	5	low	fragmented	T&BPO	exotic garden; Es [1]- storm damaged crown/ cavities w.bracket fungi on mid to lower trunk/ dense weed growth/ competition w. mature Cinnamomum
												sp.; part of larger fragmented BGHF group [see listings]; no access.
22 Sydney Street: rear garden/ mid-slope adj. to bdy. No.20 Sydney St	two trees	BGHF/ 6b	Ac [1] Epa [1]	60-80+ 60-80+	15m 15m	15m 10m	good see notes	5	low	fragmented	T&BPO	exotic garden; Ac [1]- multi-trunked/ some dead wood; Epa [1]- storm damaged crown/ some dead wood; trees part of fragmented BGHF group [see listings- Sydney St/ Godfrey Rd]; Pu regrowth; competition w. mature Cinnamomum sp./ dom. weeds [incl. [Ligustrum, Phoenix, Ailanthus, Tradescantia spp.]; no access.
26 Sydney Street: rear garden/ lower slope/ lawn area	single tree	BGHF/ 6b	Ac [1]	?100-150+	20m	22m	good	varies: 4-5 [mainly 5]	low	fragmented	T&BPO	exotic garden; Ac [1]- multi-trunk v. old growth specimen/ 1300mm DBH/ major pruning to lower branches; part of larger fragmented BGHF group [see listings- Sydney St/ Godfrey Rd]; Pu regrowth; remnant native g/covers [Oplismenus, Pratia, Dichondra spp.]; competion w. exotics/ weeds [incl. Phoenix, Ligustrum spp.].
32 Sydney Street: rear garden/ lower slope adj. to rear bdy. to reserve	single tree	BGHF/ 6b	Es [1]	80-100+	25m	16m	see notes	5	low	fragmented	T&BPO	exotic garden; Es [1]- multi-trunk old growth spec./ 1200mm DBH/ storm damaged crown w.epicormic growth/ some dead wood/ remove <i>Hedera</i> sp. on trunk; part of larger BGHF group in
												reserve & adj. properties [see Godfrey Rd & Sydney St listings]; weeds [incl. Cinnamomum, Ligustrum spp.].
44 Sydney Street: rear garden/ elevated adj. to bdy. Marlow Rd cul-de-sac	single tree	BGHF/ 6b	Ac [1]	?100-150+	9m	18m	good	5	low	restricted	T&BPO	Ac [1]- v. old growth spec./ outstanding sculptural form/ multi-trunked; generic & local native planting [Er/ Acacia sp.].
Tindale Road - Residential Pro	•											Survey Date: 14 Feb-18 Feb 2011
47 Tindale Road: rear garden/ adj. to bdy. No.61 Shepherd Rd	single tree	BGHF/ 6b	Ceg [1]	80-100+	6m	4m	good	5	low	restricted	T&BPO	exotic garden/ Ceg [1]- old growth/ possibly planted; some dead wood.
Weedon Road - Residential Pr	roperties:											Survey Date: 7 Feb-11 Feb 2011

14 Weedon Road: rear garden/	single tree	BGHF/ 6b	Ac [1]	?100-150+	9m	16m	good	5	low	restricted	T&BPO	exotic garden; Ac [1]- v. old growth multi-trunked spec./ 1200mm DBH/
upper lawn area												some dead wood/ epicormic growth
												on branches; pre-dates house built in
												1919 [owner confirmed].
15 Weedon Road: rear garden/	troo group	BGHF/ 6b	Ac [1]	80-100+	18m	20m	anad	5	low	fragmented	T&BPO	exotic garden/ embankment; Ac [1]-
lower east embankment	tree group	מס חבו מס		40-50+	18m	8m	good	3	IOW	iraginenteu	IADFU	old growth multi-trunk spec.; Ac X2-
			Ac [1]	40-30+	10111	OIII	good					competition w. exotics [Taxodium sp.]
[adj. to Cordia Way]	_	-	۸ - ۲۸۱	CO 00 ·	1.1	0						& generic native planting [Corymbia
upper slope adj. to bdy. No.			Ac [1]	60-80+	14m	8m	good					citriodora]; group is part of significant
13 Weedon Rd & rear bdy.												
No.20 Smith Road												remnant native BGHF group within/
												adj. to Cordia Way [see other listings]; Pu regrowth; dom. weeds [Ligustrum,
												Cinnamomum, Cotoneaster, Ipomoea, Tradescantia spp.]; no access.
17 Weedon Road: rear garden/	two trees	BGHF/ 6b	Es [1]	?100-150+	30m	30m	good	5	low	fragmented	T&BPO	exotic garden; Es [1]- v. old growth
adj, to rear bdy. [between			Ac [1]	80-100+	22m	16m	good			J		spec./ 1200mm DBH/ high integrity
tennis court fencing & bdy.							J					values; Ac [1]-old growth spec./ some
to No.24 Smith Road]												pruning to lower canopy/ competition
-												w. Cinnamomum sp.; dom. weeds;
												Pu regrowth.
20A Weedon Road: front garden/	two trees	BGHF/ 6b	Ac [1]	60-80+	10m	10m	see notes	5	low	restricted	T&BPO	exotic garden; Ac [1]/ see notes - old
adj, to right-of-way & bdy.			Ac [1]	30-40+	9m	8m	fair					growth specimen/ owner confirmed
to No. 20B Weedon Rd			Gf	<5	<1m	<0.5m	good/ regen.					large tree in 1972 [before subdivision]/
												damaged trunk w. some dead wood/
												vigorous/ dense crown regrowth;
												Ac [1]/ fair -ext. crown die-back/ dead
												wood/ epicormic growth; some mesic
												regen,/ regrowth [incl. Glochidion,
												Homalanthus spp.]; generic native
												planting [incl. Corymbia citriodora].
21 Weedon Road: rear garden/	single tree	BGHF/ 6b	Es [1]	60-80+	16m	20m	good	5	low	restricted	T&BPO	exotic garden; Es [1]- possibly older/
lawn area	ū						,					old growth; multi-trunk spec.[2]/ est.
												900mm DBH/ no access.
Weedon Road - Road Reserve	s, Drainage E	Easements &	R Public Po	edestrian Linka	iges:							Survey Date: 7 Feb-11 Feb 2011
For Cordia Way listings [between W						ainage Easem	ents & Public Ped	estrian Linl	ages.			