

# Willoughby Natural Heritage Register - Middle Cove database

## KEY TO SCHEDULE

COLUMN	DESCRIPTION
1	STREET NAME (in alphabetical order)
2	CATEGORY = land description category (e.g. residential property; school; public reserve; road reserve; public right-of-way, etc.)
3	LOCATION = address (as applicable incl. front or rear garden, etc.)
4	DATE = survey/ assessment date
5	ITEM = scarp/ rock outcrops; core community; remnant community; tree group; single tree
6	EC = ecological communities and map units are in accordance with Benson & Howell (1994) in Cunninghamia 3(4) pp. 677-711, Royal Botanic Gardens, Sydney.
7	SPECIES = listed tree species (NOTE: 6-letter epithet/ identity code GENUS-SPECIES); refer to Key to Native Plant Species Schedule - Middle Cove
8	QTY = quantity (listed heritage tree/ item); n/a = not applicable for "remnant community"
9	AGE = estimated age of listed heritage tree/ item.
10	HT = estimated height (in metres)
11	CD = estimated canopy diameter (in metres)
12	COND = condition refers to overall health, vigour and structure of listed heritage tree/ item (good; fair; poor; very poor)
13	RANK = ecological resilience ranking (1.0 = very high/ intact; 2.0 = high; 3.0 = medium/ fragmented; 4.0 = low/ some native ground layer present; 5.0 = highly modified) Note: ecological resilience ranking may vary for any given site (e.g. 2.5 = site <i>varies</i> between high level of integrity/ intactness with some canopy fragmentation and partial loss of understorey (2 = high) to highly modified natural community with cultivated native/ exotic garden and/or dominant weeds (5 = highly modified) For a detailed explanation of ecological resilience ranking see <i>Willoughby Natural Heritage Register - Volume 1</i> (2002).
14	CONNECT = ecological connectivity/ level of canopy fragmentation (see WNHR, 2002)
15	NOTES include: legislative framework for protection and additional information describing listed items, context and description of remnant native components The data for this study was collected by Noel Ruting, LandArc Pty Limited between 3/11/2014 and 18/01/2016.

STREET NAME	CATEGORY	LOCATION	DATE	ITEM	EC	SPECIES	QTY	AGE	HT (m)	CD (m)	COND	RANK	CONNECT	NOTES
Cawarra Road	road reserve	cnr. Cawarra Rd/ Covelee Crt	03.11.14	single tree	10ag(i)	Glofer	1	80-100+	9	16	good	5.0	restricted	TPO; Glofer- multi-stemmed old growth on steep slope adj. to No.6 Cawarra Rd; dom. weeds; adj. to <i>Alectura lathamii</i> nesting mound
Cawarra Road	residential	5 Cawarra Rd- rear garden/ upper slope	03.11.14	single tree	10ag(i)	Euchae	1	60-80+	9	9	poor	5.0	restricted	TPO; Euchae- on upper steep slope adj. to boundary No.7 Cawarra Rd; lopped/ ext. dead wood (50%)/ epicormic growth; exotic garden/ dom. weeds
Cawarra Road	residential	6 Cawarra Rd- rear garden/ lower slope	03.11.14	tree group	10ag(i)	see notes	n/a	15-20+				4.5	restricted	adj.SEPP19/ TPO; Glofer, Pitund regrowth/ adj. to right-of-way; exotic garden/ dom. weeds; local & generic native mixed planting- Cergum, Banser, Allit Calser- unknown provenance
Cawarra Road	residential	6 Cawarra Rd- rear garden/ lower slope	03.11.14	tree group	10ag(i)	Cletom	1	?30-40+	8	3	good	4.5	restricted	adj.SEPP19/ TPO; Cletom- remnant understorey; Glofer, Pitund regrowth; subject to boundary survey
Cawarra Road	residential	6 Cawarra Rd- rear garden/ lower slope	03.11.14	remnant community	10ag(i)	see notes	n/a	varies				4.5	restricted	exotic garden/ rock outcrops; remnant native ground layer- Hymue (lower boundary)

Cawarra Road	residential	7 Cawarra Rd- front garden (sth)/ lower slope	03.11.14	tree group	10ag(i)	Angbak	1	60-80+	4	6	v.poor	5.0	restricted	TPO; Angbak- on lower mid-slope; leaning/ ext. dead wood (60%)/ epicormic growth; exotic terraced garden/ dom. weeds
Cawarra Road	residential	7 Cawarra Rd- front garden (sth)/ upper terrace	03.11.14	tree group	10ag(i)	Corgum	1	60-80+	9	7	poor	4.5	restricted	TPO; Corgum- on upper terrace adj. to boundary No.5 Cawarra Rd/ ext. dead wood (40%)/ poor vigour; dom. weeds
Cawarra Road	residential	7 Cawarra Rd- front garden (sth)/ upper terrace	03.11.14	tree group	10ag(i)	Cergum	1	60-80+	4	4	good	4.5	restricted	TPO; Cergum- on upper terrace; dom. weeds
Cawarra Road	residential	7 Cawarra Rd- front garden/ rock outcrops	03.11.14	scarp/ rock outcrops	10ar(i)	see notes	n/a					4.5	restricted	significant s/s scarp & rock outcrops; exotic garden/ dom. weeds; remnant native ground layer (incl. Caldub); Pitund regrowth
Cawarra Road	residential	8 Cawarra Rd- rear garden/ lower slope	03.11.14	tree group	10ag(iii)	Banser	1	50-60+	4	3	good	5.0	restricted	TPO; Banser- lopped/ regrowth- adj. to boundary No.10 Cawarra Rd; exotic garden/ rock outcrops
Cawarra Road	residential	8 Cawarra Rd- rear garden/ lower slope	03.11.14	remnant community	10ag(iii)	Cyaaus	n/a	varies				5.0	restricted	TPO; Cyaaus (3 individual specimens)- significant remnant tree fern group/ varying age structure (up to 4m HT); also <i>Cyathea cooperi</i> (cultivated)
Cawarra Road	road reserve	adj. to 9 Cawarra Rd- lower slope	03.11.14	tree group	10ag(i)	Eucrac	1	60-80+	10	12	good	5.0	fragmented	TPO; Eucrac- some dead wood/ vigorous new growth; on lower terraces (within road reserve/ adj. boundary No.9 Cawarra Rd - see listing); local & generic native planting (incl. <i>Callitris rhomboidea</i> ); Pitund, Acapar regrowth; dom. weeds; all listings part of larger significant remnant native tree group (see adj. to 11 & 13 Cawarra Rd)
Cawarra Road	road reserve	adj. to 9 Cawarra Rd- lower slope	03.11.14	tree group	10ag(i)	Hakdac	1	50-60+	7	7	good	5.0	fragmented	TPO; Hakdac- on terraces/ exotic garden (within road reserve); dom. weeds
Cawarra Road	road reserve	adj. to 9 Cawarra Rd- lower slope	03.11.14	tree group	10ag(i)	Hakdac	1	40-50+	6	5	good	5.0	fragmented	TPO; Hakdac- on terraces/ exotic garden (within road reserve); dom. weeds
Cawarra Road	road reserve	adj. to 9 Cawarra Rd- lower slope	03.11.14	tree group	10ag(i)	Hakdac	1	40-50+	4	5	good	5.0	fragmented	TPO; Hakdac- leaning main stem/ on terraces/ exotic garden (within road reserve); dom. weeds

Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ lower slope	03.11.14	tree group	10ag(i)	Eucrac	1	60-80+	10	10	poor	5.0	fragmented	TPO; Eucrac- multi-stemmed (2)/ ext. dead wood (40%)/ epicormic growth; on lower slope/ exotic garden adj. to road reserve (boundary confirmed by owner - see tree group listing); dom. weeds
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ lower slope	03.11.14	tree group	10ag(i)	Allit	1	50-60+	3	7	good	5.0	fragmented	TPO; Allit- leaning main stem/ on lower slope boundary to road reserve (see tree group listing); exotic garden/ dom. weeds
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ lower slope	03.11.14	tree group	10ag(i)	Kunamb	1	60-80+	5	4	good	5.0	fragmented	TPO; Kunamb- remnant understorey; exotic garden/ dom. weeds
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ mid-terraces	03.11.14	tree group	10ag(i)	Eucrac	1	80-100+	12	15	good	4.5	fragmented	TPO; Eucrac- multi-stemmed (2)/ some dead wood/ vigorous new growth; exotic garden/ dom. weeds
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Eucrac	1	20-30+	8	5	v.poor	4.5	fragmented	TPO; Eucrac- ext. dead wood/ die-back (60%); adj. to bdy No.11 Cawarra Rd; exotic garden/ dom. weeds
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Glofer	1	15-20+	7	5	good	4.5	fragmented	TPO; Eucrac- immature regrowth; also Pitund regrowth; remnant native ground layer (incl. Caldub); rock outcrops
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Eucrac	1	80-100+	12	12	good	4.5	fragmented	TPO; Eucrac- old growth specimen/ some dead wood/ part of significant remnant native tree group; exotic garden/ dom. weeds
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Eucrac	1	40-50+	9	7	fair	4.5	fragmented	TPO; Eucrac- some dead wood & poor vigour/ part of significant remnant native tree group; exotic garden/ dom. weeds
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Cergum	1	80-100+	5	7	good	4.5	fragmented	TPO; Cergum- old growth specimen/ part of significant remnant native understorey group (13+) on upper terraces/ rock outcrops
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Cergum	1	?60-80+	3	1	good	4.5	fragmented	TPO; Cergum- lopped/ part of significant remnant native understorey group on upper terraces/ rock outcrops
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Cergum	1	?60-80+	7	2	good	4.5	fragmented	TPO; Cergum- part of significant remnant native understorey group on upper terraces/ rock outcrops

Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Cergum	1	?60-80+	10	4	good	4.5	fragmented	TPO; Cergum- part of significant remnant native understorey group on upper terraces/ rock outcrops
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Cergum	1	?60-80+	8	2	good	4.5	fragmented	TPO; Cergum- part of significant remnant native understorey group on upper terraces/ rock outcrops
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Cergum	1	?40-50+	7	2	good	4.5	fragmented	TPO; Cergum- part of significant remnant native understorey group on upper terraces/ rock outcrops
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Cergum	1	?40-50+	7	3	good	4.5	fragmented	TPO; Cergum- part of significant remnant native understorey group on upper terraces/ rock outcrops
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Cergum	1	?40-50+	6	3	good	4.5	fragmented	TPO; Cergum- part of significant remnant native understorey group on upper terraces/ rock outcrops
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Cergum	1	?40-50+	4	2	good	4.5	fragmented	TPO; Cergum- part of significant remnant native understorey group on upper terraces/ rock outcrops
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	tree group	10ag(i)	Cergum	1	?40-50+	2	3	good	4.5	fragmented	TPO; Cergum- lopped/ part of significant remnant native understorey group on upper terraces/ rock outcrops
Cawarra Road	residential	9 Cawarra Rd- front garden (sth)/ upper terraces	03.11.14	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	remnant native Cergum group incl. smaller saplings/ possibly single parent & underground rootstock; also Pitund regrowth
Cawarra Road	residential	10 Cawarra Rd- front garden/ upper rock outcrops	03.11.14	tree group	10ag(i)	Eucrac	1	60-80+	9	10	fair	2.5	restricted	adj.SEPP19/ TPO; Eucrac- part of significant remnant native tree group/ ext. dead wood (30%)/ on upper rock shelf adj. to boundary No.12 Cawarra Rd; exotic garden/ local & generic native planting
Cawarra Road	residential	10 Cawarra Rd- front garden/ upper rock outcrops	03.11.14	tree group	10ag(i)	Allit	1	60-80+	4	7	good	2.5	restricted	adj.SEPP19/ TPO; Allit- part of significant remnant native tree group on upper rock shelf; exotic garden/ local & generic native planting
Cawarra Road	residential	10 Cawarra Rd- front garden/ upper rock outcrops	03.11.14	remnant community	10ag(i)	see notes	n/a	varies				2.5	restricted	remnant native ground stratum associated with rock outcrops/ assisted regeneration (incl. Acasue, Epalon, Bilsca, Caldub, Diacae, Hisinc, Hypmue, Entstr, Gonteu); remnant native shrubby regrowth (incl. Glofer, Allit, Elaret)

Cawarra Road	residential	10 Cawarra Rd- front garden/ mid-slope	03.11.14	tree group	10ag(i)	Banser	1	60-80+	7	5	fair	4.5	restricted	adj.SEPP19/ TPO; Banser- part of significant remnant native tree group/ on rock outcrops adj. to driveway; exotic garden/ local & generic native planting
Cawarra Road	residential	10 Cawarra Rd- front garden/ lower slope	03.11.14	tree group	10ag(i)	Banser	1	20-30+	5	4	good	4.5	restricted	adj.SEPP19/ TPO; Banser- on lower slope adj. to entry/ possibly cultivated; exotic garden/ local & generic native planting
Cawarra Road	residential	10 Cawarra Rd- rear garden	03.11.14	tree group	10ag(i)	Banser	1	30-40+	6	5	good	4.5	restricted	adj.SEPP19/ TPO; Banser- rock outcrops adj. to boundary No.87 Rembrandt Dve/ possibly cultivated; exotic garden/ local native planting/ restoration (incl. Banser, Cergum, Allit)
Cawarra Road	residential	10 Cawarra Rd- rear garden/ rock outcrops	03.11.14	tree group	10ag(i)	Angcor	1	15-20+	12	3	good	4.5	restricted	adj.SEPP19/ TPO; Angcor- rock outcrops adj. to boundary No.85 Rembrandt Dve (possibly cultivated)
Cawarra Road	residential	10 Cawarra Rd- rear garden/ rock outcrops	03.11.14	remnant community	10ag(i)	see notes	n/a	varies				4.5	restricted	remnant native ground stratum associated with rock outcrops/ assisted regeneration (incl. Diacae, Hymue); Pitund regrowth
Cawarra Road	road reserve	adj. to 11 Cawarra Rd- lower slope	03.11.14	tree group	10ag(i)	Eucrac	1	20-30+	7	5	poor	3.5	fragmented	TPO; Eucrac- ext. dead wood; on lower terraces/ rock outcrops (within road reserve/ adj. boundary No.11 Cawarra Rd - see listing); local & generic native planting; dom. weeds; part of larger significant remnant native tree group (see adj. to 9 & 13 Cawarra Rd)
Cawarra Road	road reserve	adj. to 11 Cawarra Rd- lower slope	03.11.14	tree group	10ag(i)	Allit	1	30-40+	5	4	good	3.5	fragmented	TPO; Allit- on lower terrace/ rock outcrops (within road reserve); dom. weeds; part of larger significant remnant native tree group
Cawarra Road	road reserve	adj. to 11 Cawarra Rd- lower slope	03.11.14	tree group	10ag(i)	Angbak	1	unknown	2	3	good	3.5	fragmented	TPO; Angbak- lopped at base/ multi-stemmed coppiced regrowth; on lower terrace/ rock outcrops (within road reserve); dom. weeds; part of larger significant remnant native tree group
Cawarra Road	road reserve	adj. to 11 Cawarra Rd- lower slope	03.11.14	tree group	10ag(i)	Euccap	1	unknown	4	2	good	3.5	fragmented	TPO; Euccap- likely regrowth stem; on lower terrace/ rock outcrops (within road reserve); dom. weeds; part of larger significant remnant native tree group

Cawarra Road	road reserve	adj. to 11 Cawarra Rd- lower slope	03.11.14	remnant community	10ag(i)	see notes	n/a	varies					3.5	fragmented	area under bush regeneration/ restoration; remnant native shrubby regrowth/ immature (incl. Angcor, Hakdac, Allit, Glofer, Acaflo)/ seedling regeneration (incl. Angcor, Allit, Kunamb, Leptri, Lomlon, Diacae) & remnant native ground layer (incl. Caldub, Pteesc, Smigly, Entstr, Diacae, Diarev, Austen, Lomcyl) assoc. w. rock outcrops
Cawarra Road	residential	11 Cawarra Rd- front garden (sth)/ lower slope	03.11.14	tree group	10ag(i)	Angcor	1	80-100+	12	12	good	4.5	fragmented	TPO; Angcor- old growth specimen; on lower terraced slope/ rock outcrops; exotic garden adj. to road reserve; dom. weeds	
Cawarra Road	residential	11 Cawarra Rd- front garden (sth)/ upper slope	03.11.14	tree group	10ag(i)	Allit	1	50-60+	7	5	v.poor	4.5	fragmented	TPO; Allit- ext, dead wood/ die-back; on upper terraced slope/ rock outcrops adj. to boundary No.13 Cawarra Rd; dom. weeds	
Cawarra Road	residential	11 Cawarra Rd- front garden (sth)/ slope	03.11.14	rock outcrops	10ag(i)	see notes	n/a	varies				4.5	fragmented	exotic terraced garden/ significant rock outcrops; remnant native ground layer (incl. Diacae, Smigly)	
Cawarra Road	road reserve	adj. to 13 Cawarra Rd- lower slope	03.11.14	tree group	10ag(i)	Angbak	1	unknown	0.5	0.5	good	4.5	restricted	TPO; Angbak- lopped to base/ vigorous multi-stemmed resprouting (coppiced regrowth); on rock outcrops (within road reserve/ adj. boundary No.13 Cawarra Rd); dom. weeds; part of larger significant remnant native tree group (see adj. to 11 Cawarra Rd)	
Cawarra Road	road reserve	adj. to 13 Cawarra Rd- lower slope	03.11.14	tree group	10ag(i)	Angbak	1	unknown	0.5	0.5	good	4.5	restricted	TPO; Angbak- lopped at base/ multi-stemmed coppiced regrowth; on lower terrace/ rock outcrops (within road reserve); dom. weeds; part of larger significant remnant native tree group	
Cawarra Road	road reserve	adj. to 13 Cawarra Rd- lower slope	03.11.14	remnant community	10ag(i)	see notes	n/a	varies				4.5	restricted	threatened regrowth community/ regeneration (incl. Kunamb)/ remnant native ground layer (incl. Pteesc, Entstr, Diacae, Bilsca, Austen) assoc. w. rock outcrops	
Cawarra Road	residential	14 Cawarra Rd- front garden/ upper level	03.11.14	tree group	10ag(i)	Euchae	1	20-30+	9	9	good	5.0	restricted	TPO; Euchae- adj. to boundary No.12 Cawarra Rd (possibly cultivated); exotic garden	

Cawarra Road	residential	14 Cawarra Rd- rear garden	03.11.14	tree group	10ag(i)	Allit	1	30-40+	7	7	good	5.0	restricted	TPO; Allit- adj. to boundary Rembrandt Dve frontage/ lopped under overhead powerlines; exotic garden/ recent tree removals
<b>Chowne Place</b>	residential	1 Chowne Place- front garden/ mid-slope	08.01.16	tree group	10ag(i)	Angcos	1	50-60+	18	14	good	4.5	fragmented	TPO; Angcos- some dead wood/ vigorous growth; part of significant remnant native tree group; on mid-slope/ rock outcrops adj. to boundary No.3 Chowne Pl; exotic garden/ largely cleared & highly modified; remnant native regrowth/ regen. (see below); dom. weeds
Chowne Place	residential	1 Chowne Place- front garden/ mid-slope	08.01.16	tree group	10ag(i)	Angcos	1	80-100+	18	18	good	4.5	fragmented	TPO; Angcos- old growth specimen; some dead wood/ vigorous growth; part of significant remnant native tree group; on mid-slope/ rock outcrops adj. to boundary No.3 Chowne Pl.
Chowne Place	residential	1 Chowne Place- front garden/ mid-slope	08.01.16	tree group	10ag(i)	Corgum	1	30-40+	9	5	fair	4.5	fragmented	TPO; Corgum- ext. dead wood (30%)/ possibly older; part of significant remnant native tree group; on mid-slope/ rock outcrops adj. to boundary No.3 Chowne Pl.
Chowne Place	residential	1 Chowne Place- front garden/ mid-slope	08.01.16	tree group	10ag(i)	Corgum	1	80-100+	22	10	good	4.5	fragmented	TPO; Corgum- old growth specimen; some dead wood/ vigorous growth; part of significant remnant native tree group; on mid-slope/ rock outcrops adj. to boundary No.3 Chowne Pl.
Chowne Place	residential	1 Chowne Place- front garden/ mid-slope	08.01.16	tree group	10ag(i)	Banser	1	40-50+	4	5	good	4.5	fragmented	TPO; Banser- leaning main stem/ vigorous growth; part of significant remnant native tree group; on mid-slope/ rock outcrops adj. to boundary No.3 Chowne Pl.
Chowne Place	residential	1 Chowne Place- front garden/ mid-slope	08.01.16	tree group	10ag(i)	Corgum	1	50-60+	14	2	fair	4.5	fragmented	TPO; Corgum- damaged upper crown; some dead wood/ vigorous epicormic growth; part of significant remnant native tree group; on lower slope/ rock outcrops adj. to boundary No.3 Chowne Pl.
Chowne Place	residential	1 Chowne Place- front garden/ mid-slope	08.01.16	tree group	10ag(i)	Angcos	1	60-80+	18	16	good	4.5	fragmented	TPO; Angcos- possibly old growth specimen; some dead wood/ vigorous growth; part of significant remnant native tree group; on lower slope/ rock outcrops adj. to boundary No.3 Chowne Pl.

Chowne Place	residential	1 Chowne Place- front garden/ mid-slope	08.01.16	tree group	10ag(i)	Corgum	1	40-50+	14	3	fair	4.5	fragmented	TPO; Corgum- damaged upper crown; some dead wood/ vigorous epicormic growth; part of significant remnant native tree group; on lower slope/ rock outcrops on boundary No.3 Chowne Pl.
Chowne Place	residential	1 Chowne Place- front garden	08.01.16	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO; remnant native regrowth on mid- to lower slope/ rock outcrops adj. to boundary No.3 Chowne Pl. (incl. Acapar/ (up to 10-15yrs+), Elaret (2)/(up to 15-20yrs+/ 6-7m HT) & Lomlon, Diacae/ likely other ground layer spp. assoc. w. rock outcrops); also good regen./ seedlings (incl. Angcos, Elaret, Glofer); Pitund (dom.) regrowth; exotic garden/ highly modified; dom. weeds
Chowne Place	residential	1 Chowne Place- rear garden	08.01.16	tree group	10ag(i)	Angcos	1	40-50+	12	9	fair	5.0	fragmented	TPO; Angcos- ext. dead wood/ vigorous epicormic growth; part of significant remnant native tree group; adj. to boundary to reserve (Warrane Reserve) & No.3 Chowne Pl.; dom. weeds
Chowne Place	residential	2 Chowne Place- front garden/ lawn	08.01.16	tree group	10ag(i)	Euchae	1	80-100+	12	12	good	5.0	restricted	TPO; Euchae- old growth multi-stemmed (2) specimen; lopped lower branches X2/ vigorous growth; part of significant old growth remnant native tree group on this property; on elevated open lawn adj. to driveway & house; exotic garden/ largely cleared & highly modified
Chowne Place	residential	2 Chowne Place- front garden/ lawn	08.01.16	tree group	10ag(i)	Euchae	1	80-100+	14	12	good	5.0	restricted	TPO; Euchae- old growth specimen/ vigorous growth; part of significant old growth remnant native tree group; on elevated open lawn
Chowne Place	residential	2 Chowne Place- front garden/ lawn	08.01.16	tree group	10ag(i)	Corgum	1	80-100+	16	7	good	5.0	restricted	TPO; Corgum- old growth multi-stemmed (2) specimen/ vigorous growth; part of significant old growth remnant native tree group; on elevated open lawn



Chowne Place	residential	3 Chowne Place- front garden/ lower slope	08.01.16	tree group	10ag(i)	Angcos	1	40-50+	18	9	good	2.5	fragmented	TPO; Angcos- some dead wood/ vigorous growth; part of significant remnant native tree group (see listings- No.1 Chowne Pl.); on lower slope/ rock outcrops adj. to boundary No.1 Chowne Pl; exotic garden/ largely cleared & highly modified; recent terracing/ landscaping; significant remnant native regrowth/ regen. (see below)
Chowne Place	residential	3 Chowne Place- front garden/ lower slope	08.01.16	tree group	10ag(i)	Angcos	1	20-30+	14	7	good	2.5	fragmented	TPO; Angcos- vigorous growth; part of significant remnant native tree group (see listings- No.1 Chowne Pl.); on lower slope/ rock outcrops adj. to boundary No.5 Chowne Pl.
Chowne Place	residential	3 Chowne Place- front garden/ lower slope	08.01.16	tree group	10ag(i)	Angcos	1	50-60+	16	14	good	2.5	fragmented	TPO; Angcos- multi-stemmed (2) at base; some dead wood/ vigorous growth; competition w. planted <i>Eucalyptus scoparia</i> ; part of significant remnant native tree group (see listings- No.1 Chowne Pl.); on upper slope adj. to boundary No.5 Chowne Pl.
Chowne Place	residential	3 Chowne Place- front garden	08.01.16	remnant community	10ag(i)	see notes	n/a	varies				2.5	fragmented	TPO; significant remnant native ground layer/ regen. assoc. w. rock outcrops/ lower slope adj. to driveway (incl. Crosal, Acthel, Diacae, Lomlon, Lomgla) & canopy tree/ understorey regen. (incl. Angcos, Perpin, Allit); relatively high biodiversity in small area; exotic/ native terraced garden; largely cleared & highly modified; local & generic native planting (incl. Banint)

Chowne Place	residential	4 Chowne Place- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Angcos	1	50-60+	16	12	good	4.5	restricted	TPO; Angcos- some dead wood/ vigorous growth; part of significant remnant native tree group on this property (also see listings- No.6, 8 & 10 Chowne Pl.); on upper slope/ rock outcrops adj. to house; exotic/ native garden; highly modified; remnant native shrub/ ground layer (see below); local & generic (dom.) native planting (incl. Banint, <i>Eucalyptus botryoides</i> , <i>Corymbia citriodora</i> / incl. sapling regen. on lower rock outcrops); dom. weeds
Chowne Place	residential	4 Chowne Place- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Cergum	1	50-60+	8	2	fair	4.5	restricted	TPO; Cergum- some dead wood; part of significant remnant native tree group; on upper slope/ rock outcrops adj. to house & boundary No.6 Chowne Pl.
Chowne Place	residential	4 Chowne Place- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Corgum	1	?40-50+	10	3	fair	4.5	restricted	TPO; Corgum- possibly older; multi-stemmed (2) at base/ some dead wood; part of significant remnant native tree group; on upper rock shelf/ rock outcrops adj. to boundary No.6 Chowne Pl.
Chowne Place	residential	4 Chowne Place- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Angcos	1	30-40+	15	10	good	4.5	restricted	TPO; Angcos- vigorous growth; part of significant remnant native tree group; on mid-slope/ rock outcrops adj. to boundary No.6 Chowne Pl.
Chowne Place	residential	4 Chowne Place- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Angcos	1	10-15+	4	2	see notes	4.5	restricted	TPO; Angcos- lopped at base/ regrowth; ext. dead wood in upper crown/ vigorous epicormic growth (mid- to lower main stem); part of significant remnant native tree group; on lower slope/ rock outcrops adj. to driveway
Chowne Place	residential	4 Chowne Place- front garden/ rock outcrops	18.01.16	remnant community	10ag(i)	see notes	n/a	varies				4.5	restricted	TPO; remnant native shrubs/ ground layer assoc. w. significant rock outcrops (incl. Ozodio/ possibly planted, Lomsil, Lomlon, Diacae, Entstr); lopped/ dead Corgum X1 adj. to driveway; local & generic native planting; exotic garden/ highly modified; dom. weeds

Chowne Place	residential	5 Chowne Place- front garden/ upper slope	08.01.16	tree group	10ag(i)	Angcos	1	80-100+	18	16	good	4.5	fragmented	TPO; Angcos- old growth multi-stemmed (3) specimen; some dead wood/ vigorous growth; terraced exotic garden/ lawns; highly modified; remnant native ground layer at Angcos base (Lomlon); Pitund regrowth
Chowne Place	residential	5 Chowne Place- front garden/ upper slope	08.01.16	tree group	10ag(i)	Corgum	1	50-60+	14	6	good	4.5	fragmented	TPO; Corgum- some dead wood/ vigorous growth
Chowne Place	residential	5 Chowne Place- rear garden	08.01.16	tree group	10ag(i)	Eucpip	1	15-20+	16	3	good	5.0	fragmented	TPO; Eucpip- some dead wood/ vigorous growth; adj. to rear boundary to reserve (Warrane Reserve); exotic garden/ highly modified; local & generic native planting (incl. mature <i>Eucalyptus botryoides</i> )
Chowne Place	residential	6 Chowne Place- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Eucpun	1	40-50+	14	14	good	4.5	restricted	TPO; Eucpun- leaning main stem; some dead wood (20%)/ vigorous growth; part of significant remnant native tree group on this property (also see listings- No.4, 8 & 10 Chowne Pl.); on upper lawn terrace; exotic garden/ rock outcrops; highly modified; dom. weeds
Chowne Place	residential	6 Chowne Place- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Angcos	1	50-60+	15	12	good	4.5	restricted	TPO; Angcos- some dead wood (20%)/ vigorous growth; part of significant remnant native tree group; on upper lawn terrace
Chowne Place	residential	6 Chowne Place- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Eucpun	1	?40-50+	10	10	poor	4.5	restricted	TPO; Eucpun- multi-stemmed (3) at base; 1X stem- dead; ext. dead wood (50%)/ vigorous growth in parts of upper canopy; part of significant remnant native tree group; on upper slope/ rock outcrops adj. to boundary No.8 Chowne Pl.
Chowne Place	residential	6 Chowne Place- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Angcos	1	60-80+	15	15	good	4.5	restricted	TPO; Angcos- possibly old growth specimen/ multi-stemmed (2) at base; some dead wood/ vigorous growth; part of significant remnant native tree group; on upper slope/ rock outcrops adj. to boundary No.8 Chowne Pl.

Chowne Place	residential	6 Chowne Place- front garden/ rock outcrops	18.01.16	remnant community	10ag(i)	see notes	n/a	varies				4.5	restricted	TPO; remnant native ground layer assoc. w. significant rock outcrops (incl. Lomlon, Diacae, Diarev); Angcos/ Glofer- regen./ saplings; exotic garden/ highly modified; dom. weeds
Chowne Place	residential	6 Chowne Place- rear garden	18.01.16	tree group	10ag(i)	Acapar	1	15-20+	10	7	good	5.0	restricted	TPO; Acapar- adj. to upper rear boundary; highly modified/ dom. weeds
Chowne Place	residential	7 Chowne Place- front garden/ upper slope	08.01.16	tree group	10ag(i)	Corgum	1	60-80+	14	10	good	5.0	restricted	TPO; Corgum- vigorous growth; on upper slope adj. to driveway; exotic garden/ highly modified; dom. weeds
Chowne Place	residential	7 Chowne Place- rear garden/ lower slope	08.01.16	tree group	10ag(i)	Angcos	1	80-100+	18	18	good	5.0	restricted	TPO; Angcos- old growth specimen; some dead wood/ vigorous epicormic growth; on lower slope/ rock outcrops; <i>Cyathea cooperi</i> - cultivated origin; dom. weeds
Chowne Place	residential	8 Chowne Place- front garden/ upper slope	13.01.16	tree group	10ag(i)	Corgum	1	60-80+	18	12	good	4.5	restricted	TPO; Corgum- multi-stemmed (2) at base; some dead wood/ vigorous growth; on upper slope/ rock outcrops adj. to boundary No.10 Chowne Pl.; exotic garden/ highly modified; remnant native ground layer/ regen. (see below); dom. weeds
Chowne Place	residential	8 Chowne Place- front garden/ rock outcrops	13.01.16	remnant community	10ag(i)	see notes	n/a	varies				4.5	restricted	TPO; remnant native ground layer assoc. w. significant rock outcrops (incl. Lomlon, Diacae, Pteesc); regen./ seedlings (Corgum); exotic garden/ highly modified; dom. weeds
Chowne Place	residential	8 Chowne Place- rear garden/ upper slope	13.01.16	tree group	10ag(i)	Allit	1	20-30+	6	5	fair	4.5	restricted	TPO; Allit- some dead wood/ decline; on upper lawn slope/ assoc. w. rock outcrops; some remnant natives/ regen. (incl. Glofer, Diacae); highly modified/ dom. weeds
Chowne Place	residential	8 Chowne Place- rear garden/ rock outcrops	13.01.16	tree group	10ag(i)	Allit	1	15-20+	5	4	good	4.5	restricted	TPO; Allit- vigorous growth; on upper rock outcrops/ adj. to rear boundary
Chowne Place	residential	9 Chowne Place- front garden/ lower terrace	08.01.16	tree group	10ag(i)	Eucpun	1	60-80+	16	16	good	4.5	restricted	TPO; Eucpun- multi-stemmed (2) at base; some dead wood/ vigorous growth; on lower terrace/ lawn; exotic garden/ highly modified; remnant native ground layer (incl. Micsti) on mown upper lawn/ rock outcrops; dom. weeds

Chowne Place	residential	9 Chowne Place- front garden/ lower terrace	08.01.16	tree group	10ag(i)	Corgum	1	80-100+	20	9	good	4.5	restricted	TPO; Corgum- old growth specimen; some dead wood & past damage to trunk/ vigorous growth; on lower terrace/ lawn
Chowne Place	residential	10 Chowne Place- front garden/ upper slope	13.01.16	tree group	10ag(i)	Corgum	1	60-80+	16	10	fair	4.5	restricted	TPO; Corgum- multi-stemmed (2) at base; ext. dead wood (20%) / vigorous new growth; <i>Ficus pumila</i> recently removed from trunk; on upper slope/ rock outcrops adj. to house & boundary to No.8 Chowne Pl.; exotic garden/ highly modified; local & generic native planting; dom. weeds
Chowne Place	residential	10 Chowne Place- front garden/ rock outcrops	13.01.16	remnant community	10ag(i)	see notes	n/a	varies				4.5	restricted	TPO; remnant native ground layer assoc. w. significant rock outcrops (incl. Pteesc); also Glofer (2) (up to 5-10yrs+/ 4m HT); exotic garden/ highly modified; dom. weeds
Chowne Place	residential	10 Chowne Place- rear garden/ upper slope	13.01.16	tree group	10ag(i)	Glofer	1	20-30+	7	7	good	4.5	restricted	TPO; Glofer- vigorous growth; on upper slope/ assoc. w. rock outcrops adj. to boundary No.8 Chowne Pl.
Chowne Place	residential	12 Chowne Place- rear garden/ lower slope	13.01.16	single tree	10ag(i)	Ficrub	1	10-15+	5	6	good	4.5	restricted	TPO; Ficrub- multi-stemmed/ vigorous growth; on lower rock outcrops adj. to house; remnant native ground layer (incl. Pteesc) assoc. w. significant rock outcrops; exotic garden/ highly modified; local & generic native planting (incl. 2X mature <i>Eucalyptus globulus</i> / 1X <i>E. botryoides</i> - in upper rear garden & <i>Corymbia citriodora</i> / regen. in front garden); dom. weeds
Chowne Place	residential	13 Chowne Place- rear garden	08.01.16	single tree	10ag(i)	Glofer	1	40-50+	8	8	good	5.0	fragmented	TPO; Glofer- vigorous growth; adj. to rear boundary; exotic garden/ highly modified

Chowne Place	residential	14 Chowne Place- rear garden/ upper slope	18.01.16	tree group	10ag(i)	Corgum	1	?100-150+	18	16	see notes	4.5	restricted	TPO; Corgum- old growth multi-stemmed (2) specimen; some dead wood (20%)/ vigorous growth; on upper steep slope/ rock outcrops adj. to boundary No.16 Chowne Pl. & No.39 Victoria Ave; exotic garden/ highly modified; Pitund/ Glofer (dom.) regrowth; some remnant native ferns assoc. w. significant rock outcrops (incl. Hisinc, Dooasp); dom. weeds; Note: front garden/ significant rock outcrops (no remnant native spp. evident)
Chowne Place	residential	14 Chowne Place- rear garden/ upper slope	18.01.16	tree group	10ag(i)	Glofer	1	60-80+	12	12	good	4.5	restricted	TPO; Glofer- possibly old growth specimen; vigorous growth; on upper steep slope/ rock outcrops adj. to boundary No.16 Chowne Pl.
Chowne Place	residential	14 Chowne Place- rear garden/ upper slope	18.01.16	tree group	10ag(i)	Glofer	1	30-40+	9	9	good	4.5	restricted	TPO; Glofer- on upper steep slope/ rock outcrops adj. to boundary No.12 Chowne Pl.
Chowne Place	residential	14 Chowne Place- rear garden/ upper slope	18.01.16	tree group	10ag(i)	Glofer	1	15-20+	7	6	good	4.5	restricted	TPO; Glofer- on upper steep slope/ rock outcrops
Chowne Place	residential	14 Chowne Place- rear garden/ upper slope	18.01.16	tree group	10ag(i)	Glofer	1	15-20+	7	5	good	4.5	restricted	TPO; Glofer- on upper steep slope/ rock outcrops
Chowne Place	residential	16 Chowne Place- front garden/ adj. to verge	13.01.16	tree group	10ag(i)	Eucpun	1	20-30+	16	9	good	4.5	restricted	TPO; Eucpun- some dead wood/ vigorous growth; on front boundary adj. to verge (below rock outcrops); terraced exotic garden/ highly modified; significant rock outcrops; dead standing tree/ stag (possibly Eucpun- adj. to verge); Pitund regrowth; local & generic native planting (incl. <i>Corymbia ficifolia</i> - rear garden); dom. weeds
Chowne Place	residential	16 Chowne Place- front garden/ upper terrace	13.01.16	tree group	10ag(i)	Cergum	1	20-30+	4	4	good	4.5	restricted	TPO; Cergum- vigorous growth/ possibly planted; on upper terrace & rock shelf
Chowne Place	residential	16 Chowne Place- front garden/ upper terrace	13.01.16	tree group	10ag(i)	Glofer	1	50-60+	8	12	good	4.5	restricted	TPO; Glofer- multi-stemmed specimen/ vigorous growth; on top of rock shelf/ upper rock outcrops adj. to driveway cutting

Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	scarp/ rock outcrops	10ar(i)	see notes	n/a						2.5	fragmented	TPO; significant s/s scarp, rock outcrops; varying level of disturbance/ modification; relatively high biodiversity assoc. w. upper rock outcrops (see below)
Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	remnant community	10ar(i)	see notes	n/a	varies					2.5	fragmented	TPO; central island rock outcrops; varying level of disturbance/ modification; relatively high biodiversity assoc. w. significant upper rock outcrops (opp. Nos.17-21 Chowne Pl.); remnant native regrowth (incl. Kunamb (dom.)/ Alldis-incl. old specimens), Allit (dom.), Polsam, Grebux, Crosal, Acapar, Acalin, Acasua, Hompop, Dodtri, Diarev, Diacae, Lomlon, Entstr, Thetri, Austen, Glycla, Wahgra); good regen. (incl. Angcos, Kunamb, Allit/ up to 5-10yrs+); Glofer/ Pitund regrowth; mixed local/ generic native planting (incl. Casgla, Hompop, Kunamb, Allit, Grebux, Lomlon, <i>Allocasuarina torulosa</i> ) & <i>Eucalyptus saligna</i> / <i>Alphitonia excelsa</i> regen.); dom. weeds
Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	tree group	10ag(i)	Angcos	1	15-20+	12	6	good	2.5	fragmented	TPO; Angcos- vigorous growth; on lower slope/ rock outcrops opp. No.17 Chowne Pl.; part of significant remnant native tree group/ community assoc. w. rock outcrops	
Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	tree group	10ag(i)	Alldis	n/a	40-50+	3	5	see notes	2.5	fragmented	TPO; Alldis- old leaning specimens in isolated group (3+) on lower slope/ rock outcrops opp. No.17 Chowne Pl.; part of significant remnant native community assoc. w. rock outcrops; also mixed Alldis/ Allit regen. on adj. upper rock outcrops	
Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	tree group	10ag(i)	Angcos	1	20-30+	6	8	good	2.5	fragmented	TPO; Angcos- vigorous growth; on upper rock outcrops opp. Nos.18-20 Chowne Pl.; part of significant remnant native tree group/ community	
Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	tree group	10ag(i)	Angcos	1	15-20+	6	5	good	2.5	fragmented	TPO; Angcos- vigorous growth; on upper rock outcrops opp. Nos.18-20 Chowne Pl.; part of significant remnant native tree group/ community	

Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	tree group	10ag(i)	Angcos	1	?40-50+	9	12	good	2.5	fragmented	TPO; Angcos- multi-stemmed (2 or 3- lignotuber regrowth) at base/ vigorous growth (possibly older); heavily pruned under overhead powerlines; on upper rock outcrops opp. Nos.18-20 Chowne Pl.; part of significant remnant native tree group/ community
Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	tree group	10ag(i)	Angcos	1	?30-40+	5	8	good	2.5	fragmented	TPO; Angcos- vigorous growth (possibly older); heavily pruned under overhead powerlines; on upper rock outcrops opp. Nos.18-20 Chowne Pl.; part of significant remnant native tree group/ community
Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	tree group	10ag(i)	Angcos	1	40-50+	9	12	good	2.5	fragmented	TPO; Angcos- some dead wood/ vigorous growth; on upper rock outcrops opp. No.20 Chowne Pl.; part of significant remnant native tree group/ community
Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	tree group	10ag(i)	Eucpun	1	20-30+	9	4	good	2.5	fragmented	TPO; Eucpun- some recent pruning/ vigorous growth; on upper rock outcrops/ scarp opp. Nos.17-19 Chowne Pl.; part of significant remnant native tree group/ community
Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	tree group	10ag(i)	Angcos	1	40-50+	9	3	v.poor	2.5	fragmented	TPO; Angcos- ext. dead wood (95%)/ poor epicormic growth along main stem & base; on upper rock outcrops/ scarp opp. No.19 Chowne Pl.; part of significant remnant native tree group/ community
Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	tree group	10ag(i)	Angcos	1	50-60+	9	7	poor	2.5	fragmented	TPO; Angcos- ext. dead wood (70%)/ vigorous new epicormic growth; on upper rock outcrops/ scarp opp. No.19 Chowne Pl.; part of significant remnant native tree group/ community
Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	tree group	10ag(i)	Eucpun	1	15-20+	9	2	good	2.5	fragmented	TPO; Angcos- vigorous growth; on upper rock outcrops opp. No.20 Chowne Pl.; part of significant remnant native tree group/ community



Chowne Place	road reserve	central island rock outcrops (opp. Nos.12-21A Chowne Pl.)	13.01.16	tree group	10ag(i)	Anghis	1	?50-60+	3.5	9	fair	2.5	fragmented	TPO; Anghis- possibly old growth specimen (locally rare taxa/ age structure) or possibly planted; multi-stemmed (4+)/ pruned under overhead powerlines; ext. dead wood (60%) w. vigorous epicormic growth; on upper rock outcrops opp. No.21A Chowne Pl. & pedestrian right-of-way; part of significant remnant native tree group/ community
Chowne Place	pedestrian right-of-way	adj. to 21 Chowne Place- upper slope	08.01.16	tree group	10ag(i)	Eucpun	1	40-50+	10	10	good	5.0	restricted	TPO; Eucpun- some dead wood/ vigorous growth; on upper steep slope/ rock outcrops between pedestrian steps (public right-of-way) and boundary to No.21 Chowne Pl./ front garden; highly modified; dom. weeds
Chowne Place	pedestrian right-of-way	adj. to 21 Chowne Place- lower slope	13.01.16	tree group	10ag(i)	Glofer	1	20-30+	6	8	see notes	5.0	restricted	TPO; Glofer- leaning main stem/ regrowth; heavily pruned under overhead powerlines; vigorous growth; on lower slope between pedestrian steps (public right-of-way) and boundary to No.21A Chowne Pl. (314 Eastern Valley Way)/ lower driveway; listing subject to boundary survey; highly modified; dom. weeds
Chowne Place	residential	21A Chowne Place (314 Eastern Valley Way)- front garden/ rock outcrops	13.01.16	tree group	10ag(i)	Glofer	1	60-80+	9	9	good	5.0	restricted	TPO; Glofer- vigorous growth/ pruned adj. to overhead powerlines; on lower slope between driveway & boundary to steps (public right-of-way); listing subject to boundary survey; Pitund (dom.) regrowth; highly modified/ dom. weeds
Chowne Place	residential	21A Chowne Place (314 Eastern Valley Way)- front garden/ rock outcrops	13.01.16	tree group	10ag(i)	Glofer	1	15-20+	7	6	good	5.0	restricted	TPO; Glofer- vigorous growth; on upper slope/ significant rock outcrops adj. to garage & boundary public right-of-way; dead standing trees/ stags; Glofer/ Pitund (dom.) regrowth; highly modified/ dom. weeds
Chowne Place	residential	21A Chowne Place (314 Eastern Valley Way)- front garden/ rock outcrops	13.01.16	tree group	10ag(i)	Glofer	1	15-20+	8	7	good	5.0	restricted	TPO; Glofer- multi-stemmed/ vigorous growth; on upper slope/ significant rock outcrops adj. to garage & boundary public right-of-way

Chowne Place	residential	21A Chowne Place (314 Eastern Valley Way)- front garden/ rock outcrops	13.01.16	tree group	10ag(i)	Cyaaus	1	?60-80+	3.5	2	good	5.0	restricted	TPO; Cyaaus- possibly planted; on upper slope/ significant rock outcrops adj. to garage & boundary public right-of-way
Chowne Place	residential	21A Chowne Place (314 Eastern Valley Way)- front garden/ rock outcrops	13.01.16	tree group	10ag(i)	Corgum	1	?40-50+	7	3	see notes	5.0	restricted	TPO; Corgum- multi-stemmed/ 1X stem-dead; leaning main stem/ competition w. <i>Cinnamomum camphora</i> ; on upper rock outcrops adj. to rear boundary No.312 Eastern Valley Way; highly modified/ dom. weeds
Chowne Place	residential	21A Chowne Place (314 Eastern Valley Way)- front garden/ rock outcrops	13.01.16	tree group	10ag(i)	Corgum	1	10-15+	9	3	good	5.0	restricted	TPO; Corgum- vigorous growth; on upper rock outcrops adj. to boundary No.308 Eastern Valley Way
Chowne Place	road reserve	grass verge adj. to 22 Chowne Place	13.01.16	single tree	10ag(i)	Glofer	1	10-15+	5	5	good	5.0	restricted	TPO; Glofer- vigorous growth; on mown grass verge/ possibly planted
Covelee Circuit	residential	24 Covelee Crt- front garden	03.11.14	single tree	10ag(i)	Corgum	1	60-80+	12	16	good	5.0	restricted	TPO; Corgum- on lower terrace lawn; exotic garden/ rock outcrops; mature <i>Acacia binervia</i> (cultivated)
Covelee Circuit	residential	30 Covelee Crt- front garden	03.11.14	tree group	10ag(i)	Corgum	1	40-50+	14	6	good	4.5	restricted	TPO; Corgum- terraced exotic garden/ rock outcrops
Covelee Circuit	residential	30 Covelee Crt- front garden	03.11.14	tree group	10ag(i)	Angcos	1	20-30+	10	10	good	4.5	restricted	TPO; Angcos- terraced exotic garden/ rock outcrops/ owner confirmed cultivated origin/ unknown provenance
Covelee Circuit	residential	30 Covelee Crt- front garden	03.11.14	rock outcrops	10ag(i)	see notes	n/a	varies				4.5	restricted	exotic garden/ local & generic native planting; remnant natives- Diacae, Wahgra, Pulsti (possibly cultivated)
<b>Eastern Valley Way</b>	residential	269 Eastern Valley Way- rear garden	25.11.15	single tree	10ag(i)	Glofer	1	20-30+	9	7	good	5.0	restricted	TPO; Glofer- adj. to boundary No.271 Eastern Valley Way; exotic garden/ highly modified; current building renovation/ construction; also remnant native regrowth/ regen. (incl. Elaret/ 3m HT); dom. weeds
Eastern Valley Way	road reserve	adj. to 269 Eastern Valley Way	11.08.15	single tree	10ag(i)	Eucpun	1	30-40+	10	12	good	5.0	restricted	TPO; Eucpun- on mown grass verge adj. to driveway; some dead wood/ vigorous new growth; likely remnant regrowth; current building renovation/ construction; dom. weeds
Eastern Valley Way	easement	between 269 & 271 Eastern Valley Way	25.11.15	tree group	10ag(i)	Glofer	1	40-50+	12	8	good	5.0	restricted	TPO; Glofer- upper slope between boundaries to Nos.269 & 271 Eastern Valley Way; Pitund regrowth; highly modified/ dom. weeds; listing subject to boundary survey

Eastern Valley Way	easement	between 269 & 271 Eastern Valley Way	25.11.15	tree group	10ag(i)	Glofer	1	50-60+	12	8	good	5.0	restricted	TPO; Glofer- mid-slope adj. to house No.271 Eastern Valley Way; Pitund regrowth; dom. weeds; listing subject to boundary survey
Eastern Valley Way	easement	between 269 & 271 Eastern Valley Way	25.11.15	tree group	10ag(i)	Cergum	1	?30-40+	5	3	good	5.0	restricted	adj.SEPP19/ TPO; Cergum- mid-slope adj. to boundary No.19 Glenroy Ave; Pitund regrowth; dom. weeds; listing subject to boundary survey
Eastern Valley Way	residential	271 Eastern Valley Way- front garden/ upper level	25.11.15	tree group	10ag(i)	Glofer	1	?30-40+	2	2	good	5.0	restricted	adj.SEPP19/ TPO; Glofer- heavily lopped/ vigorous regrowth; upper level adj. to house & driveway; exotic garden/ dom. weeds
Eastern Valley Way	residential	271 Eastern Valley Way- rear garden/ upper slope	25.11.15	tree group	10ag(i)	Banser	1	?60-80+	7	9	good	4.5	fragmented	adj.SEPP19/ TPO; Banser- multi-stemmed (2) specimen; some dead wood/ vigorous growth; upper slope/ rock outcrops; exotic garden/ highly modified; dom. weeds
Eastern Valley Way	residential	271 Eastern Valley Way- rear garden/ upper slope	25.11.15	tree group	10ag(i)	Cergum	1	?30-40+	8	4	good	4.5	fragmented	adj.SEPP19/ TPO; Cergum- vigorous growth/ possibly older specimen; on upper slope/ rock outcrops
Eastern Valley Way	residential	271 Eastern Valley Way- rear garden/ lower slope	25.11.15	tree group	10ag(i)	Eucpun	1	15-20+	15	4	good	4.5	fragmented	adj.SEPP19/ TPO; Eucpun- vigorous growth; on lower slope adj. to easement; Pitund regrowth/ mesic shift (incl. dense ground layer- Adifor (dom.)/ Caldub, Pteesc, Stejap); generic native planting (incl. <i>Livistona australis</i> , <i>Acacia</i> sp.); also <i>Cyathea cooperi</i> - cultivated origin; <i>Alectura lathamii</i> - nesting mound; dom. weeds
Eastern Valley Way	residential	271 Eastern Valley Way- rear garden/ lower slope	25.11.15	tree group	10ag(i)	Cyaaus	1	?50-60+	5	3	good	4.5	fragmented	adj.SEPP19/ TPO; Cyaaus- vigorous growth/ possibly planted; on lower slope
Eastern Valley Way	residential	271 Eastern Valley Way- rear garden/ mid-slope	25.11.15	tree group	10ag(i)	Angcos	1	15-20+	15	3	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- vigorous growth; on mid-slope

Eastern Valley Way	residential	273 Eastern Valley Way- front garden/ upper level	25.11.15	tree group	10ag(i)	Cergum	1	?50-60+	7	5	good	5.0	restricted	adj.SEPP19/ TPO; Cergum- multi- stemmed (3) at base (lignotuber regrowth); on rock outcrops adj. to boundary No.271 Eastern Valley Way; part of significant remnant native tree group; steep slope/ rock outcrops; exotic garden/ highly modified; Pitund regrowth; dom. weeds
Eastern Valley Way	residential	273 Eastern Valley Way- front garden/ upper slope	25.11.15	tree group	10ag(i)	Eucpun	1	50-60+	14	9	fair	5.0	fragmented	adj.SEPP19/ TPO; Eucpun- ext. dead wood (20%)/ vigorous new growth; adj. to pool; part of significant remnant native tree group
Eastern Valley Way	residential	273 Eastern Valley Way- front garden/ upper slope	25.11.15	tree group	10ag(i)	Ficrub	1	80-100+	18	20	good	5.0	fragmented	adj.SEPP19/ TPO; Ficrub- old growth multi-stemmed (5+) at base/ outstanding specimen; on upper slope/ rock outcrops adj. to entry steps; part of significant remnant native tree group; exotic garden/ highly modified
Eastern Valley Way	residential	273 Eastern Valley Way- lower north garden	25.11.15	tree group	10ag(i)	Angcos	1	60-80+	18	16	poor	4.5	fragmented	adj.SEPP19/ TPO; Angcos- possibly old growth specimen; ext. dead wood (40%)/ vigorous epicormic growth; lower northern garden; highly modified; Pitund regrowth; local & generic native planting (incl. <i>Calser</i> , <i>Elaret</i> , <i>Banint</i> & <i>Livistona australis</i> ); dom. weeds
Eastern Valley Way	residential	273 Eastern Valley Way- lower north garden	25.11.15	tree group	10ag(i)	Eucpun	1	?40-50+	16	9	fair	4.5	fragmented	adj.SEPP19/ TPO; Eucpun- leaning main stem/ ext. dead wood & vigorous epicormic growth; competition w. other planted trees; lower northern garden
Eastern Valley Way	residential	273 Eastern Valley Way- lower north garden	25.11.15	tree group	10ag(i)	Glofer	1	30-40+	12	7	good	4.5	fragmented	adj.SEPP19/ TPO; Glofer- vigorous growth; lower northern garden

Eastern Valley Way	residential	273 Eastern Valley Way- lower SE garden	25.11.15	tree group	10ag(i)	Eucpun	1	5-10+	7	2	good	4.5	fragmented	adj.SEPP19/ TPO; Eucpun- sapling/ vigorous growth; lower south-eastern garden adj. to boundary No.271 Eastern Valley Way & reserve (Willis Park); remnant native regrowth (incl. Allit, Elaret, Acapar- up to 5-10yrs+); Pitund regrowth; generic native planting (incl. <i>Eucalyptus botryoides</i> ); dom. weeds; listings subject to boundary survey
Eastern Valley Way	residential	274 Eastern Valley Way- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Eucpun	1	?60-80+	3	3	good	5.0	restricted	TPO; Eucpun- possibly old growth multi- stemmed (2) specimen w. old <i>Pyrrosia rupestris</i> on base; heavily lopped at base/ multi-stemmed (3) vigorous regrowth; on rock outcrops/ steep slope adj. to boundary No.276 Eastern Valley Way; exotic garden/ highly modified; part of significant remnant native tree group/ community along embankment (see adj. listings: Nos.276, 278, 280, 282 Eastern Valley Way); Pitund regrowth; dom. weeds
Eastern Valley Way	residential	274 Eastern Valley Way- rear garden/ rock outcrops	18.01.16	tree group	10ag(i)	Eucpun	1	10-15+	9	4	good	5.0	restricted	TPO; Eucpun- vigorous growth; on lower rock outcrops/ steep slope adj. to boundary No.276 Eastern Valley Way; exotic garden/ highly modified; part of significant remnant native tree group; Pitund regrowth; dom. weeds
Eastern Valley Way	residential	274 Eastern Valley Way- rear garden/ rock outcrops	18.01.16	tree group	10ag(i)	Corgum	1	?40-50+	12	4	good	5.0	restricted	TPO; Corgum- vigorous growth; on upper rock outcrops/ steep slope adj. to boundary No.276 Eastern Valley Way; part of significant remnant native tree group
Eastern Valley Way	residential	274 Eastern Valley Way- rear garden/ rock outcrops	18.01.16	tree group	10ag(i)	Eucpun	1	15-20+	7	5	good	5.0	restricted	TPO; Eucpun- some dead wood/ vigorous growth; on lower rock outcrops/ steep slope adj. to house; part of significant remnant native tree group
Eastern Valley Way	road reserve	road cutting adj. to 276 Eastern Valley Way	18.01.16	single tree	10ag(i)	Ficrub	1	10-15+	4	5	good	5.0	restricted	TPO; Ficrub- vigorous growth; on lower rock face/ cutting to public verge (road reserve); dom. weeds

Eastern Valley Way	residential	276 Eastern Valley Way- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Eucpun	1	15-20+	7	8	good	4.5	fragmented	TPO; Eucpun- vigorous growth; elevated location/ leaning over roadway; on upper rock outcrops/ steep slope; exotic garden/ highly modified; part of significant remnant native tree group/ community along embankment (see adj. listings: Nos.274, 278, 280, 282 Eastern Valley Way); Pitund regrowth; generic native planting (incl.1X mature <i>Eucalyptus grandis</i> ); dom. weeds
Eastern Valley Way	residential	276 Eastern Valley Way- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Eucpun	1	15-20+	7	7	good	4.5	fragmented	TPO; Eucpun- some dead wood/ vigorous growth; elevated location/ leaning over roadway; on upper rock outcrops/ steep slope; part of significant remnant native tree group/ community along embankment
Eastern Valley Way	residential	276 Eastern Valley Way- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Eucpun	1	20-30+	12	9	good	4.5	fragmented	TPO; Eucpun- vigorous growth; elevated location (below pool deck); on upper rock outcrops/ steep slope; part of significant remnant native tree group/ community along embankment
Eastern Valley Way	residential	276 Eastern Valley Way- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Angcos	1	20-30+	7	5	good	4.5	fragmented	TPO; Angcos- vigorous growth; elevated location (below pool deck); on upper rock outcrops/ steep slope; part of significant remnant native tree group/ community along embankment
Eastern Valley Way	residential	276 Eastern Valley Way- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Eucpun	1	30-40+	12	10	good	4.5	fragmented	TPO; Eucpun- some dead wood/ vigorous growth; elevated location (below pool deck adj. to boundary No.278 Eastern Valley Way); on upper rock outcrops/ steep slope; part of significant remnant native tree group/ community along embankment
Eastern Valley Way	residential	276 Eastern Valley Way- front garden/ rock outcrops	18.01.16	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO; remnant native regrowth assoc. w. rock outcrops below pool deck (incl. Acasua); Eucpun- good regen./ seedlings; Pitund regrowth; dom. weeds

Eastern Valley Way	residential	277 Eastern Valley Way- front garden/ upper level	25.11.15	tree group	10ag(i)	Glofer	1	10-15+	7	6	good	4.5	restricted	adj.SEPP19/ TPO; Glofer- adj. to boundary No.273 Eastern Valley Way; exotic terraced garden/ highly modified; remnant natives (incl. Pteesc) assoc. w. significant rock outcrops along boundary to No.279 Eastern Valley Way); local & generic native planting (incl. Banser, Elaret, Diacae, Lomlon/ unknown provenance); <i>Cyathea cooperi</i> - cultivated origin; Pitund regrowth; listings subject to boundary survey
Eastern Valley Way	residential	277 Eastern Valley Way- front garden/ upper level	25.11.15	tree group	10ag(i)	Cergum	1	10-15+	4	2	good	4.5	restricted	adj.SEPP19/ TPO; Cergum- on upper level/ rock outcrops adj. to boundary No.273 Eastern Valley Way; exotic terraced garden/ highly modified; remnant natives (incl. Pteesc) assoc. w. significant rock outcrops along boundary to No.279 Eastern Valley Way) & Glofer/ Elaret regen./ regrowth (rear garden); local & generic native planting (incl. Banser, Elaret, Diacae, Lomlon/ unknown provenance); <i>Cyathea cooperi</i> - cultivated origin; Pitund regrowth; listings subject to boundary survey
Eastern Valley Way	residential	277 Eastern Valley Way- front garden/ upper level	25.11.15	tree group	10ag(i)	Glofer	1	10-15+	7	6	good	4.5	restricted	adj.SEPP19/ TPO; Glofer- on upper level/ rock outcrops adj. to boundary No.273 Eastern Valley Way
Eastern Valley Way	residential	277 Eastern Valley Way- front garden/ lower level	25.11.15	tree group	10ag(i)	Calser	1	10-15+	4	3	good	4.5	restricted	adj.SEPP19/ TPO; Calser- on lower rock outcrops; possibly planted
Eastern Valley Way	residential	277 Eastern Valley Way- front garden/ lower level	25.11.15	tree group	10ag(i)	Ficrub	1	20-30+	9	8	good	4.5	restricted	adj.SEPP19/ TPO; Ficrub- on sandstone wall/ boundary to No.283 Eastern Valley Way

Eastern Valley Way	residential	278 Eastern Valley Way- front garden/ rock outcrops	18.01.16	tree group	10ag(i)	Corgum	1	40-50+	12	10	good	5.0	fragmented	TPO; Corgum- multi-stemmed; some dead wood/ vigorous growth; on rock outcrops between house and boundary to No.276 Eastern Valley Way; exotic garden/ highly modified; Pitund regrowth; dom. weeds; part of significant remnant native tree group along embankment (see adj. listings: Nos.276, 280, 282 Eastern Valley Way)
Eastern Valley Way	residential	278 Eastern Valley Way- rear garden/ rock outcrops	18.01.16	tree group	10ar(i)	Ficrub	1	80-100+	15	18	good	4.5	fragmented	TPO; Ficrub- old growth multi-stemmed specimen/ vigorous growth; on upper rock outcrops between house and boundary to No.276 Eastern Valley Way; Pitund regrowth; dom. weeds; part of significant remnant native tree group (see adj. listings: Nos.276, 280, 282 Eastern Valley Way & 11 Victoria Avenue)
Eastern Valley Way	residential	278 Eastern Valley Way- rear garden/ rock outcrops	18.01.16	tree group	10ar(i)	Ficrub	1	5-10+	4	2	good	4.5	restricted	TPO; Ficrub- vigorous growth; on rock outcrops adj. to boundary No.280 Eastern Valley Way
Eastern Valley Way	residential	278 Eastern Valley Way- rear garden/ rock outcrops	18.01.16	tree group	10ar(i)	Cergum	1	?15-20+	1.5	1.5	good	4.5	restricted	TPO; Cergum- lopped/ regrowth; possibly older; on upper rock outcrops adj. to boundary No.11 Victoria Avenue; listing subject to boundary survey
Eastern Valley Way	residential	278 Eastern Valley Way- rear garden/ rock outcrops	18.01.16	scarp/ rock outcrops	10ar(i)	see notes	n/a					4.5	restricted	TPO; significant upper rock outcrops/ rock formations on elevated scarp (adj. to boundary Nos.276 Eastern Valley Way & 11 Victoria Avenue); remnant natives assoc. w. rock outcrops (see below)
Eastern Valley Way	residential	278 Eastern Valley Way- rear garden/ rock outcrops	18.01.16	remnant community	10ar(i)	see notes	n/a	varies				4.5	restricted	TPO; varying level of disturbance/ modification; dom. weeds; remnant natives assoc. w. significant rock outcrops (incl. Xanarb/ old specimen, Dodtri, Caldub); Pitund regrowth; listings subject to boundary survey



Eastern Valley Way	residential	279 Eastern Valley Way-rear garden	25.11.15	single tree	10ag(i)	Cergum	1	?50-60+	7	6	good	5.0	restricted	TPO; Cergum- multi-stemmed at ground level (lignotuber regrowth)/ possibly planted; on upper rock outcrops/ adj. to rear boundary to No.277 Eastern Valley Way; exotic garden/ highly modified; remnant native Ficrub/ regen. assoc. w. significant rock outcrops; <i>Cyathea cooperi</i> - cultivated origin
Eastern Valley Way	residential	280 Eastern Valley Way-embankment	13.01.16	tree group	10ag(i)	Eucpun	1	60-80+	15	8	good	5.0	restricted	TPO; Eucpun- heavily pruned under overhead powerlines; some dead wood/ vigorous growth; on steep embankment/ rock outcrops between vehicular right-of-way and Eastern Valley Way (lower road reserve/ public verge); highly modified/ dom. weeds; part of significant remnant native tree group along embankment & road cutting (see adj. listings: Nos.276, 278, 282 Eastern Valley Way); no remnant native ground layer
Eastern Valley Way	residential	280 Eastern Valley Way-embankment	13.01.16	tree group	10ag(i)	Allit	1	20-30+	7	5	good	5.0	restricted	TPO; Allit- some dead wood; on steep embankment/ rock outcrops between vehicular right-of-way and Eastern Valley Way (lower road reserve/ public verge); part of significant remnant native tree group along embankment & road cutting
Eastern Valley Way	residential	280 Eastern Valley Way-embankment	13.01.16	tree group	10ag(i)	Corgum	1	10-15+	6	2	good	5.0	restricted	TPO; Corgum- vigorous growth; on steep embankment/ rock outcrops between vehicular right-of-way and Eastern Valley Way (lower road reserve/ public verge); part of significant remnant native tree group along embankment & road cutting
Eastern Valley Way	residential	280 Eastern Valley Way-embankment	13.01.16	tree group	10ag(i)	Corgum	1	30-40+	12	6	good	5.0	restricted	TPO; Corgum- vigorous growth; on steep embankment/ rock outcrops between vehicular right-of-way and Eastern Valley Way (lower road reserve/ public verge); part of significant remnant native tree group along embankment & road cutting

Eastern Valley Way	residential	280 Eastern Valley Way-embankment	13.01.16	tree group	10ag(i)	Angcos	1	?50-60+	8	10	good	5.0	restricted	TPO; Angcos- possibly older specimen; some dead wood (20%)/ vigorous growth; on steep embankment/ rock outcrops between vehicular right-of-way and Eastern Valley Way (lower road reserve/ public verge); part of significant remnant native tree group along embankment & road cutting
Eastern Valley Way	residential	282 Eastern Valley Way-embankment	13.01.16	tree group	10ag(i)	Eucpun	1	?20-30+	7	6	good	5.0	restricted	TPO; Eucpun- some dead wood/ vigorous growth; on steep embankment/ rock outcrops between vehicular right-of-way and Eastern Valley Way (lower road reserve/ public verge); highly modified/ dom. weeds; part of significant remnant native tree group along embankment & road cutting (see adj. listings: Nos.276, 278, 280 Eastern Valley Way); no remnant native ground layer
Eastern Valley Way	residential	282 Eastern Valley Way-embankment	13.01.16	tree group	10ag(i)	Corgum	1	?20-30+	6	6	good	5.0	restricted	TPO; Corgum- some pruning/ vigorous growth; on steep embankment/ rock outcrops between vehicular right-of-way and Eastern Valley Way (lower road reserve/ public verge); part of significant remnant native tree group
Eastern Valley Way	residential	285 Eastern Valley Way-rear garden	05.08.15	single tree	10ag(i)	Ficrub	1	40-50+	9	16	good	5.0	restricted	TPO; Ficrub- multi-stemmed specimen on significant rock outcrops; vigorous growth; exotic garden
Eastern Valley Way	residential	287 Eastern Valley Way-rear garden	05.08.15	single tree	10ag(i)	Angcos	1	60-80+	14	10	good	5.0	restricted	TPO; Angcos- adj. to house/ boundary to No.289 Eastern Valley Way & driveway; some dead wood; exotic/ native garden
Eastern Valley Way	residential	291 Eastern Valley Way-front garden/ rock outcrops	25.11.15	tree group	10ag(i)	Angcos	1	?50-60+	12	10	good	5.0	restricted	adj.SEPP19/ TPO; Angcos- some dead wood/ vigorous growth; on rock outcrops; exotic garden/ highly modified; no access to rear garden
Eastern Valley Way	residential	291 Eastern Valley Way-front garden/ rock outcrops	25.11.15	tree group	10ag(i)	Cergum	1	?30-40+	9	3	good	5.0	restricted	adj.SEPP19/ TPO; Cergum- vigorous growth; on rock outcrops

Eastern Valley Way	residential	293 Eastern Valley Way-rear garden	25.11.15	tree group	10ag(i)	Corgum	1	60-80+	15	8	good	5.0	restricted	TPO; Corgum- multi-stemmed (2) specimen/ lopped at base (1X stem); some dead wood/ vigorous growth; adj. to boundary No.291 Eastern Valley Way & carport; terraced exotic garden/ lawn; highly modified
Eastern Valley Way	residential	293 Eastern Valley Way-rear garden	25.11.15	tree group	10ag(i)	Corgum	1	40-50+	16	9	fair	5.0	restricted	TPO; Corgum- ext. dead wood (30%)/ vigorous epicormic growth; adj. to rear boundary No.291 Eastern Valley Way
Eastern Valley Way	residential	297 Eastern Valley Way-front garden/ upper level	25.11.15	tree group	10ag(i)	Angcos	1	80-100+	9	14	good	5.0	restricted	adj.SEPP19/ TPO; Angcos- old growth specimen/ some dead wood; on upper scarp/ rock outcrops adj. to carport & boundary No.295 Eastern Valley Way; exotic garden/ highly modified
Eastern Valley Way	residential	297 Eastern Valley Way-rear garden	25.11.15	tree group	10ag(i)	Angcos	1	?60-80+	15	15	good	5.0	restricted	adj.SEPP19/ TPO; Angcos- no access to rear agrden; listing subject to boundary survey
Eastern Valley Way	residential	300 Eastern Valley Way-rear garden/ upper rock outcrops	13.01.16	single tree	10ag(i)	Glofer	1	40-50+	8	8	good	5.0	fragmented	TPO; Glofer- vigorous growth; on upper rock outcrops; exotic garden/ highly modified; dom. weeds
Eastern Valley Way	residential	303 Eastern Valley Way-front garden	25.11.15	single tree	10ag(i)	Eucpun	1	20-30+	12	10	fair	5.0	restricted	TPO; Eucpun- ext. dead wood/ vigorous epicormic growth; on open lawn adj. to front boundary; exotic garden/ highly modified
Eastern Valley Way	public easement	between 303 & 307 Eastern Valley Way	25.11.15		10ag(i)	Angcos	1	10-15+	5	5	good	5.0	restricted	adj.SEPP19/ TPO; Angcos- sapling/ likely planted; on easement between driveways Nos.303 & 307 Eastern Valley Way; highly modified; local & generic native planting
Eastern Valley Way	residential	306 Eastern Valley Way-upper rock outcrops	13.01.16	single tree	10ar(i)	Cergum	1	?30-40+	3	2	good	5.0	restricted	TPO; Cergum- on significant rock outcrops adj. to upper boundary No.308 Eastern Valley Way/ entry steps; exotic garden/ highly modified; dom. weeds

Eastern Valley Way	residential	307 Eastern Valley Way-rear garden	25.11.15	tree group	10ag(i)	Eucpun	1	?80-100+	15	18	good	4.5	fragmented	adj.SEPP19/ TPO; Eucpun- likely old growth specimen; some dead wood/ vigorous growth; on upper slope/ rock outcrops; part of significant remnant native tree group; remnant native regrowth (incl. Cergum/ Allit- on lower slope & Lomlon, Diarev, Pteesc, Impcyl- assoc. w. upper rock outcrops); cleared site/ ext. rubble fill; highly modified/ dom. weeds; listings subject to boundary survey
Eastern Valley Way	residential	307 Eastern Valley Way-rear garden	25.11.15	tree group	10ag(i)	Eucpun	1	40-50+	12	15	good	4.5	fragmented	adj.SEPP19/ TPO; Eucpun- multi-stemmed (2) specimen; some dead wood/ vigorous growth; on upper slope/ rock outcrops; part of significant remnant native tree group
Eastern Valley Way	residential	307 Eastern Valley Way-rear garden	25.11.15	tree group	10ag(i)	Corgum	1	40-50+	12	7	good	4.5	fragmented	adj.SEPP19/ TPO; Corgum- some dead wood/ vigorous growth; on upper slope/ rock outcrops; part of significant remnant native tree group
Eastern Valley Way	residential	307 Eastern Valley Way-rear garden	25.11.15	tree group	10ag(i)	Eucpun	1	50-60+	16	10	good	4.5	fragmented	adj.SEPP19/ TPO; Eucpun- some dead wood/ vigorous growth; on lower cleared slope/ rubble fill; part of significant remnant native tree group
Eastern Valley Way	residential	307 Eastern Valley Way-rear garden	25.11.15	tree group	10ag(i)	Eucpun	1	?80-100+	15	15	good	4.5	fragmented	adj.SEPP19/ TPO; Eucpun- likely old growth specimen; some dead wood/ vigorous epicormic growth; on upper slope/ rock outcrops; part of significant remnant native tree group
Eastern Valley Way	residential	308 Eastern Valley Way-front garden/ rock outcrops	13.01.16	tree group	10ag(i)	Eucpun	1	60-80+	15	15	good	5.0	restricted	TPO; Eucpun- some dead wood/ vigorous growth; on significant rock outcrops adj. to boundary No.21A Chowne Pl. (314 Eastern Valley Way); part of significant remnant native Eucpun group on this property; exotic garden/ highly modified; dom. weeds
Eastern Valley Way	residential	308 Eastern Valley Way-front garden/ rock outcrops	13.01.16	tree group	10ag(i)	Eucpun	1	?60-80+	9	15	poor	5.0	restricted	TPO; Eucpun- ext. dead wood (50%)/ vigorous growth; on significant rock outcrops adj. to rear boundary No.310 Eastern Valley Way; part of significant remnant native Eucpun group on this property

Eastern Valley Way	residential	308 Eastern Valley Way- front garden/ rock outcrops	13.01.16	tree group	10ag(i)	Eucpun	1	?50-60+	10	15	fair	5.0	restricted	TPO; Eucpun- dead wood (30%)/ open sparse crown; on upper slope/ significant rock outcrops; part of significant remnant native Eucpun group on this property
Eastern Valley Way	residential	309 Eastern Valley Way- rear garden	25.11.15	single tree	10ag(i)	Eucpun	1	80-100+	18	20	see notes	5.0	restricted	TPO; Eucpun- multi-stemmed (2) old growth specimen; 1X large branch- dead & ext. dead wood in 1X main trunk; past lopping/ vigorous growth w. dense crown; on open lawn adj. to boundary No.311 Eastern Valley Way; exotic garden/ highly modified
Eastern Valley Way	road reserve	grass verge adj. to 309 Eastern Valley Way	25.11.15	single tree	10ag(i)	Eucpun	1	60-80+	12	16	good	5.0	restricted	TPO; Eucpun- some pruning under overhead powerlines/ vigorous growth & insect damage; on grass verge/ asphalt paving to base
Eastern Valley Way	residential	311 Eastern Valley Way- rear garden	25.11.15	tree group	10ag(i)	Eucpun	1	80-100+	18	18	good	5.0	restricted	TPO; Eucpun- multi-stemmed (2) old growth specimen; some dead wood/ vigorous growth; on rock outcrops below upper terrace; terraced exotic garden/ lawns; highly modified; dom. weeds
Eastern Valley Way	residential	311 Eastern Valley Way- rear garden	25.11.15	tree group	10ag(i)	Eucpun	1	60-80+	16	16	good	5.0	restricted	TPO; Eucpun- some dead wood/ vigorous growth; on rock outcrops below upper terrace
Eastern Valley Way	residential	312 Eastern Valley Way- front garden	13.01.16	tree group	10ag(i)	Eucpun	1	50-60+	16	12	fair	5.0	restricted	TPO; Eucpun- multi-stemmed (2)/ ext. dead wood (30%); vigorous new growth; on lower slope/ rock outcrops; Pitund regrowth; highly modified/ dom. weeds
Eastern Valley Way	residential	312 Eastern Valley Way- front garden	13.01.16	tree group	10ag(i)	Corgum	1	80-100+	16	16	v.poor	5.0	restricted	TPO; Corgum- old growth specimen/ multi- stemmed (3) at base; ext. dead wood/ die- back (80%); vigorous new growth on 1X major branch; on lower slope/ rock outcrops
Eastern Valley Way	residential	312 Eastern Valley Way- rear garden/ rock outcrops	13.01.16	tree group	10ag(i)	Glofer	1	20-30+	8	5	good	5.0	restricted	TPO; Glofer- vigorous growth; on upper slope/ significant rock outcrops

Eastern Valley Way	residential	313 Eastern Valley Way-rear garden	25.11.15	single tree	10ag(i)	Ficrub	1	30-40+	7	12	good	4.5	fragmented	adj.SEPP19/ TPO; Ficrub- multi-stemmed/ vigorous growth; on rock outcrops adj. to boundary No.315 Eastern Valley Way; remnant native regrowth (incl. Allit/ (up to 4m HT on lower slope) & Polsam, Impcyl, Diacae, Lomlon, Hypmue); exotic garden/ highly modified; local & generic native planting (incl. 3X <i>Eucalyptus robusta</i> )
Eastern Valley Way	residential	314 Eastern Valley Way (21A Chowne Pl.)- front garden/ rock outcrops	13.01.16	tree group										see listing: 21A Chowne Place
Eastern Valley Way	residential	315 Eastern Valley Way-rear garden/ upper slope	25.11.15	tree group	10ag(i)	Corgum	1	?80-100+	7	12	fair	4.5	fragmented	adj.SEPP19/ TPO; Corgum- multi-stemmed (2)/ possibly old growth specimen; ext. dead wood/ vigorous growth; on upper rock outcrops; exotic garden/ highly modified; local & generic native planting (see below)
Eastern Valley Way	residential	315 Eastern Valley Way-rear garden/ upper slope	25.11.15	tree group	10ag(i)	Glofer	1	50-60+	18	12	good	4.5	fragmented	adj.SEPP19/ TPO; Glofer- vigorous growth/ mesic shift; on upper rock outcrops
Eastern Valley Way	residential	315 Eastern Valley Way-rear garden/ upper slope	25.11.15	tree group	10ag(i)	Glofer	1	20-30+	12	7	good	4.5	fragmented	adj.SEPP19/ TPO; Glofer- vigorous growth/ mesic shift; on upper rock outcrops
Eastern Valley Way	residential	315 Eastern Valley Way-rear garden/ upper slope	25.11.15	tree group	10ag(i)	Glofer	1	20-30+	12	7	good	4.5	fragmented	adj.SEPP19/ TPO; Glofer- vigorous growth/ mesic shift; on upper rock outcrops
Eastern Valley Way	residential	315 Eastern Valley Way-rear garden/ upper slope	25.11.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	adj.SEPP19/ TPO; remnant native regrowth (incl. Glofer/ (up to 10-15yrs+) & Caldub, Lomlon/ mesic shift- on upper rock outcrops & Lomlon, Acauli/ regen.- on lower rock outcrops); Pitund regrowth; exotic garden/ highly modified; local & generic native planting (incl. <i>Eucalyptus robusta</i> , <i>E. microcorys</i> ); dom. weeds
Eastern Valley Way	residential	319 Eastern Valley Way-rear garden	25.11.15	tree group	10ag(i)	Eucpun	1	60-80+	16	12	good	4.5	restricted	TPO; Eucpun- multi-stemmed (2)/ some dead wood & vigorous growth; remnant natives (incl. Pteesc); exotic garden/ highly modified; local & generic native planting (incl. Banint)

Eastern Valley Way	residential	319 Eastern Valley Way- rear garden	25.11.15	tree group	10ag(i)	Banser	1	?30-40+	12	7	good	4.5	restricted	TPO; Banser- vigorous growth; possibly planted
Eastern Valley Way	residential	323 Eastern Valley Way- rear garden	25.11.15	single tree	10ag(i)	Cergum	1	?50-60+	6	6	good	5.0	fragmented	TPO; Cergum- multi-stemmed/ vigorous growth; possibly planted; exotic garden/ highly modified
Eastern Valley Way	residential	325 Eastern Valley Way- front garden/ rock outcrops	25.11.15	tree group	10ag(i)	Euchae	1	?40-50+	4	7	good	4.5	fragmented	adj.SEPP19/ TPO; Euchae- possibly older; on upper rock outcrops adj. to rear boundary No.323 Eastern Valley Way; exotic garden/ highly modified; remnant natives (incl. Lomlon) assoc. w. rock outcrops; Pitund regrowth; local & generic native planting (incl. <i>Eucalyptus scoparia</i> / rear garden)
Eastern Valley Way	residential	325 Eastern Valley Way- front garden/ rock outcrops	25.11.15	tree group	10ag(i)	Glofer	1	20-30+	2.5	4	good	4.5	fragmented	adj.SEPP19/ TPO; Glofer- vigorous growth; on rock outcrops
Eastern Valley Way	road reserve	Eastern Valley Way (adj. to rear bdy. Nos.9-21 Chowne Pl)	08.01.16	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO; road reserve adj. to rear boundary Nos.9-21 Chowne Place (Eastern Valley Way frontage); lower drainage line (western section) grading to steep embankment (eastern section); highly modified; remnant native regrowth (incl. Pitund/ Glofer (co-doms.)- up to 15-20yrs+/ up to 5-9m HT) & Hompop, Pteesc, Gledic- in lower drainage line); local & generic native planting (incl. Banint, Casgla, Synglo); Glofer- regen./ saplings (dom.); dom. weeds
Eastern Valley Way	public/ road reserve	Warrane Reserve- 352 Eastern Valley Way	08.01.16	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	Refer to Warrane Road for Warrane Reserve listings (incl. Angcos X2 adj. to rear boundary No.7 Chowne Pl.)
<b>Glenaeon Rudolf Steiner School</b>		<b>5A Glenroy Avenue</b>												<b>Refer to PLAN SHOWING ALL AREAS (A1-D2)</b>
Glenaeon Rudolf Steiner School contains a scheduled Aboriginal Archaeological Site: NPWS Site Record Number identified as "? Location 45-6-2194" (WCC 1997): Location was not confirmed during this survey.														
<b>Glenaeon Rudolf Steiner School: Area A (1-10) - entry/ access road, southern boundary &amp; eastern portion of site (see Area D for lower NE corner)</b>														
<b>Glenaeon Rudolf Steiner School: Area B (1-5) - central portion of site (upper slope between eastern oval/ basketball court &amp; vehicular access road)</b>														
<b>Glenaeon Rudolf Steiner School: Area C (1-8) - western portion of site (upper gully/ slope to main western oval, north-western bushland, 'Coachwood Creek' &amp; eastern oval northern embankment)</b>														
<b>Glenaeon Rudolf Steiner School: Area D (1-2) - north-eastern portion of site (incl. bushland on lower steep slope/ scarp &amp; lower riparian corridor east of viaduct)</b>														
<b>Glenroy Avenue</b>	residential	4 Glenroy Ave- front garden	11.08.15	single tree	10ag(i)	Glofer	1	50-60+	9	9	good	5.0	restricted	TPO; Glofer- adj. to house & boundary No.2 Glenroy Ave; exotic garden/ highly modified

Glenroy Avenue	school (see map)	Glenaeon School (AREA A1: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Synglo	5	?40-50+	14-16	12-16	good	5.0	fragmented	adj.SEPP19/ TPO; AREA A1: Synglo - tree group on lower verge adj. to entry/ access road- likely cultivated origin; highly modified w. mixed exotics/ local & generic native planting (incl. Angflo, Anghis, Breobl, Banspi, Lomlon)/ unknown provenance; no remant native ground layer; Pitund regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A1: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Corgum	1	60-80+	16	15	good	5.0	fragmented	adj.SEPP19/ TPO; AREA A1 (adj. to Vera Jacobson Building Class 5/ paved courtyard): Corgum- multi-stemmed (2)/ some dead wood; on upper slope to access road/ part of remnant native tree group/ understorey; Glofer/ Pitund (dom.) regrowth; highly modified/ landscaping w. mixed exotics/ local & generic native planting (incl. Allit, Acaimp, Hakser, Lomlon); no remant native ground layer
Glenroy Avenue	school (see map)	Glenaeon School (AREA A1: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	15-20+	8	3	good	5.0	fragmented	adj.SEPP19/ TPO; AREA A1 (adj. to Vera Jacobson Building Class 5/ paved courtyard): Glofer- component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A1: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	15-20+	8	4	good	5.0	fragmented	adj.SEPP19/ TPO; AREA A1 (adj. to Vera Jacobson Building Class 5/ paved courtyard): Glofer- component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A1: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	15-20+	8	4	good	5.0	fragmented	adj.SEPP19/ TPO; AREA A1 (adj. to Vera Jacobson Building Class 5/ paved courtyard): Glofer- component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A1: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	20-30+	7	6	good	5.0	fragmented	adj.SEPP19/ TPO; AREA A1 (adj. to Vera Jacobson Building Class 5/ paved courtyard): Glofer- component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)



Glenroy Avenue	school (see map)	Glenaeon School (AREA A1: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	30-40+	8	7	good	5.0	fragmented	adj.SEPP19/ TPO; AREA A1 (adj. to Vera Jacobson Building Class 5/ paved courtyard): Glofer- component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A1: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Ficrub	1	30-40+	7	14	good	5.0	fragmented	adj.SEPP19/ TPO; AREA A1 (adj. to Vera Jacobson Building Class 5/ paved courtyard): Ficrub- multi-stemmed regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	40-50+	9	10	good	5.0	fragmented	adj.SEPP19/ TPO; AREA A2 (upper verge/ slope to access road adj. to rear boundary No. 9 Greenfield Ave): Glofer- component of Glofer/ Pitund (dom.) regrowth incl. smaller saplings; highly modified w. mixed exotics/ local & generic native planting (incl. Acalon, Lomlon); varying level of weeds; area under current bush regen./ restoration strategy
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	60-80+	12	12	good	5.0	fragmented	adj.SEPP19/ TPO; AREA A2 (upper verge/ slope to access road on rear boundary No. 9 Greenfield Ave): Glofer- multi-stemmed (3) specimen; component of Glofer/ Pitund (dom.) regrowth incl. smaller saplings; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Allit	1	30-40+	14	7	fair	5.0	fragmented	adj.SEPP19/ TPO; AREA A2 (upper verge/ slope to access road adj. to rear boundary No. 9 Greenfield Ave): Allit- ext. dead wood/ competition w. exotics; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	30-40+	12	7	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A2 (upper verge/ slope to access road adj. to rear boundary No. 13 Greenfield Ave): Glofer- component of Glofer/ Pitund (dom.) regrowth incl. smaller saplings; rock outcrops/ highly modified; remnant native ferns (Caldub)

Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	AREA A2: slope to access road adj. to rear boundary No. 13 Greenfield Ave; remnant native ground stratum associated with rock outcrops/ assisted regeneration (incl. Gahery, Caldub, Pteesc); Glofer/ Pitund (dom.) regrowth; mixed local & generic native planting (incl. Banser, Calrho, Elaret)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	30-40+	12	6	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A2 (upper verge/ slope to access road adj. to rear boundary No. 13 Greenfield Ave): Glofer-component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	20-30+	10	6	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A2 (upper verge/ slope to access road adj. to rear boundary No. 13 Greenfield Ave): Glofer-component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	20-30+	9	5	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A2 (upper verge/ slope to access road adj. to rear boundary No. 13 Greenfield Ave): Glofer-component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	15-20+	8	3	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A2 (upper verge/ slope to access road adj. to rear boundary No. 13 Greenfield Ave): Glofer-component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	20-30+	8	4	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A2 (upper verge/ slope to access road adj. to rear boundary No. 13 Greenfield Ave): Glofer-component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Cergum	1	?50-60+	8	3	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A2 (lower slope/ rock outcrops adj. to visitor car park): Cergum- part of significant Cergum (regrowth) group

Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Cergum	1	?50-60+	8	3	fair	4.5	fragmented	adj.SEPP19/ TPO; AREA A2 (lower slope/ rock outcrops adj. to visitor car park): Cergum- multi-stemmed (2)/ some dead wood; part of significant Cergum (regrowth) group
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Cergum	1	?40-50+	6	3	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A2 (lower slope/ rock outcrops adj. to visitor car park): Cergum- multi-stemmed (2)/ 1 X snapped at base/ regrowth; part of significant Cergum (regrowth) group
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Cergum	1	?40-50+	6	6	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A2 (lower slope/ rock outcrops adj. to visitor car park): Cergum- multi-stemmed (2)/ 1 X snapped/ damaged stem at base/ regrowth; part of significant Cergum (regrowth) group
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Cergum	1	?40-50+	4	6	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A2 (lower slope/ rock outcrops adj. to visitor car park): Cergum- multi-stemmed (2); part of significant Cergum (regrowth) group
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	AREA A2: significant remnant native Cergum (regrowth) group (11+) smaller saplings arising from underground rootstock; varying age structure (up to 20-30yrs+/ up to 3-6m HT); other native spp. (incl. Allit, Banser, Calser, Elaret/ possibly mixed restoration planting (up to 10-15yrs+/ up to 4-7m HT)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A2: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	15-20+	9	4	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A2 (lower slope/ rock outcrops adj. to visitor car park): Angcos- part of remnant native regrowth community
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	50-60+	12	7	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A3 (upper slope/ rock outcrops adj. to rear NW boundary No. 15 Greenfield Ave): Glofer- component of Glofer/ Pitund (dom.) regrowth incl. smaller saplings; highly modified; dom. weeds

Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	50-60+	10	6	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A3 (upper slope/ rock outcrops adj. to rear NE boundary No. 15 Greenfield Ave): Glofer-component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	50-60+	10	7	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A3 (upper slope/ rock outcrops adj. to rear NE boundary No. 15 Greenfield Ave): Glofer-component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	30-40+	9	8	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A3 (upper slope/ rock outcrops on rear NE boundary No. 15 Greenfield Ave): Glofer- w. <i>Monstera</i> sp./ component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	15-20+	7	5	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A3 (upper slope/ rock outcrops adj. to rear NE boundary No. 15 Greenfield Ave): Glofer-component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	scarp/ rock outcrops	10ar(i)	see notes	n/a					4.5	fragmented	AREA A3: significant s/s scarp & rock outcrops adj. to rear NE boundary No. 15 Greenfield Ave: dom. weeds/ grading to remnant native community on mid- to lower slope
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Glofer	1	50-60+	7	10	good	4.5	contiguous	adj.SEPP19/ TPO; AREA A3 (upper slope/ rock outcrops adj. to rear NE boundary No. 15 Greenfield Ave): Glofer-component of Glofer/ Pitund (dom.) regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Ficrub	1	40-50+	14	16	good	4.5	contiguous	adj.SEPP19/ TPO; AREA A3 (upper slope/ rock outcrops adj. to rear NE boundary No. 15 Greenfield Ave): Ficrub-on upper rock outcrops

Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	?100-150+	22	22	good	4.5	contiguous	adj.SEPP19/ TPO; AREA A3 (upper slope/ rock outcrops adj. to rear NE boundary No. 15 Greenfield Ave): Angcos- old growth specimen (1300mm DBH)/ massive basal roots over boulder/ some dead wood in crown; competition w. generic native planting ( <i>Eucalyptus microcorys</i> )
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	unknown	0.5		see notes	4.5	contiguous	adj.SEPP19/ TPO; AREA A3 (upper slope/ rock outcrops adj. to rear NE boundary No. 15 Greenfield Ave): Angcos- lopped to base/ some regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	remnant community	10ag(i)	see notes	n/a	varies				3.5	contiguous	AREA A3: mid- to lower slope/ rock outcrops (below rear NE boundary No. 15 Greenfield Ave): native understorey/ ground stratum (incl. Cergum, Allit, Elaret, Grelin, Gahery, Lomlon, Pteesc, Stejap, Entstr); Glofer/ Pitund (dom.) regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpil	1	?50-60+	30	18	good	3.5	contiguous	adj.SEPP19/ TPO; AREA A3 (lower slope adj. to access road (opp. Alice Crowther Building/ Reception & Admin.): Eucpil- visually significant specimen (1150mm DBH)/ likely planted; other generic native planting in this area (incl. <i>Eucalyptus microcorys</i> , <i>E. elata</i> )
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	80-100+	16	10	see notes	3.5	contiguous	adj.SEPP19/ TPO; AREA A3 (lower slope adj. to access road (opp. Alice Crowther Building/ Reception & Admin.): Angcos- old growth specimen w. damaged trunk/ some dead wood & vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	60-80+	10	12	fair	3.5	contiguous	adj.SEPP19/ TPO; AREA A3 (lower slope/ rock outcrops adj. to access road (opp. Lute Drummond Building- library): Angcos- leaning main stem/ ext. dead wood and open sparse crown
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	60-80+	15	7	fair	3.5	contiguous	adj.SEPP19/ TPO; AREA A3 (lower slope/ rock outcrops adj. to access road (opp. Lute Drummond Building- library): Angcos- some dead wood/ vigorous new growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	60-80+	18	9	fair	3.5	contiguous	adj.SEPP19/ TPO; AREA A3 (lower rock outcrops (adj. to Lute Drummond Building-library): Angcos- some dead wood/ vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	80-100+	22	16	see notes	3.5	contiguous	adj.SEPP19/ TPO; AREA A3 (lower rock outcrops (adj. to Lute Drummond Building-library): Angcos- old growth specimen/ storm damaged main stem and some dead wood/ vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Cergum	1	?50-60+	3	2	good	3.5	contiguous	adj.SEPP19/ TPO; AREA A3 (lower rock outcrops (adj. to Lute Drummond Building-library): Angcos- lopped/ damaged main stem; multi-stemmed regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A3: 5A Glenroy Avenue)	30.07.15	remnant community	10ag(i)	see notes	n/a	varies				3.5	contiguous	AREA A3: lower rock outcrops (adj. to Lute Drummond Building- library): remnant native shrubby regrowth/ immature (incl. Allit, Cergum, Elaret, Xanarb, Banobl, Dodtri, Grelin) & native ground layer (incl. Pteesc, Smigly, Diacae, Lomlon, Entstr); Glofer/ Pitund (dom.) regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpip	1	?100-150+	25	25	good	2.5	contiguous	adj.SEPP19/ TPO; AREA A4 (mid-slope/ rock outcrops SE corner): Eucpip- old growth multi-stemmed (4) specimen/ some dead wood in crown; part of significant old growth Eucpip group
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpip	1	?80-100+	18	20	good	2.5	contiguous	adj.SEPP19/ TPO; AREA A4 (mid-slope/ rock outcrops SE corner): Eucpip- old growth specimen; leaning main stem/ some dead wood; part of significant old growth Eucpip group
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpip	1	?100-150+	25	25	good	2.5	contiguous	adj.SEPP19/ TPO; AREA A4 (mid-slope/ rock outcrops SE corner): Eucpip- old growth specimen/ some dead wood; part of significant old growth Eucpip group
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	40-50+	14	5	good	2.5	contiguous	adj.SEPP19/ TPO; AREA A4 (mid-slope/ rock outcrops SE corner): Angcos- some dead wood/ vigorous new growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	60-80+	18	12	good	2.5	contiguous	adj.SEPP19/ TPO; AREA A4 (mid-slope/ rock outcrops SE corner): Angcos- some dead wood/ vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	60-80+	18	10	good	2.5	contiguous	adj.SEPP19/ TPO; AREA A4 (mid-slope/ rock outcrops SE corner): Angcos- some dead wood/ vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpip	1	?80-100+	18	20	good	2.5	contiguous	adj.SEPP19/ TPO; AREA A4 (upper slope/ rock outcrops SE corner): Eucpip- old growth multi-stemmed (2) specimen/ some dead wood; part of significant old growth Eucpip group
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucrac	1	15-20+	7	4	good	2.5	contiguous	adj.SEPP19/ TPO; AREA A4 (upper slope/ rock outcrops SE corner): Eucrac- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpip	1	15-20+	8	5	good	2.5	contiguous	adj.SEPP19/ TPO; AREA A4 (upper slope/ rock outcrops SE corner): Eucpip- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpil	1	20-30+	18	7	good	2.5	contiguous	adj.SEPP19/ TPO; AREA A4 (upper slope/ rock outcrops SE corner): Eucpil- likely seedling Eucpil (cultivated origin on lower slope)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	40-50+	16	9	good	2.5	contiguous	adj.SEPP19/ TPO; AREA A4 (upper slope/ rock outcrops SE corner adj. to rear boundary No.17 Greenfield Ave): Angcos- some dead wood/ vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	?100-150+	20	20	good	2.5	contiguous	adj.SEPP19/ TPO; AREA A4 (upper slope/ rock outcrops SE corner): Angcos- old growth specimen; some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	remnant community	10ag(i)	see notes	n/a	varies				2.5	contiguous	AREA A4: upper slope/ rock outcrops (SE corner): remnant native shrubby regrowth/ immature (incl. Allit, Cergum, Elaret, Hakdac, Perpin, Callin, Xanarb, Banobl, Dodtri, Grelin, Crosal, Dilret) & native ground layer (incl. Pteesc, Smigly, Diacae, Leplat, Lomlon, Lomobl, Entstr); Glofer/ Pitund regrowth; also planted generic natives ( <i>Eucalyptus grandis</i> group 6+/ regen./ colonising upper slope)

Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Ficrub	1	20-30+	12	8	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A4 (lower scarp/ rock outcrops SE corner- adj. to workshop): Ficrub- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	60-80+	20	10	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A4 (lower scarp/ rock outcrops SE corner- adj. to workshop): Angcos- some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	40-50+	9	9	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A4 (upper scarp/ rock outcrops SE corner- adj. to workshop): Angcos- some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Ficrub	1	60-80+	15	25	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A4 (upper scarp/ rock outcrops SE corner- adj. to workshop): Ficrub- multi-stemmed specimen/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	AREA A4: upper scarp/ rock outcrops (adj. to boundary No23 Greenlands Ave): Allit regrowth (up to 10-15yrs+/ up to 7m HT); remnant native ground layer (incl. Pteesc, Smigly, Stejap); Glofer/ Pitund (dom.) regrowth; highly modified; dom. weeds; self-sown/ regen. <i>Eucalyptus grandis</i>
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	60-80+	22	12	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A4 (upper scarp/ rock outcrops SE corner- adj. to boundary No.23 Greenfield Ave): Angcos- some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpip	1	80-100+	22	25	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A4 (upper scarp/ rock outcrops SE corner- adj. to boundary No.23 Greenfield Ave): Eucpip- old growth specimen; some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A4: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	30-40+	16	7	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A4 (upper slope/ rock outcrops SE corner- adj. to boundary No.23 Greenfield Ave): Angcos- some dead wood/ vigorous growth



Glenroy Avenue	school (see map)	Glenaeon School (AREA A5: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	?100-150+	30	30	good	3.5	contiguous	adj.SEPP19/ TPO; AREA A5 (rock outcrops/ steep slope between workshop & Lute Drummond building - High School): Angcos- massive old growth specimen 950mm DBH; some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A5: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpip	1	?100-150+	30	35	good	3.5	contiguous	adj.SEPP19/ TPO; AREA A5 (rock outcrops/ steep slope between workshop & Lute Drummond building - High School): Eucpip- massive multi-stemmed old growth specimen 1550mm DBH; some dead wood/ vigorous growth; part of significant old growth Eucpip group
Glenroy Avenue	school (see map)	Glenaeon School (AREA A5: 5A Glenroy Avenue)	30.07.15	remnant community	10ag(i)	see notes	n/a	varies				3.5	contiguous	AREA A5: upper scarp/ rock outcrops (rock outcrops/ steep slope between workshop & Lute Drummond building - High School): Allit regrowth (up to 10-15yrs+/ up to 7m HT) & Cyaaus X1 (?40-50+/ 5m HT); remnant native ground layer (incl. Caldub, Gahery, Entstr, Lepvar, Smigly, Stejap); Glofer/ Pitund (dom.) regrowth (up to 20-30yrs+); varying level of weeds; generic native planting <i>Eucalyptus/ Acacia</i> spp.; <i>Cyathea cooperi</i> (cultivated origin)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A6: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	50-60+	18	12	fair	2.5	fragmented	adj.SEPP19/ TPO; AREA A6 (slope immediately north of Lute Drummond building - High School): Angcos- some dead wood/ open crown & epicormic growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A6: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	60-80+	18	14	good	2.5	fragmented	adj.SEPP19/ TPO; AREA A6 (slope immediately north of Lute Drummond building - High School): Angcos- some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A6: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucrac	1	20-30+	15	7	good	2.5	fragmented	adj.SEPP19/ TPO; AREA A6 (slope immediately north of Lute Drummond building - High School): Eucrac- some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A6: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpun	1	20-30+	15	9	good	2.5	fragmented	adj.SEPP19/ TPO; AREA A6 (slope immediately north of Lute Drummond building - High School): Eucpun- some dead wood/ vigorous growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA A6: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	20-30+	9	7	good	2.5	fragmented	adj.SEPP19/ TPO; AREA A6 (slope immediately north of Lute Drummond building - High School): Angcos- some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A6: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpun	1	40-50+	16	12	fair	2.5	fragmented	adj.SEPP19/ TPO; AREA A6 (slope immediately north of Lute Drummond building - High School): Eucpil- some dead wood/ epicormic growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A6: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpun	1	60-80+	18	12	good	2.5	fragmented	adj.SEPP19/ TPO; AREA A6 (slope immediately north of Lute Drummond building - High School): Eucpun- some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A6: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucglo	1	30-40+	9	4	fair	2.5	fragmented	adj.SEPP19/ TPO; AREA A6 (slope immediately north of Lute Drummond building - High School): Eucpun- some dead wood/ epicormic growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A6: 5A Glenroy Avenue)	30.07.15	remnant community	10ag(i)	see notes	n/a	varies				2.5	fragmented	AREA A6: (slope immediately north of Lute Drummond building - High School): remnant native shrubby regrowth/ immature up to 15-20yrs+ (incl. Allit, Cergum, Elaret, Perpin, Xanarb) & native ground layer (incl. Pteesc, Parstr, Smigly, Diacae, Lomlon, Entstr); Glofer (up to 30-40 yrs+)/ Pitund regrowth; varying level of weeds
Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpip	1	50-60+	18	9	good	1.5	contiguous	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of Lute Drummond building & vegetable garden): Eucpip- leaning main stem; some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	80-100+	22	18	good	1.5	contiguous	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of Lute Drummond building & vegetable garden): Angcos- likely old growth specimen; some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Corgum	1	60-80+	16	5	good	1.5	contiguous	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of Lute Drummond building & vegetable garden): Corgum- some dead wood/ vigorous growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	80-100+	18	18	good	1.5	contiguous	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of Lute Drummond building & vegetable garden): Angcos- old growth specimen; some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	30-40+	14	6	good	1.5	contiguous	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of Lute Drummond building & vegetable garden): Angcos-some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	50-60+	16	6	good	1.5	contiguous	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of Lute Drummond building & vegetable garden): Angcos-some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	60-80+	18	15	good	1.5	contiguous	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of Lute Drummond building & vegetable garden): Angcos- multi-stemmed/ adj. to vegetable garden; some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	80-100+	22	18	see notes	1.5	contiguous	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of Lute Drummond building & vegetable garden): Angcos- old growth specimen/ leaning main stem adj. to vegetable garden; some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	60-80+	22	16	good	1.5	contiguous	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of Lute Drummond building & vegetable garden): Angcos- adj. to vegetable garden; some dead wood/ vigorous growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	remnant community	10ag(i)	see notes	n/a	varies					1.5	contiguous	AREA A7: (slope adj. to eastern boundary - east of Lute Drummond building & vegetable garden/ lower slope): remnant native shrubby regrowth up to 30-40yrs+/ 7-9m HT (incl. Glofer, Allit, Elaret, Hakdac) & native ground layer/ sedges (dom.) (incl. Chodim, Empmin, Schmel, Leplat, Pteesc, Caldub, Gahery, Smigly, Lomlon, Entstr); good regen.; varying level of weeds
Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpip	1	15-20+	10	5	good	1.5	contiguous	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of vegetable garden/ lower slope rock outcrops): Eucpip- vigorous growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpip	1	15-20+	15	8	good	1.5	contiguous	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of vegetable garden/ lower slope rock outcrops): Eucpip- vigorous growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Corgum	1	40-50+	9	5	fair	1.5	fragmented	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of vegetable garden/ lower slope rock outcrops): Corgum- lopped/ epicormic regrowth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Eucpip	1	?100-150+	22	30	good	1.5	fragmented	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of vegetable garden/ lower slope rock outcrops): Eucpip- massive old growth multi-stemmed (2) specimen/ some dead wood & vigorous growth; component of old growth Eucpip group	
Glenroy Avenue	school (see map)	Glenaeon School (AREA A7: 5A Glenroy Avenue)	30.07.15	tree group	10ag(i)	Angcos	1	40-50+	16	9	good	1.5	fragmented	adj.SEPP19/ TPO; AREA A7 (slope adj. to eastern boundary - east of vegetable garden/ lower slope rock outcrops): Angcos- adj. to lower entry gate to garden/ vigorous regrowth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA A8: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Angcos	1	60-80+	12	8	good	3.5	fragmented	adj.SEPP19/ TPO; AREA A8 (immediately east of Eurythmy Room/ bookshop): Angcos- adj. to wood stove/ vigorous growth	

Glenroy Avenue	school (see map)	Glenaeon School (AREA A8: 5A Glenroy Avenue)	04.08.15	remnant community	10ag(i)	see notes	n/a	varies					3.5	fragmented	AREA A8: (immediately east of Eurythmy Room/ bookshop & upper slope south of Sylvia Brose Hall): varying level of disturbance & modification; remnant native shrubby regrowth up to 15-20yrs+/ 7-8m HT (incl. Allit, Elaret) & native ground layer (incl. Grelin, Polsam, Pteesc, Entstr); local & generic native planting incl. mature trees (Acapar, Banint, Anghis & <i>Eucalyptus pilularis</i> , <i>E. grandis</i> , <i>E. microcorys</i> , <i>Corymbia maculata</i> ); Pitund regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A8: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucpil	1	30-40+	22	18	good	3.5	fragmented	adj.SEPP19/ TPO; AREA A8 (slope between Eurythmy Room/ bookshop & Sylvia Brose Hall/ entry): Eucpil- multi-stemmed/ vigorous growth; likely planted	
Glenroy Avenue	school (see map)	Glenaeon School (AREA A8: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Corgum	1	15-20+	10	6	good	3.5	fragmented	adj.SEPP19/ TPO; AREA A8 (slope between Eurythmy Room/ bookshop & Sylvia Brose Hall/ entry): Corgum- vigorous growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA A8: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Ficrub	1	10-15+	5	7	good	3.5	fragmented	adj.SEPP19/ TPO; AREA A8 (slope between Eurythmy Room/ bookshop & Sylvia Brose Hall/ entry): Ficrub- vigorous growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA A9: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Corgum	1	50-60+	18	10	good	2.3	fragmented	adj.SEPP19/ TPO; AREA A9 (immediately east of Sylvia Brose Hall): Corgum- vigorous growth; varying level of disturbance/ minimal weeds	
Glenroy Avenue	school (see map)	Glenaeon School (AREA A9: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Corgum	1	40-50+	10	6	fair	2.3	fragmented	adj.SEPP19/ TPO; AREA A9 (immediately east of Sylvia Brose Hall): Corgum- ext. dead wood/ open crown & epicormic regrowth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA A9: 5A Glenroy Avenue)	04.08.15	remnant community	10ag(i)	see notes	n/a	varies				2.3	fragmented	AREA A9: (immediately east of Sylvia Brose Hall): remnant native shrubby regrowth up to 15-20yrs+/ 5-7m HT (incl. Allit [dom.], Elaret, Hakdac, Perlev, Perpin, Notlon, Polsam) & native ground layer (incl. Micsti/ Lomlon [co-doms.], Pomumb, Stejap, Parstr, Smigly, Entstr); good regen.; varying level of disturbance/ minimal weeds	

Glenroy Avenue	school (see map)	Glenaeon School (AREA A9: 5A Glenroy Avenue)	04.08.15	core community	10ag(i)	see notes	n/a	varies					1.3	contiguous	AREA A9: (lower slope adj. to eastern boundary - north-east of vegetable garden): core bushland community assoc. w. significant rock outcrops and scarp; high biodiversity values/ resilience; varying level of disturbance/ modification & weeds; canopy trees/ incl. old growth specimens (Angcor/ Eucpip [co-doms.], Eucpun, Corgum); understorey (Allit [dom.], Banser, Kunamb, Elaret, Notlon, Xanarb, Grelin, Crosal, Smigly, Lomlon [dom.], Xanpil, Micsti, Entstr)
Glenroy Avenue	school (see map)	Glenaeon School (AREA A10: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Angcos	1	60-80+	15	8	fair	1.3	contiguous	adj.SEPP19/ TPO; AREA A10 (upper scarp/ rock outcrops immediately north of Sylvia Brose Hall): Angcos- ext. dead wood/ vigorous regrowth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA A10: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucpip	1	80-100+	16	18	fair	1.3	contiguous	adj.SEPP19/ TPO; AREA A10 (upper scarp/ rock outcrops immediately north of Sylvia Brose Hall): Eucpip- old growth specimen on upper scarp face; ext. dead wood/ vigorous new growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA A10: 5A Glenroy Avenue)	04.08.15	remnant community	10ag(i)	see notes	n/a	varies					1.3	contiguous	AREA A10: (upper scarp/ rock outcrops immediately north of Sylvia Brose Hall): remnant native shrubby regrowth up to 10-15yrs+/ 7-8m HT (incl. Allit, Kunamb, Elaret, Perpin, Xanarb, Gahery, Grelin) & native ground layer (incl. Pteesc, Lomlon, Smigly); Kunamb X1 (old specimen) & Cyaaus X1 (20-30yrs+/ 3m HT); also <i>Cyathea cooperi</i> - cultivated origin; varying level of disturbance & weeds

Glenroy Avenue	school (see map)	Glenaeon School (AREA A10: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Ficrub	1	20-30+	10	12	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A10 (Frances Edmunds Garden between basketball court & Sylvia Brose Hall): Ficrub- multi-stemmed regrowth specimen; highly modified/ landscaped area; Pitund regrowth; generic native planting/ sapling regen. (incl. <i>Corymbia citriodora</i> , <i>C. maculata</i> , <i>Eucalyptus robusta</i> , <i>E. pilularis</i> )
Glenroy Avenue	school (see map)	Glenaeon School (AREA A10: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Ficrub	1	15-20+	7	6	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A10 (Frances Edmunds Garden between basketball court & Sylvia Brose Hall): Ficrub- immature
Glenroy Avenue	school (see map)	Glenaeon School (AREA A10: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucpun	1	30-40+	16	12	good	4.5	fragmented	adj.SEPP19/ TPO; AREA A10 (Frances Edmunds Garden between basketball court & Sylvia Brose Hall): Eucpun- some pruning to lower branches/ possibly planted
Glenroy Avenue	school (see map)	Glenaeon School (AREA A10: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucpun	1	20-30+	14	8	fair	5.0	fragmented	adj.SEPP19/ TPO; AREA A10 (steep slope/ scarp adj. to Frances Edmunds Garden & basketball court): Eucpun- ext. dead wood/ open crown; possibly planted; Glofer/ Pitund (dom.) regrowth; generic native planting (incl. <i>Eucalyptus saligna</i> ); highly disturbed & modified slope (old sewer main); dom. weeds
Glenroy Avenue	school (see map)	Glenaeon School (AREA A10: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucpun	1	30-40+	14	12	good	5.0	fragmented	adj.SEPP19/ TPO; AREA A10 (steep slope/ scarp adj. to Frances Edmunds Garden & basketball court): Eucpun- multi-stemmed/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA A10: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Angcos	1	60-80+	16	12	fair	5.0	fragmented	adj.SEPP19/ TPO; AREA A10 (steep slope/ scarp adj. to Frances Edmunds Garden & basketball court): Angcos- ext. dead wood/ open crown & epicormic regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B1: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Corgum	1	80-100+	16	16	good	4.5	fragmented	adj.SEPP19/ TPO; AREA B1 (lower slope/ rock outcrops between Craft Room/ Music Room & basketball court): Corgum- old growth specimen/ vigorous growth; disturbed and modified

Glenroy Avenue	school (see map)	Glenaeon School (AREA B1: 5A Glenroy Avenue)	04.08.15	remnant community	10ag(i)	see notes	n/a	varies					4.5	fragmented	AREA B1: (lower slope/ rock outcrops between Craft Room/ Music Room & basketball court): remnant native shrubby regrowth up to 15-20yrs+/ 6-7m HT (incl. Allit, Kunamb) & native ground layer (incl. Lomlon, Entstr); local & generic native planting (incl. possibly Kunamb, Allit, Banser, Eucpil/ regen.- unknown provenance)
Glenroy Avenue	school (see map)	Glenaeon School (AREA B1: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Euchae	1	40-50+	10	10	fair	4.5	fragmented	adj.SEPP19/ TPO; AREA B1 (adj. to Craft Room/ walkway): Euchae- multi-stemmed (2); ext. dead wood/ open crown & epicormic regrowth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA B1: 5A Glenroy Avenue)	04.08.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	AREA B1: (adj. to Craft Room/ Music Room walkway): remnant native shrubby regrowth up to 20-30yrs+/ 5-7m HT (incl. Allit, Elaret)	
Glenroy Avenue	school (see map)	Glenaeon School (AREA B1: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Corgum	1	30-40+	10	4	good	4.5	fragmented	adj.SEPP19/ TPO; AREA B1 (adj. to Craft Room/ Music Room walkway): Corgum- vigorous growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA B1: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Corgum	1	30-40+	9	5	good	4.5	fragmented	adj.SEPP19/ TPO; AREA B1 (adj. to Craft Room/ Music Room walkway): Corgum- vigorous growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA B1: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucpun	1	50-60+	18	12	good	4.5	fragmented	adj.SEPP19/ TPO; AREA B1 (adj. to Craft Room/ Music Room walkway): Eucpun- multi-stemmed/ some pruning & vigorous new growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA B1: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Angcos	1	80-100+	22	18	good	5.0	fragmented	adj.SEPP19/ TPO; AREA B1 (landscaped bed adj. to Art/ Science building): Angcos- old growth specimen/ vigorous growth	



Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	core community	10ag(i)	see notes	n/a	varies					1.3	contiguous	AREA B2: (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower slope): largely intact core bushland community/ high biodiversity values; good natural regen./ resilience; varying level of disturbance/ modification along edges; minimal weeds/ area under bush regeneration strategy; native shrubby regrowth/ understorey up to 20-30yrs+/ 7-9m HT (incl. Allit, Elaret, Perpin, Lamfor, Banobl, Banspi, Hakgib, Leptri, Notlon, Breobl, Dilret, Dodtri, Grelin, Xanarb, Acasua, Acauli, Acalin, Crosal) & native ground layer/ climbers (incl. Miceri, Lasfer, Hovlin, Lomlon, Diacae, Xantri, Pomumb,, Ziepil, Leplat, Pteesc, Glycla, Stejap, Smigly, Chesie, Entstr); also local & generic native planting (Baneri, Gahasp, <i>Leptospermum/ Melaleuca</i> spp.)
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucglo	1	?60-80+	18	12	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower slope): Eucglo- some dead wood/ vigorous growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucglo	1	?50-60+	18	6	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower slope): Eucglo- leaning main stem/ some dead wood & vigorous growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucpun	1	20-30+	12	7	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower slope): Eucpun- leaning main stem/ some dead wood & vigorous growth	

Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucpun	1	30-40+	16	5	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower eastern slope adj. to access road/ carpark): Eucpun- lopped/ some dead wood & vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Angcos	1	40-50+	16	8	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower eastern slope adj. to access road/ carpark): Angcos- vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Corgum	1	30-40+	10	4	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower eastern slope adj. to access road/ carpark): Corgum- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucpun	1	40-50+	15	14	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower eastern slope adj. to access road/ carpark): Eucpun- some dead wood & vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucpun	1	20-30+	12	8	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower eastern slope adj. to access road/ carpark): Eucpun- vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Angcos	1	15-20+	14	6	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower eastern slope adj. to access road/ carpark): Angcos- vigorousnew growth/ possibly planted
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Corgum	1	20-30+	10	4	fair	1.2	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower central slope): Corgum- ext. dead wood/ epicormic regrowth

Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Euchae	1	15-20+	9	4	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower central slope): Euchae- some dead wood/ vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucpun	1	30-40+	18	12	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower central slope): Eucpun- some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Euchae	1	20-30+	12	7	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower central slope): Euchae- leaning main stem/ some dead wood & vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Angcos	1	20-30+	14	7	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower central slope): Angcos- vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Corgum	1	30-40+	14	5	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower western slope adj. to pathway): Corgum- some dead wood/ vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucpun	1	15-20+	10	5	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower western slope adj. to pathway): Eucpun- leaning main stem/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Angcos	1	15-20+	14	3	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower western slope adj. to pathway): Angcos- leaning main stem/ vigorous growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Corgum	1	60-80+	18	9	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower western slope adj. to pathway): Corgum- possibly old growth specimen/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Eucglo	1	?60-80+	18	9	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ lower western slope adj. to pathway): Eucglo- possibly old growth specimen/ some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Angcos	1	80-100+	18	16	good	4.5	fragmented	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ upper slope adj. to amphitheatre): Angcos- old growth specimen/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	tree group	10ag(i)	Glofer	1	30-40+	10	12	good	4.5	fragmented	adj.SEPP19/ TPO; AREA B2 (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ upper eastern slope): Glofer- regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B2: 5A Glenroy Avenue)	04.08.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	AREA B2: (eastern central bushland between Craft Room/ Music Room & Alice Crowther building/ upper slope): remnant native shrubby regrowth up to 10-15yrs+/ 6-8m HT (incl. Allit, Elaret, Glofer); Pitund (dom.)/ Glofer regrowth (up to 20-30yrs+/ 7-10m HT); local & generic native planting (incl. Elaret, Banser, <i>Toona ciliata</i> ); highly modified; varying level of weeds

Glenroy Avenue	school (see map)	Glenaeon School (AREA B3: 5A Glenroy Avenue)	05.08.15	remnant community	10ag(i)	see notes	n/a	varies					3.5	fragmented	AREA B3: (western central bushland between Art/ Science building & Eric Nichols building/ Alice Crowther building/ lower slope east of intermittent creek-line): remnant native understorey up to 10-15yrs+/ 7-10m HT (incl. Allit, Elaret, Glofer, Breobl, Pomint) & remnant native ground layer/ climbers (incl. Pteesc, Hypmue, Caldub, Geicym, Euslat, Stejap); Pitund (dom.)/ Glofer regrowth (up to 20-30yrs+/ 9-12m HT); local & generic native planting (incl.Trilau, Dodtri, Calser, Lomlon, <i>Eucalyptus pilularis</i> / <i>Corymbia maculata</i> spp.); upper gully- <i>Cyathea cooperi</i> / <i>Cissus antarctica</i> / cultivated origin); largely modified; varying level of weeds
Glenroy Avenue	school (see map)	Glenaeon School (AREA B3: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucglo	1	?60-80+	18	8	good	3.5	fragmented	adj.SEPP19/ TPO; AREA B3 (western central bushland between Art/ Science building & Eric Nichols building/ Alice Crowther building/ lower slope east of intermittent creek-line): Eucglo- possibly old growth specimen/ some dead wood & vigorous growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA B3: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	80-100+	25	16	fair	3.5	fragmented	adj.SEPP19/ TPO; AREA B3 (western central bushland between Art/ Science building & Eric Nichols building/ Alice Crowther building/ lower slope east of intermittent creek-line): Angcos- old growth specimen/ some dead wood & open sparse crown	
Glenroy Avenue	school (see map)	Glenaeon School (AREA B3: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	60-80+	18	12	good	4.5	fragmented	adj.SEPP19/ TPO; AREA B3 (western central bushland between Art/ Science building & Eric Nichols building/ Alice Crowther building/ upper gully east of intermittent creek-line adj. to Alice Crowther building): Angcos- leaning main stem/ some dead wood	

Glenroy Avenue	school (see map)	Glenaeon School (AREA B3: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucpil	1	20-30+	25	12	good	4.5	fragmented	adj.SEPP19/ TPO; AREA B3 (western central bushland between Art/ Science building & Eric Nichols building/ Alice Crowther building/ upper gully east of intermittent creek-line adj. to Alice Crowther building): Eucpil- likely planted
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	core community	10ag(i)	see notes	n/a	varies				1.2	contiguous	AREA B4: (western central bushland between Art/ Science building & Eric Nichols building/ lower to mid-slope west of intermittent creek-line): largely intact core bushland community/ high biodiversity values; good natural regen./ resilience; varying level of disturbance/ modification along edges; minimal weeds/ area under bush regeneration strategy; native shrubby regrowth/ understorey up to 20-30yrs+/ 7-9m HT (incl. Cergum/ Allit/ Elaret [co-doms], Perpin, Perlev, Banser, Leiden, Notlon, Breobl, Dilret, Dodtri, Grelin, Xanarb, Caufle, Crosal) & native ground layer/ climbers (incl. Lasfer, Lomsil, Lomlon, Lomgla, Lomobl, Diacae, Xanpil, Xantri, Ziepil, Leplat, Pteesc, Glycla, Smigly, Entstr); also generic native regen./ unknown provenance (incl. <i>Eucalyptus pilularis</i> X3 up to 15-20yrs+/ 18-22m HT)
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	30-40+	20	8	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line): Angcos- some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Corgum	1	30-40+	16	5	fair	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line): Corgum- ext. dead wood & epicormic regrowth

Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Corgum	1	40-50+	16	7	fair	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line): Corgum- ext. dead wood & epicormic regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	20-30+	16	8	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line): Angcos- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucpun	1	15-20+	14	7	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line): Eucpun- leaning main stem/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Corgum	1	50-60+	16	6	fair	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line): Corgum- ext. dead wood & epicormic regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Corgum	1	80-100+	22	15	fair	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line): Corgum- old growth specimen/ some dead wood & open sparse crown
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	30-40+	12	4	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line): Angcos- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucpun	1	30-40+	14	8	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line): Eucpun- leaning main stem (onto Angcos-above)/ vigorous growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Corgum	1	30-40+	16	9	fair	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line): Corgum- ext. dead wood/ epicormic regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Corgum	1	20-30+	8	3	poor	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line/ adj. to western pathway): Corgum- ext. dead wood/ epicormic regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	40-50+	14	6	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line/ adj. to lower pathway): Angcos- some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucpun	1	30-40+	10	12	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line/ adj. to lower pathway): Eucpun- leaning main stem/ some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	80-100+	22	20	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ lower slope west of intermittent creek-line/ adj. to lower pathway): Angcos- old growth specimen/ some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucpip	1	30-40+	16	8	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ mid-slope west of intermittent creek-line): Eucpip- leaning main stem/ some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucpun	1	30-40+	15	6	fair	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ mid-slope west of intermittent creek-line): Eucpun- ext. dead wood/ epicormic regrowth



Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucpun	1	40-50+	16	12	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ mid-slope west of intermittent creek-line): Eucpun-leaning main stem/ some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	60-80+	9	12	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ mid-slope west of intermittent creek-line): Angcos-leaning main stem/ some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Cergum	1	?40-50+	8	4	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ mid-slope west of intermittent creek-line): Cergum-vigorous growth/ part of significant Cergum group (possibly lignotuber regrowth)
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Cergum	1	?40-50+	8	5	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ mid-slope west of intermittent creek-line): Cergum-vigorous growth/ part of significant Cergum group (possibly lignotuber regrowth)
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Cergum	1	?30-40+	7	3	good	1.2	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland between Art/ Science building & Eric Nichols building/ mid-slope west of intermittent creek-line): Cergum-vigorous growth/ part of significant Cergum group (possibly lignotuber regrowth)
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Cergum	1	?80-100+	7	7	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ below upper rock outcrops north of Eric Nichols building): Cergum- likely old growth multi-stemmed (5) specimen/ regrowth off old base; vigorous growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Corgum	1	?80-100+	18	9	fair	1.3	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ below upper rock outcrops north of Eric Nichols building): Corgum- likely old growth specimen; ext. dead wood & epicormic growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	30-40+	15	4	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ below upper rock outcrops north of Eric Nichols building): Angcos- some dead wood & vigorous epicormic growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Corgum	1	40-50+	16	4	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ below upper rock outcrops north of Eric Nichols building): Corgum- some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	60-80+	18	15	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ below upper rock outcrops north of Eric Nichols building): Angcos- possibly old growth specimen; some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Cergum	1	?80-100+	7	7	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ below upper rock outcrops north of Eric Nichols building): Cergum- likely old growth multi-stemmed (2) specimen; vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Cergum	1	30-40+	7	3	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ below upper rock outcrops north of Eric Nichols building): Cergum- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	60-80+	16	15	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ below upper rock outcrops north of Eric Nichols building): Angcos- possibly old growth specimen; some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Cergum	1	60-80+	10	6	good	1.3	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ below upper rock outcrops north of Eric Nichols building): Cergum- vigorous growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	remnant community	10ag(i)	see notes	n/a	varies					1.3	contiguous	AREA B4: (western central bushland/ below upper rock outcrops north of Eric Nichols building): remnant native regrowth/ high biodiversity; shrub/ ground layer assoc. w. significant rock outcrops (incl. Cergum/ Allit/ Elaret (co-doms.) up to 10-15yrs+/ up to 4-8m HT/ Xanarb, Grelin, Pulsti, Caufle, Crosal, Lomsil, Ficrub, Pulsti, Stifla, Pteesc, Diacae, Entstr, Smigly); Pitund regrowth; minimal weeds
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Corgum	1	30-40+	15	4	good	3.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper rock outcrops immediately north of Eric Nichols building): Corgum- some dead wood & vigorous growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Cergum	1	?80-100+	6	5	good	3.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper rock outcrops immediately north of Eric Nichols building): Cergum- likely old growth multi-stemmed (2) specimen on significant rock outcrops; vigorous growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	remnant community	10ag(i)	see notes	n/a	varies				3.5	contiguous	AREA B4: (western central bushland/ upper rock outcrops immediately north of Eric Nichols building): remnant native regrowth/ ground layer assoc. w. significant rock outcrops (incl. Allit (up to 10-15yrs+/ up to 6-8m HT)/ Ficrub, Pulsti, Stifla, Pteesc, Diacae); Pitund regrowth; local & generic native planting; largely modified/ varying level of weeds	
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	60-80+	18	14	good	2.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper gully between Eric Nichols building & Alice Crowther building/ west of intermittent creek-line): Angcos- possibly old growth specimen/ some dead wood & vigorous growth	

Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	60-80+	18	12	good	2.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper gully near footbridge between Eric Nichols building & Alice Crowther building/ west of intermittent creek-line): Angcos- possibly old growth specimen/ some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	remnant community	10ag(i)	see notes	n/a	varies				2.5	contiguous	AREA B4: (western central bushland/ upper gully between Eric Nichols building & Alice Crowther building/ west of intermittent creek-line): remnant native shrubs & ground layer/ climbers assoc. w. significant rock outcrops (incl. Breobl, Crosal, Notlon, Pteesc, Stejap, Entstr); sapling regrowth (incl. Ficrub, Corgum, Elaret); Pitund regrowth; local & generic native planting (incl. Trilau, Dodtri, Acauli, Lomlon); <i>Toona ciliata</i> , <i>Cyathea cooperi</i> (dom.)/ <i>Cissus antarctica</i> / cultivated origin); largely modified; varying level of weeds
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Cergum	1	50-60+	9	4	good	4.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper slope & rock outcrops immediately west of Eric Nichols building & east of pathway below terraces): Cergum- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	50-60+	18	10	good	4.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper slope & rock outcrops immediately north-west of Eric Nichols building): Angcos- some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Ficrub	1	20-30+	8	10	good	4.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper slope & rock outcrops immediately north-west of Eric Nichols building): Ficrub- vigorous growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	?80-100+	20	18	good	4.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper slope & rock outcrops immediately north-west of Eric Nichols building): Angcos- old growth multi-stemmed (2) specimen; some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	?100-150+	25	18	good	4.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper slope & rock outcrops north-west of Eric Nichols building): Angcos- old growth specimen; some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucpip	1	?100-150+	25	15	good	4.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper slope & rock outcrops north-west of Eric Nichols building adj. to pathway): Eucpip- old growth specimen; snapped upper stem/ possibly storm-damaged; vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	?80-100+	18	12	good	4.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper slope & rock outcrops north-west of Eric Nichols building adj. to pathway): Angcos- old growth specimen; some dead wood/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Cergum	1	?60-80+	7	4	good	4.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper slope & rock outcrops north-west of Eric Nichols building): part of remnant native Cergum group/ lignotuber regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Cergum	1	?50-60+	7	3	good	4.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper slope & rock outcrops north-west of Eric Nichols building): part of remnant native Cergum group/ lignotuber regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Cergum	1	?20-30+	6	2	good	4.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper slope & rock outcrops north-west of Eric Nichols building): part of remnant native Cergum group/ lignotuber regrowth

Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Cergum	1	?20-30+	6	2	good	4.5	contiguous	adj.SEPP19/ TPO; AREA B4 (western central bushland/ upper slope & rock outcrops north-west of Eric Nichols building); part of remnant native Cergum group/ lignotuber regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B4: 5A Glenroy Avenue)	05.08.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	contiguous	AREA B4 (western central bushland/ upper slope & rock outcrops immediately west of Eric Nichols building & east of pathway below terraces): significant rock outcrops; mesic shift; remnant native regrowth/ highly modified incl. Glofer (8+/ dom. up to 20-30yrs+/ up to 9-14m HT); Allit/ Elaret/ Cergum (up to 10-15yrs+/ up to 4-8m HT); Pitund (dom.) regrowth; remnant native ground layer (incl. Stifla, Lomlon); local & generic native planting (incl. <i>Acacia</i> spp.); varying level of weeds
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	30-40+	10	7	good	5.0	fragmented	adj.SEPP19/ TPO; AREA B5 (steep sloping bed/ upper gully between main walkway & roadway south-west of Eric Nichols building): Glofer- vigorous growth; highly modified/ landscaped area; remnant native regrowth incl. Glofer/ Pitund (dom.) regrowth; no native ground layer; local & generic native planting (incl. Lomlon, <i>Corymbia maculata</i> , <i>Ceratopetalum apetalum</i> ); some weeds
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	20-30+	9	6	good	5.0	fragmented	adj.SEPP19/ TPO; AREA B5 (steep sloping bed/ upper gully between main walkway & roadway south-west of Eric Nichols building): Glofer- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	20-30+	9	6	good	5.0	fragmented	adj.SEPP19/ TPO; AREA B5 (steep sloping bed/ upper gully between main walkway & roadway south-west of Eric Nichols building): Glofer- with epiphyte ( <i>Platyserium bifurcatum</i> )

Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	20-30+	10	7	good	5.0	fragmented	adj.SEPP19/ TPO; AREA B5 (steep sloping bed/ upper gully between main walkway & roadway south-west of Eric Nichols building): Glofer- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Corgum	1	50-60+	16	6	fair	5.0	fragmented	adj.SEPP19/ TPO; AREA B5 (steep sloping bed/ upper gully between main walkway & roadway south-west of Eric Nichols building): Corgum- open crown & some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	50-60+	18	12	good	5.0	fragmented	adj.SEPP19/ TPO; AREA B5 (steep sloping bed/ upper gully between main walkway & roadway south-west of Eric Nichols building): Angcos- adj. to upper steps to roadway; some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	80-100+	18	16	good	5.0	fragmented	adj.SEPP19/ TPO; AREA B5 (upper terraces & rock outcrops/ play area south-east of Vera Jacobson building (Class 4)): Angcos- adj. to cubby-house and steps; old growth specimen; some dead wood & vigorous growth; highly modified/ no remnant native ground layer; Pitund regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	20-30+	8	6	good	5.0	fragmented	adj.SEPP19/ TPO; AREA B5 (upper terraces & rock outcrops/ play area south-east of Vera Jacobson building (Class 4)): Glofer- leaning/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	remnant community	10ag(i)	see notes	n/a	varies				5.0	fragmented	AREA B5 (upper terraces & rock outcrops/ play area south-east of Vera Jacobson building (Class 4)): significant rock outcrops; mesic shift; remnant native regrowth/ highly modified incl. Glofer (3+/ co-dom. up to 15-20yrs+/ up to 5-7m HT); Pitund (co-dom.) regrowth; no remnant native ground layer; local & generic native planting (incl. Acapar, <i>Corymbia maculata</i> , <i>Eucalyptus robusta</i> , <i>Grevillea/ Castanospermum</i> spp.)

Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucpun	1	80-100+	18	15	good	5.0	contiguous	adj.SEPP19/ TPO; AREA B5 (upper terraces & rock outcrops/ play area south-east of Vera Jacobson building (Class 4)): Eucpun- old growth specimen; some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	20-30+	9	6	good	5.0	contiguous	adj.SEPP19/ TPO; AREA B5 (upper terraces & rock outcrops/ play area south-east of Vera Jacobson building (Class 4)): Glofer- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucpip	1	50-60+	16	12	good	5.0	contiguous	adj.SEPP19/ TPO; AREA B5 (upper terraces & rock outcrops/ play area south-east of Vera Jacobson building (Class 4)): Eucpip- multi-stemmed specimen; some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	60-80+	14	10	good	5.0	contiguous	adj.SEPP19/ TPO; AREA B5 (upper terraces & rock outcrops/ play area south-east of Vera Jacobson building (Class 4)): Angcos- some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucpun	1	20-30+	20	12	good	5.0	contiguous	adj.SEPP19/ TPO; AREA B5 (upper terraces & rock outcrops/ play area south-east of Vera Jacobson building (Class 4)): Eucpun- likely planted (unknown provenance); vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	remnant community	10ag(i)	see notes	n/a	varies				5.0	contiguous	AREA B5 (lower terraces & rock outcrops/ play area east of Vera Jacobson building (Class 4)): significant rock outcrops; mesic shift; remnant native regrowth/ highly modified incl. Glofer (2+/- up to 15-20yrs+/- up to 6-7m HT); Pitund regrowth; no remnant native ground layer; local & generic native planting
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	50-60+	16	12	good	5.0	contiguous	adj.SEPP19/ TPO; AREA B5 (lower terraces & rock outcrops/ play area east of Vera Jacobson building (Class 4)): Angcos- some dead wood & vigorous growth



Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucp	1	?100-150+	25	15	good	5.0	contiguous	adj.SEPP19/ TPO; AREA B5 (lower terraces & rock outcrops/ play area east of Vera Jacobson building (Class 4)): Eucp- adj. to sand-pit & north-east corner of building; massive old growth specimen (1,150mm DBH); 1 X stem lopped at base some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	20-30+	10	7	good	5.0	contiguous	adj.SEPP19/ TPO; AREA B5 (lower terraces & rock outcrops/ play area east of Vera Jacobson building (Class 4)): Glofer- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	30-40+	15	6	good	5.0	contiguous	adj.SEPP19/ TPO; AREA B5 (upper east terrace adj. to Vera Jacobson building (Class 4)): Angcos- some dead wood & vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA B5: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	30-40+	9	8	good	5.0	contiguous	adj.SEPP19/ TPO; AREA B5 (upper east terrace adj. to Vera Jacobson building (Class 4)): Glofer- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C1: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	15-20+	9	5	good	5.0	contiguous	adj.SEPP19/ TPO; AREA C1 (upper northern paved terrace adj. to Vera Jacobson building (Class 4)): Glofer- vigorous growth; highly modified; <i>Eupomatia laurina/ Cissus antarctica</i> (cultivated origin)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C1: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucrac	1	60-80+	15	14	good	5.0	contiguous	adj.SEPP19/ TPO; AREA C1 (upper northern paved terrace adj. to Vera Jacobson building (Class 4)): Eucrac- multi-stemmed (possibly old growth) specimen; some past pruning & dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA C1: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	50-60+	12	8	good	5.0	contiguous	adj.SEPP19/ TPO; AREA C1 (upper northern paved terrace adj. to Vera Jacobson building (Class 4)): Glofer- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C1: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	60-80+	18	12	good	5.0	contiguous	adj.SEPP19/ TPO; AREA C1 (upper northern paved terrace adj. to Vera Jacobson building (Class 4)): Angcos- some dead wood

Glenroy Avenue	school (see map)	Glenaeon School (AREA C1: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	20-30+	9	6	good	5.0	contiguous	adj.SEPP19/ TPO; AREA C1 (upper steep northern slope adj. to Vera Jacobson building (Class 4)): Glofer-vigorous growth; highly modified/ no native ground layer; mesic shift; Glofer/ Pitund (dom.) regrowth; generic native planting (incl. Acapar, <i>Toona ciliata</i> , <i>Leptospermum</i> sp.); <i>Cyathea cooperi</i> (cultivated origin)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C1: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	10-15+	8	3	good	5.0	contiguous	adj.SEPP19/ TPO; AREA C1 (upper steep northern slope adj. to Vera Jacobson building (Class 4)): Glofer-vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C1: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	20-30+	14	7	good	5.0	contiguous	adj.SEPP19/ TPO; AREA C1 (upper steep northern slope adj. to Vera Jacobson building (Class 4)): Glofer-vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	05.08.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	contiguous	AREA C2 (upper slope/ steep gully between Vera Jacobson building & boundary Nos. 7, 9 & 11A Glenroy Ave): mesic shift; remnant native regrowth/ highly modified incl. Glofer/ Pitund (co-doms. up to 15-20yrs+/ up to 12-15m HT with numerous older specimens); Glofer/ Pitund regen.; remnant native ground layer (incl. Hymue (dom.), Caldub, Stejap); local & generic native planting (incl. Acauli, <i>Agonis</i> sp.); varying level of weeds
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Synglo	1	?80-100+	18	16	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper slope adj. to boundary Nos. 7 & 9 Glenroy Ave): Synglo- likely old growth specimen (possibly cultivated origin); vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	20-30+	7	7	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper slope adj. to boundary Nos. 7 & 9 Glenroy Ave): Glofer- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucpip	1	?100-150+	15	12	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper slope adj. to rear boundary No.9 Glenroy Ave): Eucpip- old growth multi-stemmed (3) specimen; large basal area; insect damage, dead wood & vigorous new growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	30-40+	12	6	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper slope adj. to rear boundary No.9 Glenroy Ave): Angcos- some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	60-80+	14	10	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper slope adj. to rear boundary No.9 Glenroy Ave): Glofer- multi-stemmed (2)/ vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Glofer	1	20-30+	14	4	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper slope adj. to rear boundary No.9 Glenroy Ave): Glofer- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Eucpun	1	?80-100+	22	15	fair	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper slope adj. to boundary No.11A Glenroy Ave): Eucpun- on rock outcrops/ terraces; old growth specimen; ext. dead wood & broken crown (possible storm damage)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Angcos	1	60-80+	18	12	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper slope adj. to boundary No.11A Glenroy Ave): Angcos- on rock outcrops/ terraces; some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Ficrub	1	20-30+	5	12	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper scarp adj. to boundary No.11A Glenroy Ave): Ficrub- on scarp face/ rock outcrops; vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	05.08.15	tree group	10ag(i)	Ficrub	1	20-30+	7	15	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper scarp adj. to boundary No.11A Glenroy Ave): Ficrub- on scarp face/ rock outcrops; vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Glofer	1	80-100+	15	8	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper steep gully/ north-west of Vera Jacobson building): Glofer- old growth specimen/ multi-stemmed at base (4) with epiphyte ( <i>Platyserium bifurcatum</i> )
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Glofer	1	20-30+	14	4	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper steep gully/ north-west of Vera Jacobson building): Glofer- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Glofer	1	20-30+	14	4	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper steep gully/ north-west of Vera Jacobson building): Glofer- vigorous growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Glofer	1	30-40+	15	5	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper steep gully/ north-west of Vera Jacobson building): Glofer- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Glofer	1	50-60+	16	8	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper steep gully/ north-west of Vera Jacobson building): Glofer- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Glofer	1	60-80+	16	8	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper steep gully/ north-west of Vera Jacobson building): Glofer- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Angcos	1	60-80+	25	15	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper steep gully/ north-west of Vera Jacobson building): Angcos-possibly old growth specimen; some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Eucpip	1	60-80+	18	7	see notes	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper steep gully/ north-west of Vera Jacobson building): Eucpip-possibly old growth specimen; lower main stem snapped/ damaged with large basal cavity; ext. dead wood & vigorous new growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Angcos	1	60-80+	25	20	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper steep gully/ north-west of Vera Jacobson building): Angcos-possibly old growth specimen; some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA C2: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Glofer	1	50-60+	16	7	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C2 (upper steep gully/ north-west of Vera Jacobson building): Glofer- vigorous growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	scarp/ rock outcrops	10ag(iii)	see notes	n/a						3.5	contiguous	AREA C3: significant s/s scarp, overhang & rock formations adj. to rear boundary No.11A Glenroy Ave & mid- to lower gully: dom. weeds (upper scarp)/ grading to remnant native community & varying level of weeds (mid- to lower slope); remnant natives incl. epiphytes, orchids & ferns assoc. w. overhang/ rock outcrops & boulders (incl. Todbar, Asphis, Stifla, Hypmue, Diacae, Aspaus (incl. large specimens), Plabif, Doclin)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	remnant community	10ag(iii)	see notes	n/a	varies					3.5	contiguous	AREA C3 (upper north-west slope, mid- to lower gully & rock outcrops): highly modified/ mesic shift; remnant sub-canopy & understorey regrowth -Glofer/ Pitund (co-doms.); Glofer- generally not recorded as individual items in AREA C3 (total approx. Glofer = 97; total approx. Pitund = 92; excluding seedling regen.); older growth specimens (60-80yrs+) however are recorded
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Ficrub	1	50-60+	16	16	good	3.5	contiguous	adj.SEPP19/ TPO; AREA C3 (upper steep gully between rear boundary No.11A Glenroy Ave & Vera Jacobson building): Ficrub- on upper rock outcrops & overhang (below); vigorous multi-stemmed growth	
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Glofer	1	80-100+	14	8	good	3.5	contiguous	adj.SEPP19/ TPO; AREA C3 (upper steep gully between rear boundary No.11A Glenroy Ave & Vera Jacobson building): Glofer- on upper rock outcrops & overhang; old growth specimen	
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Pitund	1	80-100+	16	12	good	3.5	contiguous	adj.SEPP19/ TPO; AREA C3 (upper steep gully between rear boundary No.11A Glenroy Ave & Vera Jacobson building): Pitund- on upper rock outcrops adj. to stone drain; old growth multi-stemmed (2) specimen	

Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Glofer	1	60-80+	16	8	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (upper slope north of Vera Jacobson building): Glofer- on eastern side of stone drain; old growth specimen
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Angcos	1	80-100+	30	25	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (upper slope north of Vera Jacobson building): Angcos- old growth specimen; some dead wood; part of significant old growth group
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Calser	1	?40-50+	7	9	v.poor	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (upper slope north of Vera Jacobson building): Calser- in gully adj. to boulders; leaning main stem/ ext. dead wood & basal coppicing
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Calser	1	?40-50+	9	9	poor	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (upper slope north of Vera Jacobson building): Calser- in gully adj. to boulders; multi-stemmed (2) at base; dead wood/ poor vigour; possibly older specimen
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Ficrub	1	20-30+	16	6	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (upper slope north of Vera Jacobson building): Ficrub- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Cergum	1	?80-100+	16	7	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (upper slope north of Vera Jacobson building): Cergum- old growth specimen; multi-stemmed (2) at base; vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	remnant community	10ag(iii)	see notes	n/a	varies				2.3	contiguous	AREA C3 (mid- to lower slope north of Vera Jacobson building): mesic shift; remnant sub-canopy & understorey regrowth -Glofer/ Pitund (co-doms. - see above for details); remnant natives (incl. Elaret/ Allit (up to 10-15yrs+/ 3-7m HT), Calser, Lomsil, Breobl, Lomlon, Lomobl, Entstr, Diacae, Caldub, Asphis, Stifla, Plepar, Smigly, <i>Cryptostylis</i> sp.); minimal weeds; standing dead trees (stags) present
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Angcos	1	?100-150+	25	20	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (mid- to lower slope north of Vera Jacobson building): Angcos- old growth specimen; some dead wood; part of significant old growth group

Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Corgum	1	?100-150+	25	25	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (mid- to lower slope north of Vera Jacobson building): Corgum- massive old growth multi-stemmed (2) specimen/ 850mm DBH (equal largest recorded specimen for this taxa on this site); open crown/ some dead wood; part of significant old growth group
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Corgum	1	?100-150+	25	25	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (mid- to lower slope north of Vera Jacobson building): Corgum- massive old growth single stem specimen/ 850mm DBH (equal largest recorded specimen for this taxa on this site); open crown/ some dead wood; part of significant old growth group
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Ficrub	1	20-30+	14	10	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (mid- to lower slope north of Vera Jacobson building): Ficrub- on old stump; vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Eucpun	1	20-30+	10	3	poor	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (mid- to lower slope north of Vera Jacobson building): Eucpun- leaning main stem/ ext. dead wood & epicormic growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Calser	1	?40-50+	4	4	fair	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (mid- to lower slope north of Vera Jacobson building): Calser- some dead wood/ ext. basal coppicing
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Angcos	1	20-30+	12	6	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (mid- to lower slope north of Vera Jacobson building): Angcos- vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Eucpip	1	40-50+	16	9	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (lower slope north of Vera Jacobson building): Eucpip- some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	remnant community	10ag(iii)	see notes	n/a	varies				4.5	fragmented	AREA C3 (lower steep gully & boulder landscape adj. to waterfall): mesic shift; remnant sub-canopy & understorey regrowth -Glofer/ Pitund (co-doms. - see above for details); remnant native ferns/ epiphytes (incl. Asphis, Aspaus, Plabif); <i>Tristaniopsis laurina</i> / <i>Cyathea cooperi</i> - cultivated origin; dom. weeds

Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Ficrub	1	?100-150+	15	22	good	4.5	fragmented	adj.SEPP19/ TPO; AREA C3 (lower steep gully & boulder landscape adj. to waterfall): Ficrub- old growth specimen/ multiple major stems (4) and aerial roots on significant rock formations; part of significant old growth Ficrub group in this location (Note: 4 X Ficrub listings may represent a single old growth specimen of much older age)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Ficrub	1	?100-150+	14	15	good	4.5	fragmented	adj.SEPP19/ TPO; AREA C3 (lower steep gully & boulder landscape adj. to waterfall): Ficrub- old growth multi-stemmed (5) specimen/ 2 X snapped major stems; on significant rock formations; part of significant old growth Ficrub group in this location (Note: 4 X Ficrub listings may represent a single old growth specimen of much older age)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Ficrub	1	?100-150+	10	15	good	4.5	fragmented	adj.SEPP19/ TPO; AREA C3 (lower steep gully & boulder landscape adj. to waterfall): Ficrub- old growth multi-stemmed specimen/ 2 X snapped major stems/ leaning main stem; part of significant old growth Ficrub group in this location (Note: 4 X Ficrub listings may represent a single old growth specimen of much older age)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Ficrub	1	?100-150+	10	15	good	4.5	fragmented	adj.SEPP19/ TPO; AREA C3 (lower steep gully & boulder landscape adj. to waterfall): Ficrub- old growth specimen on upper rock outcrops; part of significant old growth Ficrub group in this location (Note: 4 X Ficrub listings may represent a single old growth specimen of much older age)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Trilau	1	?15-20+	6	4	good	4.5	fragmented	adj.SEPP19/ TPO; AREA C3 (lower steep gully & boulder landscape adj. to waterfall): Trilau- regrowth on upper rock outcrops/ possibly cultivated origin (provenance unknown)



Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Trilau	1	?15-20+	4	3	good	4.5	fragmented	adj.SEPP19/ TPO; AREA C3 (lower steep gully & boulder landscape adj. to waterfall): Trilau- regrowth on upper rock outcrops/ possibly cultivated origin (provenance unknown)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	remnant community	10ag(iii)	see notes	n/a	varies				2.3	contiguous	AREA C3 (lower eastern slope adj. to pathway): mesic shift/ varying level of disturbance; remnant regrowth -Glofer/ Pitund (co-doms. - see above for details) & Elaret/ Allit/ Ficrub (up to 15-20yrs+/ 6-9m HT); remnant native ground layer (incl. Banspi, Lomsil, Breobl, Lomlon, Diacae, Micsti); Angcos regen./ saplings; restoration strategy/ minimal weeds; also Lomlon (dom.)- cultivated origin
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Ficrub	1	20-30+	10	15	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (lower eastern slope adj. to pathway): Ficrub-multi-stemmed specimen on rock outcrops; lower branches forming ground layer
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Corgum	1	20-30+	15	5	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (lower eastern slope adj. to pathway): Corgum-some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Eucpip	1	50-60+	14	16	fair	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (lower eastern slope adj. to pathway): Eucpip-multi-stemmed (2) at base/ leaning stems; ext. dead wood/ vigorous epicormic growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Corgum	1	15-20+	9	2	poor	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (lower eastern slope adj. to pathway): Corgum-damaged crown/ epicormic growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Corgum	1	40-50+	15	6	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (lower eastern slope adj. to pathway): Corgum-some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Angcos	1	20-30+	15	5	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (lower eastern slope adj. to pathway): Angcos-vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Angcos	1	30-40+	16	6	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (lower eastern slope adj. to pathway): Angcos-vigorous growth

Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Eucpun	1	5-10+	5	4	good	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (lower eastern slope adj. to pathway): Eucpun-vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Corgum	1	10-15+	8	3	poor	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (lower eastern slope adj. to pathway): Corgum-damaged main stem/ epicormic growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C3: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Corgum	1	20-30+	15	5	fair	2.3	contiguous	adj.SEPP19/ TPO; AREA C3 (lower eastern slope adj. to lower pathway & Art/ Science building): Corgum- ext. dead wood/ epicormic growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C4: 5A Glenroy Avenue)	06.08.15	remnant community	10ag(iii)	see notes	n/a	varies				5.0	fragmented	AREA C4 (upper modified creek corridor/ foot-bridge between western and eastern ovals): highly modified/ landscaped area; remnant native regrowth/ mesic shift- Glofer (dom.); local & generic natives (incl. 10 X Ficrub- 15-20yrs+/ 8-9m HT, <i>Eucalyptus grandis</i> , <i>Cyathea cooperi</i> , Trilau, Acmsmi, Lomlon- all cultivated origin); weeds
Glenroy Avenue	school (see map)	Glenaeon School (AREA C5: 5A Glenroy Avenue)	06.08.15	scarp/ rock outcrops	10ag(iii)	see notes	n/a					4.5	fragmented	AREA C5 (lower scarp/ steep slope between rear boundary Nos.13A & 15 Glenroy Ave and western oval- adjoins AREA C3): significant rock outcrops/ formations & overhang; remnant natives (incl. Caldub, Hypmue, Hisinc, Lobanc); Ficrub- regen.; highly modified/ dom. weeds
Glenroy Avenue	school (see map)	Glenaeon School (AREA C5: 5A Glenroy Avenue)	06.08.15	remnant community	10ag(iii)	see notes	n/a	varies				4.5	fragmented	AREA C5 (lower scarp/ steep slope between rear boundary Nos.13A & 15 Glenroy Ave and western oval- adjoins AREA C3): highly modified; remnant native regrowth/ mesic shift- Glofer (dom.)/ varying age structure up to 60-80yrs+/ up to 12-16m HT (individual items not listed in this area); local & generic native planting (Angcos/ Eucpip- saplings up to 10-15yrs+/ up to 8-12m HT- likely planted (unknown provenance); also Lomlon, <i>Eucalyptus pilularis</i> , <i>Casuarina glauca</i> ); <i>Cyathea cooperi</i> - cultivated origin; dom. weeds (incl. canopy)

Glenroy Avenue	school (see map)	Glenaeon School (AREA C5: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Eucpun	1	?100-150+	25	25	good	4.5	fragmented	adj.SEPP19/ TPO; AREA C5 (lower scarp/ steep slope below rear boundary No.13A Glenroy Ave); Eucpun- old growth specimen/ some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA C5: 5A Glenroy Avenue)	06.08.15	tree group	10ag(iii)	Eucpun	1	20-30+	12	4	fair	4.5	fragmented	adj.SEPP19/ TPO; AREA C5 (lower scarp/ steep slope below rear boundary No.13A Glenroy Ave); Eucpun- snapped main stem/ regrowth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C5: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Eucpun	1	50-60+	18	18	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C5 (upper slope adj. to rear boundary No.17A Glenroy Ave); Eucpun- some dead wood; highly modified/ remnant native regrowth (incl. Glofer/ Pitund (up to 20-30yrs+/ up to 8-12m HT); Caldub); dom. weeds
Glenroy Avenue	school (see map)	Glenaeon School (AREA C5: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Glofer	1	60-80+	15	12	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C5 (upper slope adj. to rear boundary No.17A Glenroy Ave); Glofer- possibly old growth specimen; vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C5: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Ficrub	1	30-40+	12	12	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C5 (upper slope/ scarp adj. to rear boundary Nos.17A & 19 Glenroy Ave); Ficrub- on rock outcrops; vigorous growth
Glenroy Avenue	school (see map)	Glenaeon School (AREA C5: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Corgum	1	80-100+	18	10	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C5 (upper slope/ scarp adj. to rear boundary Nos.17A & 19 Glenroy Ave); Corgum- old growth specimen; some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA C5: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Angcos	1	?100-150+	25	30	good	4.5	contiguous	adj.SEPP19/ TPO; AREA C5 (mid-slope/ upper scarp below rear boundary No.19 Glenroy Ave); Angcos- old growth multi-stemmed (2) specimen; some dead wood

Glenroy Avenue	school (see map)	Glenaeon School (AREA C6: 5A Glenroy Avenue)	06.08.15	core community	10ag(i)	see notes	n/a	varies				1.2	contiguous	AREA C6 (NW bushland: lower slope (below upper scarp) & between western oval (south), Willis Park boundary (north) & 'Coachwood Creek' (east)): largely intact core bushland community/ high biodiversity values; good natural regen./ resilience; minimal weeds/ area control burn ?1996; canopy layer not listed individually in this area (incl. Angcos/ Eucpip (co-doms.)/ Corgum up to 80-100yrs+/ up to 25m HT); dense native shrubby regrowth/ understorey up to 15-20yrs+/ 7-9m HT (incl. Allit/ Elaret (doms.), Cergum, Calser, Banser, Leiden, Leptri, Pomint, Hakgib, Polsam, Perpin, Perlev, Notlon, Dodtri, Grelin, Xanarb, Acauli, Acasua, Lasfer, Lomsil, Caufle, Crosal) & native ground layer/ climbers (incl. Lomlon (dom.), Lomobl, Lomgla, Chodim, Empmin, Schmel, Gahery, Leplat, Pteesc, Caldub, Glycla, Diacae, Euslat, Smigly, Doclin, Entstr, Ziepil)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C7: 5A Glenroy Avenue)	06.08.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	AREA C7 ('Coachwood Creek' - lower modified creek corridor/ below foot-bridge & upper northern embankment adj. to eastern oval & basketball court): highly modified; remnant native regrowth/ mesic shift (incl. Pitund/ Glofer co-doms./ some old growth Glofer specimens; & Smigly, Caldub, Hymue, Micsti); local & generic native planting (incl. Allit, Hakdac, Calser, Elaret, Xanarb, Grelin, Dodtri, Ozodio, Banser, Baneri, Kunamb, Impcyl, <i>Cyathea cooperi</i> , <i>Acacia decurrens</i> , <i>Eucalyptus/ Hakea</i> spp.- all likely cultivated origin/ unknown provenance); dom. weeds/ grading to weed thicket along steep lower slope/ rubble fill (sewer main)

Glenroy Avenue	school (see map)	Glenaeon School (AREA C7: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Angcos	1	60-80+	16	12	good	4.5	fragmented	adj.SEPP19/ TPO; AREA C7 ('Coachwood Creek' upper northern embankment to eastern oval): Angcos- some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA C7: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Angcos	1	80-100+	18	20	good	4.5	fragmented	adj.SEPP19/ TPO; AREA C7 ('Coachwood Creek' upper northern embankment to eastern oval): Angcos- old growth specimen; damaged main stem & some dead wood
Glenroy Avenue	school (see map)	Glenaeon School (AREA C7: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Glofer	1	15-20+	7	2	good	4.5	fragmented	adj.SEPP19/ TPO; AREA C7 (upper northern embankment to eastern oval): Glofer- component of Glofer/ Pitund (dom.) regrowth; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C7: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Glofer	1	?40-50+	7	7	good	4.5	fragmented	adj.SEPP19/ TPO; AREA C7 (upper northern embankment to eastern oval): Glofer- component of Glofer/ Pitund (dom.) regrowth; multi-stemmed (3) at base; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C7: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Elaret	1	15-20+	4	5	good	4.5	fragmented	adj.SEPP19/ TPO; AREA C7 (upper northern embankment to eastern oval): Elaret- likely regrowth/ possibly planted; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C7: 5A Glenroy Avenue)	06.08.15	tree group	10ag(i)	Eucsie	1	30-40+	16	16	good	4.5	fragmented	adj.SEPP19/ TPO; AREA C7 (upper northern embankment to basketball court): Eucsie- some dead wood/ possibly planted; highly modified (see above)
Glenroy Avenue	school (see map)	Glenaeon School (AREA C8: 5A Glenroy Avenue)	06.08.15	remnant community	10ag(iii)	see notes	n/a	varies				4.5	contiguous	AREA C8 ('Coachwood Creek' - steep slope/ lower scarp & creekline incl. 2nd waterfall/ cascades): significant rock outcrops; highly modified; remnant native regrowth/ mesic community (incl. Cerape (up to ?20-30+/- 10-14m HT) & Pitund/ Glofer co-doms.; Smigly, Hypmue, Blecam); Cerape- good regen./ seedlings & saplings; local & generic natives (incl. <i>Cyathea cooperi</i> - cultivated origin); dom. weeds/ grading to weed thicket along steep lower slope; NOTE: lower steep slope to 3rd waterfall/ cascades is not scheduled (dom./ weed thicket)

Glenroy Avenue	school (see map)	Glenaeon School (AREA D1: 5A Glenroy Avenue)	11.08.15	remnant community	10ag(i)	see notes	n/a	varies					4.5	fragmented	AREA D1 (north-eastern slope adj. to Frances Edmunds Garden & lower scarp below Sylvia Brose Hall- adjoins Area A10); highly modified/ steep slope; remnant native regrowth/ mesic shift (incl. Pitund/ Glofer co-doms.; & Smigly, Caldub, Hymue, Micsti); weed thicket (along western edge/ sewer main & rubble fill); grading to varying level of disturbance (eastern portion); mesic shift/ remnant natives (incl. Schmel, Caldub, Smigly, Hisinc, Hymue; & epiphytes- Aspaus, Plabif); <i>Cyathea cooperi</i> - cultivated origin; dom. weeds
Glenroy Avenue	school (see map)	Glenaeon School (AREA D1: 5A Glenroy Avenue)	11.08.15	tree group	10ag(i)	Ficrub	1	?100-150+	16	25	good	4.5	fragmented	adj.SEPP19/ TPO; AREA D1 (lower north-eastern slope/ rock outcrops): Ficrub- old growth multi-stemmed specimen/ complex (6+) major stems; on rock outcrops (east of viaduct); highly modified/ dom. weeds	
Glenroy Avenue	school (see map)	Glenaeon School (AREA D1: 5A Glenroy Avenue)	11.08.15	tree group	10ag(i)	Ficrub	1	20-30+	9	12	good	4.5	fragmented	adj.SEPP19/ TPO; AREA D1 (lower north-eastern slope/ rock outcrops): Ficrub- on rock outcrops (east of viaduct); highly modified/ dom. weeds	
Glenroy Avenue	school (see map)	Glenaeon School (AREA D1: 5A Glenroy Avenue)	11.08.15	tree group	10ag(i)	Eucpip	1	80-100+	22	18	good	4.5	fragmented	adj.SEPP19/ TPO; AREA D1 (lower scarp below Sylvia Brose Hall): Eucpip- old growth specimen w. leaning main stem/ some dead wood; on rock outcrops/ scarp (above riparian corridor)	
Glenroy Avenue	school (see map)	Glenaeon School (AREA D1: 5A Glenroy Avenue)	11.08.15	tree group	10ag(i)	Eucpip	1	50-60+	18	12	good	4.5	fragmented	adj.SEPP19/ TPO; AREA D1 (lower scarp below Sylvia Brose Hall): Eucpip- some dead wood	

Glenroy Avenue	school (see map)	Glenaeon School (AREA D2: 5A Glenroy Avenue)	04.08.15	core community	10ag(i)	see notes	n/a	varies					1.0	contiguous	AREA D2: (lower north-eastern slope/ rock outcrops below Sylvia Brose Hall- adjoins Area A9): largely intact core bushland community assoc. w. significant rock outcrops and scarp (above riparian corridor); high biodiversity values; good natural regen./ resilience; minimal disturbance/ weeds; canopy layer not listed individually in this area (incl. Eucpip/ Angcos (co-doms.)/ Eucpun & Corgum up to 80-100yrs+/ up to 25m HT); dense native shrubby understorey up to 20-- 30yrs+/ up to 4-14m HT (incl. Allit (dom.), Banser, Cergum, Kunamb, Myrvar, Elaret, Perlev, Perpin, Leptri, Pomint, Hakgib, Polsam, Notlon, Dodtri, Grelin, Xanarb, Banobl, Pulsti, Acauli, Acasua, Acalin, Woopun, Hovlin, Caufle, Lomsil, Lasfer, Crosal) & native ground layer/ climbers (incl. Gahery, Lomlon, Lomobl, Schmel, Leplat, Pteesc, Stifla, Caldub, Diacae, Glycla, Parstr, Smigly, Entstr, Ziepil)
Glenroy Avenue	residential	9 Glenroy Ave- rear garden	05.08.15	tree group	10ag(i)	Angcos	1	60-80+	15	12	good	5.0	fragmented	TPO; Angcos- lopped lower trunk (old damage)/ some dead wood; on exposed rock outcrops adj. to rear boundary; exotic garden/ highly modified	
Glenroy Avenue	residential	9 Glenroy Ave- rear garden	05.08.15	tree group	10ag(i)	Cergum	1	?30-40+	5	2	good	5.0	fragmented	TPO; Cergum- on exposed rock outcrops adj. to rear boundary; exotic garden/ highly modified	
Glenroy Avenue	residential	9 Glenroy Ave- rear garden	05.08.15	tree group	10ag(i)	Cergum	1	?30-40+	3	2	good	5.0	fragmented	TPO; Cergum- on exposed rock outcrops adj. to rear boundary; exotic garden/ highly modified	
Glenroy Avenue	residential	10 Glenroy Ave- front garden/ rock outcrops	11.08.15	single tree	10ag(i)	Ficrub	1	40-50+	9	10	good	5.0	restricted	TPO; Ficrub- on rock outcrops; exotic garden/ highly modified; current construction site; Pitund regrowth; dom. weeds	
Glenroy Avenue	residential	11A Glenroy Ave- rear garden	05.08.15	single tree	10ag(i)	Ficrub	1	?20-30+	4	6	good	5.0	fragmented	TPO; Ficrub- on lawn area/ top of scarp adj. to drainage reserve & bdy. No.13A Glenroy Ave; exotic garden/ highly modified	

Glenroy Avenue	residential	11A Glenroy Ave- rear garden	05.08.15	scarp/ rock outcrops	10ag(i)	see notes	n/a						5.0	fragmented	TPO; boundary to reserve/ significant s/s scarp & rock outcrops; dom. weeds
Glenroy Avenue	residential	13A Glenroy Ave- rear garden	05.08.15	scarp/ rock outcrops & waterfall	10ag(i)	see notes	n/a						5.0	fragmented	TPO; boundary to reserve/ significant s/s scarp, rock outcrops & waterfall; dom. weeds; possibly within drainage reserve
Glenroy Avenue	residential	13A Glenroy Ave- rear garden	05.08.15	tree group	10ag(i)	Ficrub	1	?100-150+	8	16	good	5.0	fragmented	TPO; Ficrub- old growth multi-stemmed specimen/ massive basal area; adj. to creek-line/ rock outcrops; highly modified/ dom. exotics/ weed thicket; listing subject to boundary survey (possibly within drainage reserve)	
Glenroy Avenue	residential	13A Glenroy Ave- rear garden	05.08.15	tree group	10ag(i)	Pitund	1	?80-100+	8	12	good	5.0	fragmented	TPO; Pitund- old growth specimen on upper scarp face adj. to creek-line/ waterfall; highly modified/ dom. weeds; listing subject to boundary survey (possibly within drainage reserve)	
Glenroy Avenue	residential	15 Glenroy Ave- rear garden/ lower slope	05.08.15	tree group	10ag(i)	Angcos	1	?100-150+	20	20	fair	5.0	fragmented	TPO; Angcos- old growth specimen/ some dead wood & sparse open crown; on steep lower slope below s/s scarp & rock outcrops; part of significant Angcos group; exotic garden/ highly modified; recently cleared weed thicket/ <i>Cinnamomum camphora</i> canopy; dead standing trees/ stags (incl. Eucpun- old growth specimen on lower rear boundary); Pitund regrowth	
Glenroy Avenue	residential	15 Glenroy Ave- rear garden/ lower slope	05.08.15	tree group	10ag(i)	Angcos	1	?60-80+	25	20	good	5.0	fragmented	TPO; Angcos- possibly old growth specimen/ broken crown & some dead wood (competition with <i>Cinnamomum</i> sp.); on steep lower slope below s/s scarp & rock outcrops; part of significant Angcos group	
Glenroy Avenue	residential	15 Glenroy Ave- rear garden/ lower slope	05.08.15	tree group	10ag(i)	Angcos	1	50-60+	18	7	good	5.0	fragmented	TPO; Angcos- some dead wood; on steep lower slope below s/s scarp & rock outcrops; part of significant Angcos group	
Glenroy Avenue	residential	15 Glenroy Ave- rear garden/ lower slope	05.08.15	tree group	10ag(i)	Angcos	1	30-40+	16	5	good	5.0	fragmented	TPO; Angcos- on steep lower slope below s/s scarp & rock outcrops; part of significant Angcos group	



Glenroy Avenue	residential	15 Glenroy Ave- rear garden/ lower slope	05.08.15	tree group	10ag(i)	Glofer	1	60-80+	16	7	good	5.0	fragmented	TPO; Glofer- mesic regrowth component; on steep lower slope below s/s scarp & rock outcrops
Glenroy Avenue	residential	15 Glenroy Ave- rear garden/ lower slope	05.08.15	tree group	10ag(i)	Glofer	1	50-60+	14	7	good	5.0	fragmented	TPO; Glofer- regrowth; on steep lower slope below s/s scarp & rock outcrops
Glenroy Avenue	residential	15 Glenroy Ave- rear garden/ lower slope	05.08.15	tree group	10ag(i)	Glofer	1	30-40+	10	7	good	5.0	fragmented	TPO; Glofer- regrowth; on steep lower slope below s/s scarp & rock outcrops
Glenroy Avenue	residential	17A Glenroy Ave- rear garden/ lower slope	05.08.15	single tree	10ag(i)	Glofer	1	40-50+	14	6	good	5.0	fragmented	TPO; Glofer- on lower lawn adj. to rear boundary; exotic garden/ highly modified
Glenroy Avenue	residential	19 Glenroy Ave- rear garden/ lower slope	05.08.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	adj.SEPP19/ TPO; remnant native understorey/ Allit regrowth (up to 10-15yrs+/ 5-7m HT) and remnant native ground layer (incl. Pteesc, Caldub, Lomlon); 1 X dead standing tree (stag); exotic garden; highly modified/ weed thicket; local & generic native planting (incl. <i>Banksia integrifolia</i> )
Glenroy Avenue	residential	19 Glenroy Ave- rear garden/ lower slope	05.08.15	tree group	10ag(i)	Eucpip	1	60-80+	16	12	good	4.5	fragmented	adj.SEPP19/ TPO; Eucpip- some dead wood in lower and mid-canopy/ smothered in exotic vine <i>Wisteria sinensis</i> ; adj. to rear boundary (below lower deck level); exotic garden/ highly modified
Glenroy Avenue	residential	19 Glenroy Ave- rear garden/ lower slope	05.08.15	tree group	10ag(i)	Elaret	1	30-40+	10	7	fair	4.5	fragmented	adj.SEPP19/ TPO; Elaret- some dead wood; adj. to easement/ boundary; subject to boundary survey
Glenroy Avenue	residential	19 Glenroy Ave- rear garden/ lower slope	05.08.15	tree group	10ag(i)	Glofer	1	15-20+	7	7	good	4.5	fragmented	adj.SEPP19/ TPO; Glofer- regrowth
<b>Greenfield Avenue</b>	residential	5 Greenfield Ave- front garden	11.08.15	tree group	10ag(i)	Glofer	1	60-80+	9	9	good	5.0	restricted	TPO; Glofer- adj. to front boundary; possibly old growth specimen; some pruning for overhead powerlines lines; exotic garden/ highly modified
Greenfield Avenue	residential	5 Greenfield Ave- front garden	11.08.15	tree group	10ag(i)	Ficrub	1	50-60+	8	9	see notes	5.0	restricted	TPO; Ficrub- adj. to boundary No.7 Greenfield Ave; heavily pruned/ vigorous new growth
Greenfield Avenue	residential	11 Greenfield Ave- rear garden	30.07.15	tree group	10ag(i)	Glofer	1	?80-100+	12	16	good	5.0	fragmented	TPO; Glofer- old growth/ regrowth multi-stemmed (2) specimen on upper slope; terraced exotic garden; highly modified; weeds

Greenfield Avenue	residential	11 Greenfield Ave- rear garden	30.07.15	tree group	10ag(i)	Glofer	1	60-80+	12	12	good	5.0	fragmented	TPO; Glofer- adj. to rear boundary; terraced exotic garden; weeds
Greenfield Avenue	residential	13 Greenfield Ave- rear garden	30.07.15	single tree	10ag(i)	Glofer	1	30-40+	12	8	good	5.0	fragmented	TPO; Glofer- on lower slope adj. to rear boundary; exotic garden/ generic native planting; highly modified; Pitund regrowth; dom. weeds
Greenfield Avenue	residential	23 Greenfield Ave- front garden/ upper slope	14.08.15	scarp/ rock outcrops	10ag(i)	see notes	n/a					4.5	fragmented	adj.SEPP19/ TPO; significant s/s scarp & rock outcrops; highly modified/ steep terraced slope; remnant native regrowth (incl. Glofer, Pitund, Acalon, Caldub, Hisinc, Micsti, Smigly); dead standing trees (stags X2); mixed native & exotic garden; local & generic native planting (incl. Banser, Banspi, <i>Syzygium</i> sp.) also <i>Cyathea cooperi</i> / cultivated origin; varying level of weeds; owner confirmed boundaries
Greenfield Avenue	residential	23 Greenfield Ave- front garden/ upper slope	14.08.15	tree group	10ag(i)	Angcos	1	30-40+	12	6	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- on rock outcrops/ upper scarp adj. to boundary No.25 Greenfield Ave; some dead wood/ vigorous growth; part of significant remnant native tree group
Greenfield Avenue	residential	23 Greenfield Ave- front garden/ upper slope	14.08.15	tree group	10ag(i)	Angcos	1	50-60+	9	9	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- on rock outcrops/ upper scarp adj. to boundary No.25 Greenfield Ave; damaged lower trunk/ some dead wood & vigorous growth; part of significant remnant native tree group
Greenfield Avenue	residential	23 Greenfield Ave- front garden/ upper slope	14.08.15	tree group	10ag(i)	Allit	1	40-50+	6	9	fair	4.5	fragmented	adj.SEPP19/ TPO; Allit- on rock outcrops/ upper scarp adj. to boundary No.25 Greenfield Ave; leaning main stem/ dead wood
Greenfield Avenue	residential	23 Greenfield Ave- front garden/ upper slope	14.08.15	tree group	10ag(i)	Cergum	1	?40-50+	4	4	good	4.5	fragmented	adj.SEPP19/ TPO; Cergum- on rock outcrops/ upper scarp adj. to boundary No.25 Greenfield Ave; multi-stemmed (3)/ possibly older specimen; part of significant remnant native tree group

Greenfield Avenue	residential	23 Greenfield Ave- front garden/ upper slope	14.08.15	tree group	10ag(i)	Angcos	1	?50-60+	14	7	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- on rock outcrops/ upper scarp face; large basal area/ some dead wood & vigorous growth; part of significant remnant native tree group
Greenfield Avenue	residential	23 Greenfield Ave- front garden/ upper slope	14.08.15	tree group	10ag(i)	Angcos	1	50-60+	7	3	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- on upper rock outcrops adj. to pathway; some dead wood; part of significant remnant native tree group
Greenfield Avenue	residential	23 Greenfield Ave- front garden/ upper slope	14.08.15	tree group	10ag(i)	Angcos	1	50-60+	7	6	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- on upper rock outcrops adj. to pathway; some dead wood; part of significant remnant native tree group
Greenfield Avenue	residential	23 Greenfield Ave- front garden/ upper slope	14.08.15	tree group	10ag(i)	Elaret	1	40-50+	7	4	v.poor	4.5	fragmented	adj.SEPP19/ TPO; Elaret- on upper rock outcrops adj. to pathway; ext. dead wood/ die-back and decline (70%)
Greenfield Avenue	residential	23 Greenfield Ave- front garden/ courtyard	14.08.15	tree group	10ag(i)	Cyaaus	1	?50-60+	3	3	good	4.5	fragmented	adj.SEPP19/ TPO; Cyaaus- rock outcrops/ western courtyard adj. to boundary Glenaeon School
Greenfield Avenue	residential	23 Greenfield Ave- front garden/ courtyard	14.08.15	tree group	10ag(i)	Cyaaus	1	?50-60+	2	3	good	4.5	fragmented	adj.SEPP19/ TPO; Cyaaus- rock outcrops/ western courtyard adj. to boundary Glenaeon School
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ upper scarp	30.07.15	tree group	10ag(i)	Angcos	1	?100-150+	16	18	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- old growth specimen on upper scarp/ adj. to house & shed on bdy. Glenaeon School; some dead wood/ vigorous growth; highly modified; mixed exotic garden/ local & generic native planting; dom. weeds
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ upper scarp	30.07.15	tree group	10ag(i)	Glofer	1	20-30+	8	6	good	4.5	fragmented	adj.SEPP19/ TPO; Glofer- on upper scarp/ adj. to house & shed on bdy. Glenaeon School; highly modified; mixed exotic garden/ local & generic native planting; dom. weeds
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ upper scarp	30.07.15	tree group	10ag(i)	Angcos	1	80-100+	12	12	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- old growth specimen on upper scarp/ adj. to house & terrace; some dead wood/ vigorous growth
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ upper scarp	30.07.15	scarp/ rock outcrops	10ag(i)	see notes	n/a					4.5	fragmented	adj.SEPP19/ TPO; significant s/s scarp & rock outcrops; Allit- regrowth (up to 5-10yrs+); dom. weeds

Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower scarp	11.08.15	remnant community	10ag(i)	see notes	n/a	varies					3.5	fragmented	adj.SEPP19/ TPO; remnant native understorey on mid- to upper slope (below scarp); Allit/ Elaret regrowth (up to 20-30yrs+/ 7-12m HT)/ Banser/ Elaret/ Glofer regrowth (up to 10-15yrs+/ 6-7m HT) and remnant native ground layer (incl. Gahery, Hymue Caldub, Smigly, Stejap); local & generic native planting (incl. Banint, <i>Corymbia maculata</i> , <i>Eucalyptus saligna</i> , <i>E. microcorys</i> , <i>Cissus antarctica</i> [dom.]) also <i>Cyathea cooperi</i> / cultivated origin; varying level of weeds
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower scarp	11.08.15	tree group	10ag(i)	Angcos	1	?100-150+	22	20	good	3.5	fragmented	adj.SEPP19/ TPO; Angcos- old growth specimen on upper slope (below scarp); some dead wood/ vigorous growth	
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower scarp	11.08.15	tree group	10ag(i)	Eucpip	1	50-60+	18	15	fair	3.5	fragmented	adj.SEPP19/ TPO; Eucpip- on upper slope (below scarp); multi-stemmed (2)/ ext. dead wood	
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower scarp	11.08.15	tree group	10ag(i)	Corgum	1	20-30+	15	5	good	3.5	fragmented	adj.SEPP19/ TPO; Corgum- on upper slope (below scarp); some dead wood/ vigorous growth	
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower scarp	11.08.15	tree group	10ag(i)	Cyaaus	1	?50-60+	4	4	good	3.5	fragmented	adj.SEPP19/ TPO; Cyaaus- on upper slope (below scarp)	
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower scarp	11.08.15	tree group	10ag(i)	Angcos	1	60-80+	16	12	good	3.5	fragmented	adj.SEPP19/ TPO; Angcos- on upper slope (below scarp) on bdy. No.1A North Arm Rd; some dead wood/ vigorous growth; subject to boundary survey	

Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower slope	11.08.15	core community	10ag(i)	see notes	n/a	varies					1.2	contiguous	adj.SEPP19/ TPO; on lower slope adj. to reserve boundary; largely intact core bushland community/ high biodiversity values; good natural regen./ resilience; minimal weeds; native shrubby regrowth/ understorey up to 20-30yrs+/ 7-9m HT (incl. Cergum [dom.]/ Allit, Elaret, Banser, Leiden, Polsam, Notlon, Grelin, Xanarb) & native ground layer/ climbers (incl. Lomsil, Lomlon, Leplat, Pteesc, Caldub, Schmel, Glycla, Smigly); significant Cergum group (incl. old growth specimens); subject to boundary survey (lower boundary to reserve)
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower slope	11.08.15	tree group	10ag(i)	Angcos	1	15-20+	9	3	good	1.2	contiguous	adj.SEPP19/ TPO; Angcos- on lower slope adj. to reserve boundary; vigorous growth	
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower slope	11.08.15	tree group	10ag(i)	Cergum	1	?80-100+	10	8	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope adj. to reserve boundary; leaning main stem/ old growth specimen; part of significant remnant native Cergum group	
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower slope	11.08.15	tree group	10ag(i)	Cergum	1	?100-150+	10	12	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope adj. to reserve boundary; old growth specimen/ multi-stemmed (3) up to 280mm DBH off single base/ 1X stem some die-back; part of significant remnant native Cergum group	
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower slope	11.08.15	tree group	10ag(i)	Cergum	1	?40-50+	9	4	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope adj. to reserve boundary; part of significant remnant native Cergum group/ lignotuber regrowth	
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower slope	11.08.15	tree group	10ag(i)	Cergum	1	?20-30+	7	2	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope adj. to reserve boundary; part of significant remnant native Cergum group/ lignotuber regrowth	

Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower slope	11.08.15	tree group	10ag(i)	Cergum	1	?20-30+	7	3	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope adj. to reserve boundary; part of significant remnant native Cergum group/ lignotuber regrowth
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower slope	11.08.15	tree group	10ag(i)	Cergum	1	?20-30+	8	4	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope adj. to reserve boundary; part of significant remnant native Cergum group/ lignotuber regrowth
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower slope	11.08.15	tree group	10ag(i)	Cergum	1	?20-30+	8	4	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope adj. to reserve boundary; part of significant remnant native Cergum group/ lignotuber regrowth
Greenfield Avenue	residential	23 Greenfield Ave- rear garden/ lower slope	11.08.15	tree group	10ag(i)	Angcos	1	40-50+	16	6	good	1.2	contiguous	adj.SEPP19/ TPO; Angcos- on lower slope adj. to reserve boundary; some dead wood/ vigorous growth
Greenfield Avenue	residential	25 Greenfield Ave- front garden/ upper level	14.08.15	tree group	10ag(i)	Euchae	1	80-100+	8	7	see notes	5.0	restricted	TPO; Euchae- on upper level/ lawn area adj. to pathway & garage; old growth specimen/ ext. damage to lower main stem/ ext. lopping & vigorous new growth; terraced exotic garden/ highly modified; owner (since 1965) confirmed property boundaries; dom. weeds
Greenfield Avenue	residential	25 Greenfield Ave- front garden/ rock outcrops	14.08.15	tree group	10ag(i)	Corgum	1	40-50+	10	4	fair	4.5	restricted	TPO; Corgum- on upper rock outcrops adj. to eastern pathway; damaged upper crown & dead wood; competition w. planted <i>Corymbia citriodora</i> / sapling regrowth; other local & generic native planting/ regrowth (incl. Acapar, Acalon); dead standing Eucpun X1 (stag); remnant natives (incl. Kunamb, Diacae)
Greenfield Avenue	residential	25 Greenfield Ave- front garden/ rock outcrops	14.08.15	tree group	10ag(i)	Kunamb	1	?50-60+	3	7	good	4.5	restricted	TPO; Kunamb- old specimen on upper rock outcrops adj. to eastern pathway
Greenfield Avenue	residential	25 Greenfield Ave- front garden/ upper eastern terrace	14.08.15	tree group	10ag(i)	Eucpun	1	15-20+	7	8	fair	4.5	restricted	TPO; Eucpun- on upper eastern terrace/ rock outcrops; leaning main stem/ dead wood & epicormic growth
Greenfield Avenue	residential	25 Greenfield Ave- front garden/ upper eastern terrace	14.08.15	tree group	10ag(i)	Eucpun	1	30-40+	10	12	fair	4.5	restricted	TPO; Eucpun- on upper eastern terrace/ rock outcrops; leaning main stem/ dead wood & epicormic growth

Greenfield Avenue	residential	25 Greenfield Ave- rear garden/ upper scarp	14.08.15	tree group	10ag(i)	Angcos	1	60-80+	14	10	good	4.5	fragmented	TPO; Angcos- on upper scarp/ rock outcrops; some dead wood; part of significant remnant native tree group; remnant native ground layer (incl. Pteesc); Pitund regrowth; generic native planting; dom. weeds
Greenfield Avenue	residential	25 Greenfield Ave- rear garden/ upper scarp	14.08.15	tree group	10ag(i)	Angcos	1	80-100+	15	15	good	4.5	fragmented	TPO; Angcos- on upper scarp/ rock outcrops; old growth specimen/ some dead wood; part of significant remnant native tree group
Greenfield Avenue	residential	25 Greenfield Ave- rear garden/ upper scarp	14.08.15	tree group	10ag(i)	Ficrub	1	15-20+	5	6	good	4.5	fragmented	TPO; Ficrub- on upper wall; lithophytic growth
Greenfield Avenue	residential	25 Greenfield Ave- rear garden/ lower scarp	14.08.15	remnant community	10ag(i)	see notes	n/a	varies				3.5	fragmented	TPO; remnant native understorey on steep slope below scarp (incl. Allit (8+)/ Elaret regrowth (up to 10-15yrs+/ up to 4-8m HT) Kunamb, Xanarb, Acalin, Pteesc, Entstr, Smigly); local & generic native planting/ regeneration (incl. Banint, <i>Corymbia citriodora</i> ); dead standing tree (stag); dom. weeds
Greenfield Avenue	residential	25 Greenfield Ave- rear garden/ lower scarp	14.08.15	tree group	10ag(i)	Angcos	1	80-100+	18	15	good	3.5	fragmented	TPO; Angcos- on steep slope/ rock outcrops (below scarp); old growth specimen/ some dead wood; part of significant remnant native tree group
Greenfield Avenue	residential	25 Greenfield Ave- rear garden/ lower scarp	14.08.15	tree group	10ag(i)	Angcos	1	80-100+	18	15	good	3.5	fragmented	TPO; Angcos- on steep slope/ rock outcrops (below scarp); old growth specimen/ some dead wood; competition w. immature <i>Corymbia citriodora</i> ; part of significant remnant native tree group
Greenfield Avenue	residential	25 Greenfield Ave- rear garden/ lower scarp	14.08.15	tree group	10ag(i)	Angcos	1	15-20+	14	3	good	3.5	fragmented	TPO; Angcos- on steep slope/ rock outcrops (below scarp); part of significant remnant native tree group
Greenfield Avenue	residential	25 Greenfield Ave- rear garden/ lower scarp	14.08.15	tree group	10ag(i)	Cergum	1	40-50+	4	5	good	3.5	fragmented	TPO; Cergum- on steep slope/ rock outcrops (below scarp); part of significant remnant native tree group

Greenfield Avenue	residential	27 Greenfield Ave- front garden/ upper level	14.08.15	tree group	10ag(i)	Angcos	1	?100-150+	22	22	good	5.0	restricted	TPO; Angcos- on upper steep slope adj. to street verge; old growth specimen (950mm DBH)/ vigorous growth; part of significant remnant native tree group (see listings- 23 & 25 Greenfield Ave/ 1 & 1A North Arm Rd); exotic/ native garden; highly modified/ some remnant natives (incl. Smigly); local & generic native planting (incl. Phesqu, Acapar); Pitund regrowth
Greenfield Avenue	residential	27 Greenfield Ave- front garden/ upper level	14.08.15	tree group	10ag(i)	Angcos	1	20-30+	5	5	good	5.0	restricted	TPO; Angcos- on upper steep slope adj. to street verge; part of significant remnant native tree group
Greenfield Avenue	residential	27 Greenfield Ave- front garden/ upper level	14.08.15	tree group	10ag(i)	Eucpun	1	15-20+	7	7	good	5.0	restricted	TPO; Eucpun- on upper steep slope adj. to street verge; vigorous growth; part of significant remnant native tree group
Greenfield Avenue	residential	27 Greenfield Ave- front garden/ upper level	14.08.15	tree group	10ag(i)	Eucpun	1	20-30+	15	9	good	5.0	restricted	TPO; Eucpun- on upper steep slope adj. to street verge; vigorous growth; part of significant remnant native tree group
Greenfield Avenue	residential	27 Greenfield Ave- rear garden/ upper slope	14.08.15	tree group	10ag(i)	Pitund	1	?80-100+	14	10	good	5.0	restricted	TPO; Pitund- on upper slope adj. to vehicular right-of-way; old growth multi-stemmed specimen/ possibly older; dom. weeds
Greenfield Avenue	residential	27 Greenfield Ave- rear garden/ lower slope	14.08.15	remnant community	10ag(i)	see notes	n/a	varies				3.5	fragmented	TPO; remnant native understorey on steep slope/ rock outcrops between the house & pool deck (adj. to vehicular right-of-way); highly modified; remnant native understorey/ regen. (incl. Allit/ Elaret regrowth (up to 5-10yrs+/ up to 4-7m HT)/ Corgum (sapling regen.), Perpin, Acalin, Entstr, Diacae, Lomlon); Pitund (dom.) regrowth; local & generic native planting (incl. <i>Eucalyptus botryoides</i> , <i>E. elata</i> , <i>Corymbia citriodora</i> ); dom. exotics/ weeds
Greenfield Avenue	residential	27 Greenfield Ave- rear garden/ lower slope	14.08.15	tree group	10ag(i)	Angcos	1	80-100+	10	10	good	3.5	fragmented	TPO; Angcos- on upper slope adj. to rock overhang; old growth specimen/ some dead wood; part of significant remnant native tree group



Greenfield Avenue	residential	27 Greenfield Ave- rear garden/ lower slope	14.08.15	tree group	10ag(i)	Corgum	1	80-100+	12	15	fair	3.5	fragmented	TPO; Corgum- old growth specimen/ ext. dead wood & competition w. planted <i>Eucalyptus botryoides</i> ; part of significant remnant native tree group
Greenfield Avenue	residential	27 Greenfield Ave- rear garden/ lower slope	14.08.15	tree group	10ag(i)	Pitund	1	80-100+	10	10	poor	3.5	fragmented	TPO; Pitund- old growth specimen/ ext. dead wood & crown die-back
Greenfield Avenue	residential	27 Greenfield Ave- rear garden/ lower slope	14.08.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO; remnant native understorey on lower steep slope/ rock outcrops adj. to boundary No.25 Greenfield Ave & vehicular right-of-way; remnant native understorey (incl. Allit (3+) regrowth (up to 10-15yrs+/ up to 7m HT)/ Hakgib, Acalin, Pteesc, Lomlon); local & generic native planting (incl. mature <i>Eucalyptus botryoides</i> ); dom. weeds
Greenfield Avenue	residential	27 Greenfield Ave- rear garden/ lower slope	14.08.15	tree group	10ag(i)	Ficrub	1	20-30+	7	8	good	4.5	fragmented	TPO; Ficrub- on lower steep slope/ rock outcrops adj. to boundary No.25 Greenfield Ave & vehicular right-of-way; listing subject to boundary survey
Greenfield Avenue	residential	27 Greenfield Ave- rear garden/ lower slope	14.08.15	tree group	10ag(i)	Ficrub	1	10-15+	4	3	good	4.5	fragmented	TPO; Ficrub- on lower steep slope/ rock outcrops adj. to boundary No.25 Greenfield Ave & vehicular right-of-way; listing subject to boundary survey
Greenfield Avenue	residential	12 Greenfield Ave- rear garden/ steep slope	03.12.14	rock outcrops	10ag(i)	see notes	n/a					4.5	restricted	significant rock outcrops; remnant native ground layer (incl. Caldub); highly modified/ dom. weeds
Greenfield Avenue	road reserve	adj. to 14 Greenfield Ave- grass verge	03.12.14	single tree	10ag(i)	Eucrac	1	60-80+	8	12	fair	5.0	restricted	TPO; Eucrac- on mown grass verge; ext. dead wood (40%)/ vigorous epicormic growth
Greenfield Avenue	residential	14 Greenfield Ave- rear garden/ lower slope	03.12.14	tree group	10ag(i)	Corgum	1	60-80+	16	7	good	4.5	contiguous	TPO; Corgum- on lower steep slope/ part of remnant native tree group/ understorey; dom. weeds; Pitund (dom.) regrowth
Greenfield Avenue	residential	14 Greenfield Ave- rear garden/ lower slope	03.12.14	remnant community	10ag(i)	see notes	n/a					4.5	contiguous	TPO; Allit- remnant native understorey/ regrowth community (3+)/ part of remnant native group/ community; recent clearing (Allit (1)/ Corgum (1)- lopped to base (40-50cm dbh); herbicidal damage/ dom. weeds

Greenfield Avenue	residential	14 Greenfield Ave- rear garden/ lower slope	03.12.14	tree group	10ag(i)	Allit	1	20-30+	10	7	good	4.5	contiguous	TPO; Allit- on lower steep slope/ part of remnant native tree group; local & generic native planting (incl. <i>Banksia integrifolia</i> , <i>B. ericifolia</i> ); dom. weeds; Pitund (dom.) regrowth
Greenfield Avenue	residential	14 Greenfield Ave- rear garden/ upper slope	03.12.14	tree group	10ag(i)	Cergum	1	80-100+	7	5	good	4.5	fragmented	TPO; Cergum- upper steep slope adj. to bushland reserve; significant rock outcrops; exotic garden/ dom. weeds; Pitund (dom.) regrowth; listing subject to boundary survey
Greenfield Avenue	residential	14 Greenfield Ave- rear garden/ upper slope	03.12.14	rock outcrops	10ag(i)	see notes	n/a					4.5	contiguous	significant rock outcrops/ formations on upper steep slope; remnant native ground layer (incl. Caldub, Diacae); highly modified/ dom. weeds; no access
Greenfield Avenue	residential	16 Greenfield Ave- rear garden/ upper slope	03.12.14	tree group	10ag(i)									current data gap: tree group/ community (no access/ subject to bdy. survey)
Greenfield Avenue	residential	18 Greenfield Ave- rear garden/ upper slope	03.12.14	tree group	10ag(i)									current data gap: tree group/ community (no access/ subject to bdy. survey)
Greenfield Avenue	road reserve	embankment opp. 24 Greenfield Ave	11.11.14	tree group	10ag(i)	Eucpun	1	80-100+	12	18	good	5.0	restricted	TPO; Eucpun- old growth specimen/ some dead wood; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.24 Greenfield Ave; part of significant remnant native tree group; highly modified/ restoration planting (incl. Grelin, Diacae); dom weeds
Greenfield Avenue	road reserve	embankment opp. 26 Greenfield Ave	11.11.14	tree group	10ag(i)	Corgum	1	60-80+	12	12	good	5.0	fragmented	TPO; Corgum- part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.26 Greenfield Ave; highly modified/ dom weeds
Greenfield Avenue	road reserve	embankment opp. 26 Greenfield Ave	11.11.14	tree group	10ag(i)	Angcos	1	60-80+	12	12	good	5.0	fragmented	TPO; Angcos- multi-stemmed X 2; part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.26 Greenfield Ave; highly modified/ dom weeds

Greenfield Avenue	road reserve	embankment opp. 26 Greenfield Ave	11.11.14	tree group	10ag(i)	Allit	1	30-40+	8	9	fair	5.0	fragmented	TPO; Allit- ext. dead wood; part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.26 Greenfield Ave; highly modified/ dom weeds
Greenfield Avenue	road reserve	embankment opp. 26 Greenfield Ave	11.11.14	tree group	10ag(i)	Allit	1	30-40+	10	8	fair	5.0	fragmented	TPO; Allit- ext. dead wood; part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.26 Greenfield Ave; highly modified/ dom weeds
Greenfield Avenue	road reserve	embankment opp. 26 Greenfield Ave	11.11.14	tree group	10ag(i)	see notes	n/a	varies				5.0	fragmented	remnant native understorey/ regrowth community (incl. Angcos, Allit, Pitund, Glofer- up to 15-20yrs+); highly modified/ dom. weeds; local & generic native planting/ restoration (incl. Grelin, Diacae);
Greenfield Avenue	road reserve	embankment opp. 28 Greenfield Ave	11.11.14	tree group	10ag(i)	Corgum	1	60-80+	10	6	fair	4.5	fragmented	TPO; Corgum- adj. to right-of-way; lopped/ ext. dead wood/ epicormic growth; part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.28 Greenfield Ave; highly modified/ dom weeds
Greenfield Avenue	road reserve	embankment opp. 28 Greenfield Ave	11.11.14	tree group	10ag(i)	Corgum	1	60-80+	16	10	good	4.5	fragmented	TPO; Corgum- part of significant remnant native tree group/ some dead wood; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.28 Greenfield Ave; highly modified/ dom weeds
Greenfield Avenue	road reserve	embankment opp. 28 Greenfield Ave	11.11.14	tree group	10ag(i)	Eucpun	1	40-50+	16	14	good	4.5	fragmented	TPO; Eucpun- part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.28 Greenfield Ave; highly modified/ dom weeds
Greenfield Avenue	road reserve	embankment opp. 28 Greenfield Ave	11.11.14	tree group	10ag(i)	Angcos	1	15-20+	7	4	good	4.5	fragmented	TPO; Angcos- immature; part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.28 Greenfield Ave; highly modified/ dom weeds

Greenfield Avenue	road reserve	embankment opp. 28 Greenfield Ave	11.11.14	tree group	10ag(i)	Corgum	1	30-40+	7	4	fair	4.5	fragmented	TPO; Corgum- ext. dead wood (40%); part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.28 Greenfield Ave; highly modified/ dom weeds
Greenfield Avenue	road reserve	embankment opp. 28 Greenfield Ave	11.11.14	tree group	10ag(i)	Corgum	1	50-60+	10	5	good	4.5	fragmented	TPO; Corgum- some dead wood; part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.28 Greenfield Ave; highly modified/ dom weeds
Greenfield Avenue	road reserve	embankment opp. 28 Greenfield Ave	11.11.14	tree group	10ag(i)	see notes	n/a	varies				4.5	fragmented	remnant native understorey/ regrowth community (incl. Allit (5+), Angcos, Glofer up to 10-15yrs+) & shrub/ ground stratum associated with rock outcrops/ restoration planting (incl. Banspi, Xanarb, Dodtri, Grelin, Ozodio); local/ generic native planting (incl. Lomlon, Diacae (unknown provenance) and <i>Acacia elata</i> ); Pitund regrowth
Greenfield Avenue	road reserve	embankment opp. 28 Greenfield Ave	11.11.14	tree group	10ag(i)	Angcos	1	15-20+	7	6	good	4.5	fragmented	TPO; Angcos- immature; part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.28 Greenfield Ave; highly modified/ dom weeds
Greenfield Avenue	road reserve	embankment opp. 28 Greenfield Ave	11.11.14	tree group	10ag(i)	Corgum	1	20-30+	8	3	v.poor	4.5	fragmented	TPO; Corgum- ext. dead wood (80%)/ die-back; part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.28 Greenfield Ave; highly modified/ dom weeds
Greenfield Avenue	road reserve	embankment opp. 28 Greenfield Ave	11.11.14	tree group	10ag(i)	Angcos	1	80-100+	12	16	good	4.5	fragmented	TPO; Angcos- adj. to right-of-way; multi-stemmed (2)/ old growth specimen/ old basal cavity; part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.28 Greenfield Ave; highly modified/ dom weeds

Greenfield Avenue	road reserve	embankment opp. 28 Greenfield Ave	11.11.14	tree group	10ag(i)	Angcos	1	80-100+	12	15	good	4.5	fragmented	TPO; Angcos- adj. to right-of-way; multi-stemmed (2)/ old growth specimen; part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.28 Greenfield Ave; highly modified/ dom weeds
Greenfield Avenue	road reserve	embankment opp. 28 Greenfield Ave	11.11.14	tree group	10ag(i)	Angcos	1	15-20+	6	2	good	4.5	fragmented	TPO; Angcos- immature; part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. No.28 Greenfield Ave; highly modified/ dom weeds
Greenfield Avenue	road reserve	embankment opp. 28 Greenfield Ave	11.11.14	tree group	10ag(i)	Angcos	1	60-80+	8	9	fair	4.5	fragmented	TPO; Angcos- ext. dead wood/ epicormic growth; part of significant remnant native tree group; steep slope/ rock outcrops between Greenfield Ave & vehicular right-of-way opp. entry to No.30 Greenfield Ave (road edge); highly modified/ dom weeds
Greenfield Avenue	residential	30 Greenfield Ave- rear garden/ upper level	11.11.14	tree group	10ag(i)	Eucpun	1	60-80+	4	3	see notes	5.0	restricted	TPO; Eucpun- lopped/ new epicormic growth; exotic garden/ rock outcrops within narrow upper strip of land; local & generic native planting (incl. Impcyl)
Greenfield Avenue	residential	30 Greenfield Ave- rear garden/ upper level	11.11.14	tree group	10ag(i)	Eucpun	1	30-40+	9	8	fair	5.0	restricted	TPO; Eucpun- ext. dead wood (30%)/ epicormic growth; adj. to bdy. No.32; exotic garden/ rock outcrops within narrow upper strip of land
Greenfield Avenue	residential	30 Greenfield Ave- rear garden/ upper level	11.11.14	tree group	10ag(i)	Glofer	1	20-30+	6	6	good	5.0	restricted	TPO; Glofer- exotic garden/ rock outcrops within narrow upper strip of land
Greenfield Avenue	road reserve	road cutting adj. to 30 Greenfield Ave	03.12.14	tree group	10ag(i)	see notes	n/a	varies				5.0	restricted	remnant native understorey/ regrowth (incl. Allit (1), Glofer (2)- up to 10-15yrs+/ 5-7m HT) on rock outcrops/ road cutting; native planting/ unknown provenance (incl. Ozodio, Lomlon, Diacae); Pitund regrowth; dom. weeds

Greenfield Avenue	road reserve	road cutting adj. to 34 Greenfield Ave	03.12.14	tree group	10ag(i)	see notes	n/a	varies					5.0	restricted	remnant native understorey/ regrowth (incl. Allit (3)- up to 5-10yrs+/- 1-4m HT) on rock outcrops/ road cutting adj. to No.34 Greenfield Ave (aka 12 Harbour Lane); highly modified/ dom. weeds
Greenfield Avenue	road reserve	road cutting adj. to 36 Greenfield Ave	03.12.14	remnant community	10ag(i)	see notes	n/a	varies					4.5	restricted	remnant native regrowth (incl. Eucpip (1), Allit (4), Kunamb (3)- up to 5-10yrs+/- up to 4m HT) on rock outcrops/ road cutting; good regen. (Allit seedlings); also generic native regen. ( <i>Corymbia citriodora</i> ); dom. weeds; subject to bdy. survey
Greenfield Avenue	residential	36 Greenfield Ave (10 Harbour Lne)	03.12.14												see listing: 10 Harbour Lane
Greenfield Avenue	road reserve	road cutting adj. to 38A Greenfield Ave	03.12.14	remnant community	10ag(i)	see notes	n/a	varies					5.0	restricted	remnant native understorey/ regrowth (incl. Kunamb (1)- 15-20yrs+/- 2m HT) on rock outcrops/ road cutting; exotic garden/ dom. weeds; subject to bdy. survey
Greenfield Avenue	residential	38A Greenfield Ave-front garden/ upper level	03.12.14	single tree	10ag(i)	Corgum	1	60-80+	8	8	poor	5.0	restricted	TPO; Corgum- ext. dead wood (40%)/ epicormic growth; exotic/ native garden; remnant natives (incl. Pteesc); local & generic native planting (incl. Cergum)	
Greenfield Avenue	residential	40 Greenfield Ave (6 Harbour Lne)	03.12.14												see listing: 6 Harbour Lane
Harbour Lane	road reserve	cnr. Harbour Lane/ Highland Ridge	11.11.14	tree group	10ag(i)	Eucpun	1	30-40+	12	7	good	4.5	restricted	TPO; Eucpun- some dead wood/ assoc. w. rock outcrops; highly modified/ area under restoration strategy	
Harbour Lane	road reserve	cnr. Harbour Lane/ Highland Ridge	11.11.14	tree group	10ag(i)	Euccap	1	10-15+	6	6	good	4.5	restricted	TPO; Euccap- on rock outcrops; highly modified/ area under restoration strategy; planted as replacement (unknown provenance - see below)	
Harbour Lane	road reserve	cnr. Harbour Lane/ Highland Ridge	11.11.14	tree group	10ag(i)	Eucpun	1	30-40+	9	5	good	4.5	restricted	TPO; Eucpun- some dead wood/ assoc. w. rock outcrops; highly modified/ area under restoration strategy	
Harbour Lane	road reserve	cnr. Harbour Lane/ Highland Ridge	11.11.14	rock outcrops	10ag(i)	see notes	n/a						4.5	restricted	significant rock outcrops/ road cutting; highly modified; area under restoration strategy (see remnant community)

Harbour Lane	road reserve	cnr. Harbour Lane/ Highland Ridge	11.11.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native shrubby regrowth/ immature (incl. Kunamb, Allit) and remnant native ground layer (incl. Pteesc); 1X dead standing tree - Euccap (stag); highly modified/ local & generic native planting ( <i>Banksia integrifolia</i> , <i>Eucalyptus saligna</i> ); current restoration strategy (incl. Allit, Hakdac, Baneri, Kunamb, Ozodio, Grebux, Acasua, Diacae, Diccri, Austen); Pitund regrowth; weeds
Harbour Lane	road reserve	adj. to 1 Harbour Lane (23 Cawarra Rd)	11.11.14	tree group	10ag(i)	Eucpun	1	80-100+	12	20	fair	4.5	restricted	TPO; Eucpun- ext. dead wood (30%)/ vigorous new growth/ multi-stemmed old growth specimen assoc. w. rock outcrops (road reserve)/ subject to boundary survey
Harbour Lane	road reserve	adj. to 1 Harbour Lane (23 Cawarra Rd)	11.11.14	tree group	10ag(i)	Allit	1	20-30+	4	4	fair	4.5	restricted	TPO; Allit- ext. dead wood/ assoc. w. rock outcrops (road reserve)/ subject to boundary survey; immature regrowth/ dom. weeds; Pitund regrowth
Harbour Lane	road reserve	adj. to 1 Harbour Lane (23 Cawarra Rd)	11.11.14	tree group	10ag(i)	Allit	1	20-30+	7	5	good	4.5	restricted	TPO; Allit- assoc. w. rock outcrops (road reserve)/ subject to boundary survey; immature regrowth/ dom. weeds; Pitund regrowth
Harbour Lane	road reserve	adj. to 1 Harbour Lane (23 Cawarra Rd)	11.11.14	tree group	10ag(i)	Hakdac	1	30-40+	5	4	fair	4.5	restricted	TPO; Hakdac- assoc. w. rock outcrops (road reserve)/ subject to boundary survey; immature regrowth/ dom. weeds; Pitund regrowth
Harbour Lane	residential	2 Harbour Lane- rear garden	03.12.14	tree group	10ag(i)	Eucpip	1	?80-100+	5		see notes	5.0	restricted	TPO; Eucpip- adj. to pool deck & rear bdy. to No.4 Harbour Lne; multi-stemmed (2) possibly old growth specimen/ lopped w. no epicormic growth (possible herbicidal treatment); exotic garden; dom. weeds
Harbour Lane	residential	2 Harbour Lane- rear garden	03.12.14	tree group	10ag(i)	Eucpip	1	?60-80+	2		see notes	5.0	restricted	TPO; Eucpip- adj. to rear bdy. to No.4 Harbour Lne; lopped w. no epicormic growth (possible herbicidal treatment); exotic garden; dom. weeds

Harbour Lane	residential	2 Harbour Lane- rear garden/ upper slope	03.12.14	tree group	10ag(i)	Eucpun	1	60-80+	15	10	good	5.0	restricted	TPO; Eucpun- on upper steep slope adj. to Harbour Lne; leaning specimen; Pitund (dom.) regrowth; dom. weeds
Harbour Lane	residential	4 Harbour Lane- front garden	03.12.14	tree group	10ag(i)	Corgum	1	60-80+	16	7	v.poor	5.0	restricted	TPO; Corgum- on upper slope adj. to driveway & bdy. No.2 Harbour Lne; ext. dead wood (60%)/ epicormic growth; exotic/ native garden; local & generic native planting (incl. Baner, Xanarb, <i>Corymbia citriodora</i> )
Harbour Lane	residential	4 Harbour Lane- rear garden/ upper slope	03.12.14	tree group	10ag(i)	see notes	n/a					4.5	restricted	significant remnant native understorey/ regrowth community (incl. Allit (10+) up to 15-20yrs+/ 5-9m HT + Angcos/ Eucrac (saplings) on steep slope/ rock outcrops; owner confirmed lantana thicket cleared (late 1990s)/ restoration planting strategy w. local & generic native planting (incl. Casgla, Baneri, Lomlon, Diacae, <i>Eucalyptus/ Syncarpia/ Tristaniopsis</i> spp.); highly modified/ dom. weeds
Harbour Lane	residential	4 Harbour Lane- rear garden/ upper slope	03.12.14	tree group	10ag(i)	Ficrub	1	30-40+	2	7	good	4.5	restricted	TPO; Ficrub- on upper rock outcrops; part of significant remnant native tree group; local & generic native planting (dom.)
Harbour Lane	residential	4 Harbour Lane- rear garden/ rock outcrops	03.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a					4.5	restricted	significant rock outcrops/ scarp & overhang (see remnant native ground layer); lower scarp adjoins road reserve (see Rembrandt Drive listing)
Harbour Lane	residential	4 Harbour Lane- rear garden/ lower scarp	03.12.14	remnant community	10ag(i)	see notes	n/a	varies				3.5	restricted	remnant native understorey/ regrowth community (incl. Allit (10+) up to 15-20yrs+/ 5-9m HT) & native ground layer (incl. Caupen, Gledic, Lomgra, Lomcyl, Entstr, Pteesc, Todbar, Hymue) assoc. w. rock outcrops; mixed local native planting (incl. Calser, Cergum, Elaret, Baneri, Baner, Acater)
Harbour Lane	residential	4 Harbour Lane- rear garden/ lower scarp	03.12.14	tree group	10ag(i)	Eucpun	1	30-40+	10	6	good	4.5	restricted	TPO; Eucpun- lower scarp/ rock outcrops; part of significant remnant native tree group (dom. generic native planting/ canopy <i>Eucalyptus botryoides</i> , <i>E. saligna</i> )



Harbour Lane	residential	4 Harbour Lane- rear garden/ lower scarp	03.12.14	tree group	10ag(i)	Eucpun	1	40-50+	8	7	good	4.5	restricted	TPO; Eucpun- lower scarp/ rock outcrops; multi-stemmed (2)/ 1X dead stem; part of significant remnant native tree group
Harbour Lane	residential	6 Harbour Lane- front garden/ lower slope	03.12.14	tree group	10ag(i)	Eucpun	1	80-100+	8	8	fair	5.0	restricted	TPO; (aka 40 Greenfield Ave)- Eucpun- adj. to bdy. No.4 Harbour Lne; old growth multi-stemmed (2)/ 1X old stem dead, heavily lopped/ ext. dead wood (30%); exotic garden; dom. weeds; subject to bdy. survey
Harbour Lane	residential	6 Harbour Lane- front garden/ lower slope	03.12.14	tree group	10ag(i)	Angcos	1	15-20+	9	2	good	5.0	restricted	TPO; Angcos- adj. to bdy. No.4 Harbour Lne; also remnant native regrowth (incl. Angcos (2)/ saplings, Dodtri); dom. weeds; subject to bdy. survey
Harbour Lane	residential	6 Harbour Lane- rear garden/ upper slope	03.12.14	tree group	10ag(i)	Corgum	1	80-100+	15	18	good	4.5	restricted	TPO; Corgum- (Greenfield Ave frontage)/ upper steep slope & rock outcrops adj. to No.38A; old growth specimen; exotic garden/ dom. weeds
Harbour Lane	residential	6 Harbour Lane- rear garden/ upper slope	03.12.14	tree group	10ag(i)	Banser	1	50-60+	7	3	fair	4.5	restricted	TPO; Banser- (Greenfield Ave frontage)/ upper steep slope & rock outcrops adj. to No.38A; ext. dead wood & crown die-back/ poor vigour; dom. weeds
Harbour Lane	residential	6 Harbour Lane- rear garden/ upper slope	03.12.14	tree group	10ag(i)	Allit	1	40-50+	9	6	poor	4.5	restricted	TPO; Allit- (Greenfield Ave frontage)/ upper steep slope & rock outcrops; ext. dead wood/ poor vigour; dom. weeds
Harbour Lane	residential	6 Harbour Lane- rear garden/ upper slope	03.12.14	tree group	10ag(i)	Allit	1	20-30+	7	4	poor	4.5	restricted	TPO; Allit- (Greenfield Ave frontage)/ upper steep slope & rock outcrops; ext. dead wood/ poor vigour; dom. weeds
Harbour Lane	residential	6 Harbour Lane- rear garden/ upper slope	03.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native shrubby regrowth/ immature (incl. Cergum, Elaret, Allit) & native ground layer (incl. Pteesc, Smigly, Diacae, Entstr, Austen); Pitund (dom.) regrowth; dom. weeds

Harbour Lane	residential	10 Harbour Lane- rear garden/ rock outcrops	03.12.14	single tree	10ag(i)	Eucpun	1	unknown	0.5	0.5	see notes	5.0	restricted	TPO; (aka 36 Greenfield Ave/ Greenfield Ave frontage) Eucpun- recently lopped to base/ vigorous epicormic growth; exotic garden; Allit- regen. associated w. rock outcrops; local & generic native planting (incl. Casgla); dom. weeds
Harbour Lane	right-of-way	adj. to 20 Height Cr (rear bdy.)/ right-of-way	11.11.14	rock outcrops	10ag(i)	see notes	n/a					4.5	restricted	significant rock outcrops/ overhang (road reserve)/ adj. to rear boundary & vehicular right-of-way; remnant native ground layer (incl. Diacae, Lomlon, Schmel); Pitund regrowth; dom. weeds
Harbour Lane	right-of-way	adj. to 20 Height Cr (rear bdy.)/ right-of-way	11.11.14	tree group	10ag(i)	Allit	1	40-50+	8	5	good	4.5	restricted	TPO; Allit- assoc. w. rock outcrops (road reserve)/ adj. to rear boundary & vehicular right-of-way; dom. weeds
Harbour Lane	right-of-way	adj. to 20 Height Cr (rear bdy.)/ right-of-way	11.11.14	tree group	10ag(i)	Allit	1	20-30+	5	4	good	4.5	restricted	TPO; Allit- assoc. w. rock outcrops (road reserve)/ adj. to rear boundary & vehicular right-of-way; dom. weeds
Harbour Lane	right-of-way	adj. to 20 Height Cr (rear bdy.)/ right-of-way	11.11.14	tree group	10ag(i)	Allit	1	30-40+	7	4	good	4.5	restricted	TPO; Allit- assoc. w. rock outcrops (road reserve)/ adj. to rear boundary & vehicular right-of-way; dom. weeds
Harbour Lane	right-of-way	adj. to 29 Height Cr (rear bdy.)/ right-of-way	11.11.14	single tree	10ag(i)	Elaret	1	30-40+	7	2	poor	4.5	restricted	TPO; Elaret- assoc. w. rock outcrops (road reserve)/ adj. to rear boundary & vehicular right-of-way; local & generic native planting (incl. <i>Corymbia</i> sp)/ current restoration strategy; dom. weeds
Harbour Lane	right-of-way	adj. to 29 Height Cr (rear bdy.)/ right-of-way	11.11.14	remnant community	10ag(i)	see notes	n/a					3.5	restricted	remnant native shrubby regrowth (incl. Allit, Kunamb, Elaret), old specimen Lamfor & remnant native ground layer (incl. Pteesc, Entstr, Diacae) assoc. w. upper rock outcrops; Pitund regrowth; dom. weeds
Harbour Lane	right-of-way	adj. to 31 Height Cr (rear bdy.)/ right-of-way	11.11.14	tree group	10ag(i)	Eucpun	1	40-50+	9	9	fair	4.5	restricted	TPO; Eucpun- ext. dead wood (30%)/ vigorous new growth/ assoc. w. rock outcrops (road reserve)/ adj. to rear boundary & vehicular right-of-way; dom. weeds
Harbour Lane	right-of-way	adj. to 31 Height Cr (rear bdy.)/ right-of-way	11.11.14	tree group	10ag(i)	Allit	1	30-40+	8	6	good	4.5	restricted	TPO; Allit- assoc. w. rock outcrops (road reserve)/ adj. to rear boundary & vehicular right-of-way; dom. weeds

Harbour Lane	right-of-way	adj. to 31 Height Cr (rear bdy.)/ right-of-way	11.11.14	tree group	10ag(i)	Allit	1	30-40+	8	7	good	4.5	restricted	TPO; Allit- assoc. w. rock outcrops (road reserve)/ adj. to rear boundary & vehicular right-of-way; dom. weeds
Harbour Lane	right-of-way	adj. to 31 Height Cr (rear bdy.)/ right-of-way	11.11.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native shrubby regrowth/ assoc. w. rock outcrops (incl. Kunamb, Allit, Ficrub, Todbar); highly modified/ dom. weeds
Heights Crescent	residential	1A Heights Cr- front garden	11.11.14	single tree	10ar(i)	Euchae	1	80-100+	9	12	good	5.0	restricted	TPO; Euchae- multi-stemmed, old growth specimen/ some minor pruning; in lawn area/ exotic garden
Heights Crescent	public reserve	reserve adj. to bdy. Nos.1A & 3 Heights Cr	11.11.14	tree group	10ar(i)	Eucrac	1	60-80+	16	10	good	5.0	fragmented	TPO; Cawarra Park: Eucrac- adj. to road reserve (verge); possibly older specimen; part of significant remnant native tree group (mixed Eucrac/ Euchae/ Euccap); urban park/ highly modified; mown grass; also mixed generic native planting (incl. <i>Acacia binervia</i> )
Heights Crescent	public reserve	reserve adj. to bdy. Nos.1A & 3 Heights Cr	11.11.14	tree group	10ar(i)	Eucrac	1	60-80+	14	9	see notes	5.0	fragmented	TPO; Cawarra Park: Eucrac- adj. to road reserve (verge); ext. damage to base/ some dead wood; part of significant remnant native tree group (mixed Eucrac/ Euchae/ Euccap); urban park/ highly modified; mown grass
Heights Crescent	public reserve	reserve adj. to bdy. Nos.1A & 3 Heights Cr	11.11.14	tree group	10ar(i)	?Eucrac	1	unknown	0.5	1	see notes	4.5	fragmented	TPO; Cawarra Park: Eucrac- adj. to road reserve (verge); small stem lopped at base/ coppiced regrowth; part of significant remnant native tree group (mixed Eucrac/ Euchae/ Euccap)
Heights Crescent	public reserve	reserve adj. to bdy. Nos.1A & 3 Heights Cr	11.11.14	remnant community	10ag(i)	see notes	n/a					4.5	fragmented	remnant native shrubby regrowth (incl. Allit X2/ up to 15-20+ yrs, Dodtri)/ possibly restoration planting; mulched area within mown lawn
Heights Crescent	public reserve	reserve adj. to bdy. Nos.1A & 3 Heights Cr	11.11.14	tree group	10ar(i)	Euchae	1	80-100+	14	20	good	5.0	fragmented	TPO; Cawarra Park: Euchae- old growth multi-stemmed (2) specimen/ some dead wood; part of significant remnant native tree group (mixed Eucrac/ Euchae/ Euccap); urban park/ highly modified

Heights Crescent	public reserve	reserve adj. to bdy. Nos.1A & 3 Heights Cr	11.11.14	tree group	10ar(i)	Euchae	1	80-100+	12	12	good	5.0	fragmented	TPO; Cawarra Park: Euchae- old growth specimen/ damaged base & insect damage; part of significant remnant native tree group (mixed Eucrac/ Euchae/ Euccap); urban park/ highly modified
Heights Crescent	public reserve	reserve adj. to bdy. Nos.1A & 3 Heights Cr	11.11.14	tree group	10ar(i)	Euchae	1	40-50+	6	9	fair	5.0	fragmented	TPO; Cawarra Park: Euchae- extensive insect damage/ some dead wood; part of significant remnant native tree group (mixed Eucrac/ Euchae/ Euccap)
Heights Crescent	public reserve	reserve adj. to bdy. Nos.1A & 3 Heights Cr	11.11.14	tree group	10ar(i)	Euccap	1	100-150+	18	12	good	5.0	fragmented	TPO; Cawarra Park: Euccap- adj. to SE cnr. bdy. No.1A Heights Crescent; old growth specimen/ exceptionally large dimensions (HT/ canopy diam.) (Beadle, Evans & Carolin 1982; Benson & McDougall, Cunninghamia 5(4) 1998)/ possibly X <i>E. globoidea</i> ; part of significant remnant native tree group (mixed Eucrac/ Euchae/ Euccap); highly modified/ mown grass
Heights Crescent	public reserve	reserve adj. to bdy. Nos.1A & 3 Heights Cr	11.11.14	tree group	10ar(i)	Euccap	1	60-80+	14	10	fair	5.0	fragmented	TPO; Cawarra Park: Euccap- between SE cnr. bdy. No.1A Heights Crescent & Euchae/ Eucrac group; relatively large specimen/ ext. dead wood (40%) incl. large branches & epicormic growth/ possibly X <i>E. globoidea</i> ; part of significant remnant native tree group (mixed Eucrac/ Euchae/ Euccap); highly modified/ mown grass
Heights Crescent	residential	4A Heights Cr- front garden	03.11.14	single tree	10ag(i)	Eucpun	1	100-150+	18	22	good	5.0	restricted	TPO; Eucpun- multi-stemmed, old growth specimen/ some dead wood; in lawn area/ exotic garden
Heights Crescent	residential	5 Heights Cr- rear garden/ rear bdy.	11.11.14	tree group	10ag(i)	Eucpun	1	50-60+	12	12	fair	5.0	restricted	TPO; Eucpun- lopped/ ext. dead wood (competition w. exotics); in northern corner/ adj. to boundary No.9; exotic garden
Heights Crescent	residential	5 Heights Cr- rear garden/ rear bdy.	11.11.14	tree group	10ag(i)	Glofer	1	20-30+	7	7	good	5.0	restricted	TPO; Glofer- in northern corner/ adj. to boundary No.9; exotic garden

Heights Crescent	residential	8 Heights Cr- front garden	11.11.14	single tree	10ar(i)	Eucpun	1	100-150+	12	22	good	5.0	restricted	TPO; Eucpun- multi-stemmed, old growth specimen/ some dead wood/ visually dominant tree in streetscape; adj. to front boundary/ exotic garden; local & generic native planting (Cergum X 1 likely planted)
Heights Crescent	residential	9 Heights Cr- rear garden	11.11.14	tree group	10ag(i)	Glofer	1	?50-60+	8	6	fair	5.0	restricted	TPO; Glofer- multi-stemmed group/ coppiced regrowth incl. smaller saplings (possibly same parent/ rootstock); exotic garden/ dom. weeds; remnant native understorey (incl. Lamfor - old growth specimen)
Heights Crescent	residential	10 Heights Cr- front garden	11.11.14	single tree	10ar(i)	Cergum	1	80-100+	6	4	good	5.0	restricted	TPO; Cergum- old growth specimen/ in front lawn; exotic garden
Heights Crescent	residential	11 Heights Cr- front garden/ upper slope	11.11.14	tree group	10ag(i)	Corgum	1	60-80+	16	7	good	5.0	restricted	TPO; Corgum- terraced exotic garden/ part of significant remnant native tree group; owner confirmed bdy. to No.13 (see listings); generic & local native planting; dom. weeds; adj. to <i>Alectura lathamii</i> nesting mound
Heights Crescent	residential	11 Heights Cr- rear garden	11.11.14	tree group	10ag(i)	Banser	1	60-80+	6	7	good	5.0	restricted	TPO; Banser- leaning/ adj. to bdy. No.9; generic native planting (incl. <i>Eucalyptus saligna</i> ); dom. weeds
Heights Crescent	residential	13 Heights Cr- front garden	11.11.14	tree group	10ag(i)	Corgum	1	100-150+	14	14	good	5.0	restricted	TPO; Corgum- old growth multi-stemmed specimen/ some pruning; on upper front lawn/ exotic garden
Heights Crescent	residential	13 Heights Cr- rear garden/ lower slope	11.11.14	tree group	10ag(i)	Eucpun	1	60-80+	15	15	good	5.0	restricted	TPO; Eucpun- multi-stemmed specimen; terraced exotic garden; part of significant remnant native tree group (also see listing for No.11); generic & local native planting; Pitund regrowth; dom. weeds; adj. to <i>Alectura lathamii</i> nesting mound
Heights Crescent	residential	13 Heights Cr- rear garden/ lower slope	11.11.14	tree group	10ag(i)	Eucpun	1	50-60+	14	10	fair	5.0	restricted	TPO; Eucpun- ext. dead wood (20%)/ epicormic growth; terraced exotic garden; part of significant remnant native tree group (also see listing for No.11); generic & local native planting; Pitund regrowth; dom. weeds

Heights Crescent	residential	13 Heights Cr- rear garden/ lower slope	11.11.14	tree group	10ag(i)	Eucpun	1	?80-100+	12	4	see notes	5.0	restricted	TPO; Eucpun- possibly old growth specimen/ lopped at base w. single main stem/ vigorous regrowth; part of significant remnant native tree group (also see listing for No.11); generic & local native planting; Pitund regrowth; dom. weeds
Heights Crescent	residential	13 Heights Cr- rear garden/ lower slope	11.11.14	tree group	10ag(i)	Angcor	1	50-60+	14	8	good	5.0	restricted	TPO; Angcor; part of significant remnant native tree group (also see listing for No.11); generic & local native planting; Pitund regrowth; dom. weeds
Heights Crescent	residential	12 Heights Cr- front garden	03.11.14	tree group	10ag(i)	Corgum	1	80-100+	10	16	good	5.0	restricted	TPO; Corgum- adj. to boundary No.10/ old growth specimen/ some dead wood; exotic garden
Heights Crescent	residential	12 Heights Cr- front garden	03.11.14	tree group	10ag(i)	Eucpun	1	?40-50+	9	9	good	5.0	restricted	TPO; Eucpun- leaning/ adj. to front boundary; some dead wood (owner confirmed lignotuber regrowth from older specimen/ removed); exotic garden
Heights Crescent	residential	12 Heights Cr- front garden	03.11.14	tree group	10ag(i)	Angcor	1	15-20+	10	6	good	5.0	restricted	TPO; Angcor- owner confirmed planted tree (unknown provenance); also Cergum X 1 planted
Heights Crescent	residential	12 Heights Cr- rear garden/ upper level	03.11.14	tree group	10ar(i)	Pitund	1	80-100+	8	6	good	5.0	isolated	TPO; Pitund- old growth specimen on upper rear boundary to vehicular right-of-way; exotic garden
Heights Crescent	residential	17 Heights Cr- rear garden/ upper terrace	11.11.14	single tree	10ag(i)	Corgum	1	100-150+	25	20	good	5.0	restricted	TPO; Corgum- upper lawn area/ massive old growth specimen; exotic terraced garden; also generic native planting (dom. <i>Eucalyptus microcorys</i> )
Heights Crescent	residential	19 Heights Cr- rear garden/ upper slope	11.11.14	tree group	10ag(i)	Eucpun	1	50-60+	12	8	poor	5.0	restricted	TPO; Eucpun- ext. dead wood (50%)/ epicormic growth; upper steep slope/ exotic garden; Pitund (dom.) regrowth; dom. weeds; no access
Heights Crescent	residential	19 Heights Cr- rear garden/ upper slope	11.11.14	tree group	10ag(i)	Corgum	1	40-50+	12	4	fair	5.0	restricted	TPO; Corgum- multi-stemmed specimen/ ext. dead wood (30%)/ epicormic growth; upper steep slope/ exotic garden; Pitund (dom.) regrowth

Heights Crescent	residential	20 Heights Cr- rear garden/ lower bdy.	11.11.14	single tree	10ag(i)	Allit	1	60-80+	7	9	good	5.0	restricted	TPO; Allit- exotic garden; adj. to lower rear boundary & drainage reserve; part of larger remnant native tree group (see road reserve/ vehicular right-of-way)
Heights Crescent	residential	21 Heights Cr- rear garden	11.11.14	single tree	10ag(i)	Angcor	1	60-80+	15	15	good	5.0	fragmented	TPO; Angcor- some dead wood; exotic garden; dom. weeds
Heights Crescent	public right-of-way	between Nos.25 & 27 Heights Cr	11.11.14	tree group	10ag(i)	Angcor	1	30-40+	12	8	good	5.0	fragmented	TPO; Angcor- possibly planted; pedestrian access to bushland reserve; highly modified/ weeds; also generic native planting ( <i>Banksia/ Eucalyptus</i> spp.); Pitund regrowth
Heights Crescent	public right-of-way	between Nos.25 & 27 Heights Cr	11.11.14	tree group	10ag(i)	Angcor	1	40-50+	12	8	good	5.0	fragmented	TPO; Angcor- multi-stemmed (2) specimen; highly modified/ weeds; also generic native planting ( <i>Banksia/ Eucalyptus</i> spp.); Pitund regrowth
Heights Crescent	public right-of-way	between Nos.25 & 27 Heights Cr	11.11.14	tree group	10ag(i)	Kunamb	1	50-60+	3	3	fair	5.0	fragmented	TPO; Kunamb- possibly remnant understorey spp.; highly modified/ weeds; also generic native planting ( <i>Banksia/ Eucalyptus</i> spp.); Pitund regrowth
Heights Crescent	residential	27 Heights Cr- rear garden/ upper level	11.11.14	single tree	10ag(i)	Ficrub	1	40-50+	9	8	good	4.5	restricted	TPO; Ficrub- on rock outcrops adj. to bushland reserve; exotic garden/ dom. weeds
Heights Crescent	residential	27 Heights Cr- rear garden/ upper level	11.11.14	rock outcrops	10ag(i)	see notes	n/a					4.5	restricted	significant rock outcrops; remnant natives (incl. Breobl, Diacae, Lomlon); dom. weeds
Heights Crescent	residential	29 Heights Cr- rear garden/ upper terrace	11.11.14	tree group	10ag(i)	Allit	1	20-30+	7	5	good	5.0	restricted	TPO; Allit- exotic garden/ upper terrace; local & generic native planting (incl. Euchae, Allit & <i>Eucalyptus saligna</i> ); Pitund regrowth; dom. weeds
Heights Crescent	residential	29 Heights Cr- rear garden/ mid-terrace	11.11.14	tree group	10ag(i)	Ficrub	1	40-50+	12	12	good	5.0	restricted	TPO; Ficrub- exotic garden/ mid-terrace; Pitund regrowth; dom. weeds
Heights Crescent	residential	31 Heights Cr- rear garden/ rock outcrops	11.11.14	tree group	10ag(i)	Eucpun	1	60-80+	8	9	fair	5.0	restricted	TPO; Eucpun- leaning/ ext. dead wood (30%)/ epicormic growth; mid-lower level adj. to boundary No.29; generic native planting ( <i>Eucalyptus/ Corymbia</i> spp.); current construction site/ exotic garden; Pitund regrowth; dom. weeds
Heights Crescent	residential	31 Heights Cr- rear garden/ rock outcrops	11.11.14	tree group	10ag(i)	Corgum	1	60-80+	12	8	good	5.0	restricted	TPO; Corgum- some dead wood/ on rock outcrops; exotic garden; Pitund regrowth; dom. weeds

Heights Crescent	residential	31 Heights Cr- rear garden/ rock outcrops	11.11.14	tree group	10ag(i)	Allit	1	15-20+	7	5	good	5.0	restricted	TPO; Allit- on rock outcrops; exotic garden; Pitund regrowth; dom. weeds
Heights Crescent	residential	31 Heights Cr- rear garden/ lower bdy.	11.11.14	tree group	10ag(i)	Corgum	1	50-60+	15	6	good	5.0	restricted	TPO; Corgum- some dead wood; exotic garden/ lower level; Pitund regrowth; dom. weeds; immature Cergum (likely planted)
Heights Crescent	residential	31 Heights Cr- rear garden/ lower bdy.	11.11.14	tree group	10ag(i)	Eucpun	1	30-40+	10	7	good	5.0	restricted	TPO; Eucpun- some dead wood; exotic garden/ adj. to lower north-east boundary; Pitund regrowth; dom. weeds
Heights Crescent	road reserve	Harbour Lane right-of-way/ lower bdy.												see Harbour Lane vehicular right-of-way (road reserve listing/ adj. to lower rear boundaries 20, 31 & 29 Heights Crescent)
Heights Crescent	public reserve	reserve adj. to bdy. Nos.23-29 Heights Cr	11.11.14	core community	10ag(i)	see notes	n/a					1.5	contiguous	core bushland community assoc. w. significant scarp/ rock outcrops; high biodiversity values/ resilience; varying level of disturbance/ modification > along property boundaries; canopy trees/ incl. old growth specimens (Angcor, Eucpun, Corgum, Eucrac, Ficrub); understorey (Banser, Allit, Kunamb, Elaret, Baneri, Perlev, Pomint, Polsam, Pulsti, Xanarb, Caupen, Dodtri, Dilret, Plalin, Crosal, Grebux, Bossco, Lasfer, Acthel, Acamyr, Acasua, Acauli, Acalin, Entstr, Diacae, Diarev, Lomlon, Caldub, Schmel)
Heights Crescent	public reserve	reserve adj. to bdy. Nos.23-29 Heights Cr	11.11.14	scarp/ rock outcrops	10ag(i)	see notes	n/a					1.5	contiguous	significant s/s scarp & rock outcrops; core bushland community; high biodiversity values/ resilience; varying level of disturbance/ modification > along property boundaries (see species list)
<b>Highland Ridge</b>	residential	1 Highland Ridge- rear garden/ upper scarp	08.12.14	scarp/ rock outcrops	10ar(i)	see notes	n/a	varies				5.0	restricted	significant s/s scarp & rock outcrops; exotic garden/ generic native planting (incl. <i>Corymbia citriodora</i> )/ colonising scarp; dom. weeds
Highland Ridge	residential	1 Highland Ridge- rear garden/ upper scarp	08.12.14	tree group	10ar(i)	Banser	1	60-80+	4	8	good	5.0	restricted	TPO; Banser- on upper scarp/ rock outcrops; multi-stemmed specimen; exotic garden/ dom. weeds



Highland Ridge	residential	1 Highland Ridge- rear garden/ upper scarp	08.12.14	tree group	10ar(i)	Angbak	1	unknown	1.5	1	good	5.0	restricted	TPO; Angbak- on upper scarp/ rock outcrops; lopped/ vigorous regrowth; exotic garden/ dom. weeds
Highland Ridge	residential	1 Highland Ridge- rear garden/ upper scarp	08.12.14	tree group	10ar(i)	Allit	1	20-30+	6	5	fair	5.0	restricted	TPO; Allit- on upper scarp/ rock outcrops; ext. dead wood; exotic garden/ dom. weeds
Highland Ridge	residential	3 Highland Ridge- rear garden/ lower scarp	08.12.14	tree group	10ag(i)	Angcos	1	60-80+	12	8	good	4.5	restricted	TPO; Angcos- on lower scarp/ rock outcrops adj. to bdy. No.32B Rembrandt Drive; exotic garden/ generic native planting; dom. weeds; listing subject to bdy. survey
Highland Ridge	residential	3 Highland Ridge- rear garden/ lower scarp	08.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native regrowth/ regen. (incl. seedlings/ saplings- Angcos, Cergum, Allit, Dodtri) & remnant native ground layer (incl. Pteesc, Lomlon, Diacae) assoc. w. rock outcrops; dom. weeds/ colonisation by <i>Corymbia citriodora</i> ; listings subject to bdy. survey
Highland Ridge	residential	5 Highland Ridge- front garden	05.12.14	single tree	10ar(i)	Eucsie	1	?20-30+	9	4	good	5.0	restricted	TPO; Eucsie- adj. to front bdy.; multi-stemmed (2)/ regrowth- possibly much older; exotic garden; generic native planting (incl. <i>Corymbia citriodora</i> )
Highland Ridge	residential	7 Highland Ridge- front garden	05.12.14	single tree	10ar(i)	Corgum	1	100-150+	14	25	good	5.0	restricted	TPO; Corgum- on lawn adj. to front bdy.; old growth specimen displays outstanding form w. expansive canopy/ some dead wood/ vigorous growth; part of significant remnant native old growth group (streetscape - see listings Nos.9 & 10); exotic garden
Highland Ridge	residential	9 Highland Ridge- front garden	05.12.14	tree group	10ar(i)	Euchae	1	100-150+	12	16	good	5.0	restricted	TPO; Euchae- adj. to front bdy.; old growth multi-stemmed (2) specimen (capsules 8-9mm diam); part of significant remnant native old growth group (streetscape - see listings Nos.7 & 10); exotic garden
Highland Ridge	residential	9 Highland Ridge- front garden	05.12.14	tree group	10ar(i)	Cergum	1	60-80+	7	4	fair	5.0	restricted	TPO; Cergum- multi-stemmed (2)/ ext. dead wood & poor vigour/ possibly planted; exotic garden

Highland Ridge	residential	10 Highland Ridge- front garden	08.12.14	single tree	10ag(i)	Corgum	1	100-150+	15	20	good	5.0	restricted	TPO; Corgum- new house/ garden adj. to front bdy. & bdy. to No.12; old growth specimen multi-stemmed (2) at base/ outstanding form w. expansive canopy/ vigorous growth; part of significant remnant native old growth group (streetscape- see listings Nos.7 & 9); exotic garden
Highland Ridge	residential	11 Highland Ridge- front garden/ upper level	05.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				5.0	restricted	significant s/s scarp, rock outcrops & formations; terraced exotic garden/ highly modified; Cergum/ Pitund regrowth
Highland Ridge	residential	11 Highland Ridge- front garden/ upper level	05.12.14	tree group	10ag(i)	Eucpun	1	80-100+	16	16	good	5.0	restricted	TPO; Eucpun- on upper steep slope/ rock outcrops adj. to upper courtyard- old growth specimen/ some dead wood; terraced exotic garden
Highland Ridge	residential	11 Highland Ridge- front garden/ upper level	05.12.14	tree group	10ag(i)	Corgum	1	80-100+	16	12	good	5.0	restricted	TPO; Corgum- on upper steep slope/ rock outcrops adj. to upper courtyard- old growth specimen/ some dead wood; terraced exotic garden
Highland Ridge	residential	13 Highland Ridge- rear garden/ rock outcrops	08.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				4.5	restricted	significant s/s scarp and rock outcrops; current construction site- exotic garden/ highly modified
Highland Ridge	residential	13 Highland Ridge- rear garden/ lower scarp	08.12.14	tree group	10ag(i)	Banser	1	60-80+	7	7	good	4.5	restricted	TPO; Banser- on lower scarp/ rock outcrops (above pool level); multi-stemmed/ possibly old growth specimen & component of significant remnant native tree group/ community; exotic garden/ dom. weeds
Highland Ridge	residential	13 Highland Ridge- rear garden/ lower scarp	08.12.14	tree group	10ag(i)	Cergum	1	20-30+	6	3	good	4.5	restricted	TPO; Cergum- on lower scarp/ rock outcrops (above pool level); component of significant remnant native tree group/ community; exotic garden/ dom. weeds
Highland Ridge	residential	13 Highland Ridge- rear garden/ upper scarp	08.12.14	tree group	10ag(i)	Banser	1	60-80+	6	6	fair	4.5	fragmented	TPO; Banser- on upper scarp/ rock outcrops; some dead wood/ poor vigour; component of significant remnant native tree group/ community; exotic garden/ dom. weeds

Highland Ridge	residential	13 Highland Ridge- rear garden/ upper scarp	08.12.14	tree group	10ag(i)	Elaret	1	15-20+	3	4	good	4.5	fragmented	TPO; Elaret- on upper scarp/ rock outcrops/ lopped & component of significant remnant native tree group/ community; exotic garden/ dom. weeds
Highland Ridge	residential	13 Highland Ridge- rear garden/ upper scarp	08.12.14	tree group	10ag(i)	Corgum	1	80-100+	12	12	good	4.5	fragmented	TPO; Corgum- on upper scarp/ rock outcrops (adjacent to rear bdy./ Highland Ridge); old growth specimen & part of significant remnant native tree group/ community; dom. weeds; upper listings subject to bdy. survey (possibly road reserve)
Highland Ridge	residential	13 Highland Ridge- rear garden/ upper scarp	08.12.14	tree group	10ag(i)	Corgum	1	60-80+	10	7	good	4.5	fragmented	TPO; Corgum- on upper scarp/ rock outcrops (adjacent to rear bdy./ Highland Ridge); part of significant remnant native tree group/ community; dom. weeds
Highland Ridge	residential	13 Highland Ridge- rear garden/ upper scarp	08.12.14	tree group	10ag(i)	Corgum	1	60-80+	16	7	good	4.5	fragmented	TPO; Corgum- on upper scarp/ rock outcrops (adjacent to rear bdy./ Highland Ridge); multi-stemmed (2) & part of significant remnant native tree group/ community; dom. weeds
Highland Ridge	residential	13 Highland Ridge- rear garden/ upper scarp	08.12.14	tree group	10ag(i)	Perlev	1	?60-80+	3	4	good	4.5	fragmented	TPO; Perlev- on upper scarp/ rock outcrops (adjacent to rear bdy./ Highland Ridge); part of significant remnant native tree group/ community; dom. weeds
Highland Ridge	residential	13 Highland Ridge- rear garden/ upper scarp	08.12.14	tree group	10ag(i)	Allit	1	20-30+	7	6	good	4.5	fragmented	TPO; Allit- on upper scarp/ rock outcrops (adjacent to rear bdy./ Highland Ridge); part of significant remnant native tree group/ community; dom. weeds
Highland Ridge	residential	13 Highland Ridge- rear garden/ upper scarp	08.12.14	tree group	10ag(i)	Allit	1	20-30+	9	7	good	4.5	fragmented	TPO; Allit- on upper scarp/ rock outcrops (adjacent to rear bdy./ Highland Ridge); part of significant remnant native tree group/ community; dom. weeds
Highland Ridge	residential	14 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Corgum	1	60-80+	12	6	good	3.5	restricted	TPO; Corgum- on upper slope/ rock outcrops; some dead wood; part of significant remnant native tree group/ community; local & generic native planting; restoration strategy

Highland Ridge	residential	14 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Angbak	1	?30-40+	5	3	good	3.5	restricted	TPO; Angbak- on upper slope/ rock outcrops; part of significant remnant native tree group/ community; mixed local & generic native planting
Highland Ridge	residential	14 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Cergum	1	80-100+	5	5	good	3.5	restricted	TPO; Cergum- on rock outcrops; old growth multi-stemmed specimen; part of significant remnant native tree group/ community; mixed local & generic native planting
Highland Ridge	residential	14 Highland Ridge- rear garden/ mid-slope	08.12.14	tree group	10ag(i)	Cergum	1	60-80+	6	3	good	3.5	restricted	TPO; Cergum- on rock outcrops; old growth multi-stemmed specimen; part of significant remnant native tree group/ community; mixed local & generic native planting
Highland Ridge	residential	14 Highland Ridge- rear garden/ mid-slope	08.12.14	tree group	10ag(i)	Angbak	1	60-80+	4	3	good	3.5	restricted	TPO; Angbak- on rock outcrops; multi-stemmed specimen/ possibly older; part of significant remnant native tree group/ community; mixed local & generic native planting
Highland Ridge	residential	14 Highland Ridge- rear garden/ lower slope	08.12.14	tree group	10ag(i)	Cergum	1	30-40+	6	2	good	3.5	restricted	TPO; Cergum- part of significant remnant native tree group/ community; local & generic native planting; exotic weeds
Highland Ridge	residential	14 Highland Ridge- rear garden/ lower slope	08.12.14	tree group	10ag(i)	Angbak	1	60-80+	6	3	good	3.5	restricted	TPO; Angbak- upper crown die-back/ vigorous basal coppicing & epicormic growth along lower stem; part of significant remnant native tree group/ community; local & generic native planting; exotic weeds
Highland Ridge	residential	14 Highland Ridge- rear garden/ lower slope	08.12.14	tree group	10ag(i)	Perlev	1	?20-30+	5	2	good	3.5	restricted	TPO; Perlev- part of significant remnant native tree group/ community; local & generic native planting; exotic weeds
Highland Ridge	residential	14 Highland Ridge- rear garden/ lower slope	08.12.14	tree group	10ag(i)	Perlev	1	?20-30+	2	2	good	3.5	restricted	TPO; Perlev- part of significant remnant native tree group/ community; local & generic native planting; exotic weeds

Highland Ridge	residential	14 Highland Ridge- rear garden/ rock outcrops	08.12.14	remnant community	10ag(i)	see notes	n/a						3.5	restricted	remnant native understorey/ regrowth community (incl. Leptri, Perlev, Banser (dead - stag), Cyaaus (4)/ up to 60-80+ yrs & sapling/ regen. Angcos, Angbak, Elaret) and remnant native ground layer (incl. Lomsil, Schmel, Hisinc, Hypmue, Caldub, Diacae) assoc. w. rock outcrops; Pitund regrowth; local & generic native planting along lower bdy./ No.52 Rembrandt Drive (incl. <i>Eucalyptus robusta</i> / <i>Angophora floribunda</i> )/ <i>A. floribunda</i> regen./ colonising lower slope; <i>Cyathea cooperi</i> - cultivated origin
Highland Ridge	residential	13 Highland Ridge- rear garden/ upper scarp	08.12.14	remnant community	10ag(i)	see notes	n/a						4.5	fragmented	remnant native regrowth/ regen. (incl. immature/ sapling Eucpun (1), Allit (6+), Elaret, Dodtri) and remnant native ground layer (incl. Pteesc, Entstr, Diacae) assoc. w. upper rock outcrops; Pitund regrowth; dom. weeds; upper listings subject to bdy. survey (possibly road reserve)
Highland Ridge	residential	15 Highland Ridge- front garden/ lower level	08.12.14	tree group	10ag(i)	Angcos	1	50-60+	16	12	good	5.0	restricted	TPO; Angcos- Harbour Lane frontage (lower level); some dead wood/ possibly cultivated; exotic garden/ dom. generic native planting (incl. <i>Corymbia citriodora</i> )	
Highland Ridge	residential	15 Highland Ridge- rear garden/ rock outcrops	08.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				4.5	fragmented	significant s/s scarp and rock outcrops; exotic garden (see remnant native community assoc. w. upper scarp/ rock outcrops)	
Highland Ridge	residential	15 Highland Ridge- rear garden/ upper terraces	08.12.14	tree group	10ag(i)	Angcos	1	80-100+	12	8	good	4.5	fragmented	TPO; Angcos- on upper terraced slope (below scarp); old growth specimen & part of significant remnant native tree group/ community; exotic garden/ dom. weeds	
Highland Ridge	residential	15 Highland Ridge- rear garden/ upper terraces	08.12.14	tree group	10ag(i)	Angcos	1	100-150+	16	18	good	4.5	fragmented	TPO; Angcos- on upper terraced slope (below scarp); old growth specimen, multi-stemmed (3) at base/ some dead wood; part of significant remnant native tree group/ community; exotic garden/ dom. weeds	

Highland Ridge	residential	15 Highland Ridge- rear garden/ upper terraces	08.12.14	tree group	10ag(i)	Angcos	1	100-150+	16	18	good	4.5	fragmented	TPO; Angcos- on upper terraced slope (below scarp/ adj. to bdy. No.17); old growth specimen/ some dead wood; part of significant remnant native tree group/ community; exotic garden/ dom. weeds
Highland Ridge	residential	15 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Corgum	1	80-100+	15	10	good	4.5	fragmented	TPO; Corgum- on upper steep slope/ rock outcrops (adjacent to rear bdy./ Highland Ridge); old growth specimen, multi-stemmed (2) at base/ some dead wood; part of significant remnant native tree group/ community; dom. weeds
Highland Ridge	residential	15 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Corgum	1	60-80+	10	10	good	4.5	fragmented	TPO; Corgum- on upper steep slope/ rock outcrops (adjacent to rear bdy./ Highland Ridge); part of significant remnant native tree group/ community; dom. weeds
Highland Ridge	residential	15 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Corgum	1	50-60+	8	8	good	4.5	fragmented	TPO; Corgum- on upper steep slope/ rock outcrops (adjacent to rear bdy./ Highland Ridge); part of significant remnant native tree group/ community; dom. weeds
Highland Ridge	residential	15 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Allit	1	20-30+	8	6	good	4.5	fragmented	TPO; Allit- on upper steep slope/ rock outcrops (adjacent to rear bdy./ Highland Ridge); part of significant remnant native tree group/ community; dom. weeds
Highland Ridge	residential	15 Highland Ridge- rear garden/ upper slope	08.12.14	remnant community	10ag(i)	see notes	n/a					4.5	fragmented	remnant native regrowth/ regen. (incl. seedlings/ saplings- Corgum, Angcos, Allit, Elaret) & remnant native ground layer (incl. Pteesc, Entstr, Diacae) assoc. w. upper rock outcrops; Pitund regrowth; dom. weeds; upper listings subject to bdy. survey (possibly road reserve)
Highland Ridge	residential	16 Highland Ridge- rear garden/ lower slope	08.12.14	tree group	10ag(i)	Corgum	1	60-80+	12	4	fair	5.0	restricted	TPO; Corgum- on steep lower slope; ext. dead wood & epicormic growth; exotic garden/ highly modified; Pitund regrowth; dom. weeds
Highland Ridge	residential	17 Highland Ridge- front garden/ lower level	08.12.14	tree group	10ag(i)	Cergum	1	15-20+	5	2	good	5.0	restricted	TPO; Harbour Lane frontage (aka 13 Harbour Lane/ adj. to pedestrian right-of-way); Cergum- possibly cultivated; exotic terraced garden

Highland Ridge	residential	17 Highland Ridge- rear garden/ lower terrace	08.12.14	tree group	10ag(i)	Angcra	1	?60-80+	9	7	good	5.0	restricted	TPO; Angcra- on lower terrace/ rock outcrops; possibly old growth specimen/ scheduled ROTAP: Conservation status: 2RCa on national rare species list (Briggs & Leigh 1996); Pitund regrowth; exotic terraced garden/ dom. weeds [TO CONFIRM LISTING - Lf./ Fr. sample collected 8/01/2015];
Highland Ridge	residential	17 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Allit	1	30-40+	6	5	good	5.0	restricted	TPO; Allit- on upper steep slope/ rock outcrops (adjacent to rear bdy./ Highland Ridge); leaning stem; Pitund regrowth; dom. weeds; subject to bdy. survey (possibly road reserve)
Highland Ridge	residential	18 Highland Ridge- front garden/ upper slope	08.12.14	tree group	10ag(i)	Angbak	1	80-100+	4	4	good	4.5	restricted	TPO; Angbak- on upper slope adj. to bdy. to verge (road reserve); old growth specimen/ some dead wood & vigorous epicormic growth; part of significant remnant native tree group/ community; exotic garden; local & generic native planting (incl. <i>Banksia integrifolia</i> )
Highland Ridge	residential	18 Highland Ridge- front garden/ upper slope	08.12.14	tree group	10ag(i)	Corgum	1	30-40+	14	5	good	4.5	restricted	TPO; Corgum- on upper slope/ rock outcrops adj. to bdy. No.16; some dead wood; part of significant remnant native tree group/ community; exotic garden; local & generic native planting
Highland Ridge	residential	18 Highland Ridge- front garden/ upper slope	08.12.14	tree group	10ag(i)	Allit	1	20-30+	9	7	fair	4.5	restricted	TPO; Allit- on upper slope/ rock outcrops; ext. dead wood; part of significant remnant native tree group/ community; exotic garden; local & generic native planting
Highland Ridge	residential	18 Highland Ridge- front garden/ upper slope	08.12.14	tree group	10ag(i)	Perlev	1	?50-60+	3	3	good	4.5	restricted	TPO; Perlev- on upper slope/ rock outcrops; ext. dead wood; part of significant remnant native tree group/ community; exotic garden; local & generic native planting
Highland Ridge	residential	18 Highland Ridge- front garden/ lower slope	08.12.14	tree group	10ag(i)	Eucrac	1	60-80+	14	10	good	4.5	restricted	TPO; Eucrac- on lower slope/ rock outcrops; some past lopping adj. to house/ some dead wood & vigorous epicormic growth; part of significant remnant native tree group/ community; exotic garden; local & generic native planting

Highland Ridge	residential	18 Highland Ridge-front garden/ lower slope	08.12.14	tree group	10ag(i)	Eucrac	1	50-60+	14	7	good	4.5	restricted	TPO; Eucrac- on lower slope/ rock outcrops; some past lopping adj. to house/ some dead wood & vigorous epicormic growth; part of significant remnant native tree group/ community; exotic garden; local & generic native planting
Highland Ridge	residential	18 Highland Ridge-front garden/ lower slope	08.12.14	tree group	10ag(i)	Cergum	1	40-50+	3	4	good	4.5	restricted	TPO; Cergum- on lower slope/ rock outcrops; lopped/ vigorous regrowth; part of significant remnant native tree group/ community
Highland Ridge	residential	18 Highland Ridge-front garden/ lower slope	08.12.14	tree group	10ag(i)	Cergum	1	20-30+	3	2	good	4.5	restricted	TPO; Cergum- on lower slope/ rock outcrops; lopped/ vigorous regrowth; part of significant remnant native tree group/ community
Highland Ridge	residential	18 Highland Ridge-front garden/ lower slope	08.12.14	tree group	10ag(i)	Cergum	1	20-30+	2	2	good	4.5	restricted	TPO; Cergum- on lower slope/ rock outcrops; lopped/ vigorous regrowth; part of significant remnant native tree group/ community
Highland Ridge	residential	18 Highland Ridge-front garden/ rock outcrops	08.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native understorey/ regrowth community (incl. Cergum, Perlev, Elaret, Cyaaus/ up to 60-80+ yrs) and remnant native ground layer (incl. Entstr, Hypmue, Caldub, Diacae) assoc. w. rock outcrops; Pitund regrowth; exotic weeds
Highland Ridge	residential	20 Highland Ridge- rear garden/ lower slope	12.12.14	tree group	10ag(i)	Eucpun	1	50-60+	14	12	good	4.5	restricted	TPO; Eucpun- on lower slope/ rock outcrops adj. to bdy. No.18; some lopping at base; part of significant remnant native tree group/ community; exotic garden; local & generic native planting
Highland Ridge	residential	20 Highland Ridge- rear garden/ lower slope	12.12.14	tree group	10ag(i)	Eucpun	1	40-50+	14	14	fair	4.5	restricted	TPO; Eucpun- on lower slope/ rock outcrops adj. to bdy. No.18 & vehicular right-of-way; ext. dead wood (20%)/ epicormic growth; part of significant remnant native tree group/ community; exotic garden
Highland Ridge	residential	20 Highland Ridge- rear garden/ lower slope	12.12.14	tree group	10ag(i)	Eucpun	1	15-20+	10	6	see notes	4.5	restricted	TPO; Eucpun- on lower slope/ rock outcrops adj. to bdy. No.18 & vehicular right-of-way; leaning main stem against Angcos (see listing below)/ vigorous new growth; part of significant remnant native tree group/ community; exotic garden



Highland Ridge	residential	20 Highland Ridge- rear garden/ lower slope	12.12.14	tree group	10ag(i)	Angcos	1	30-40+	14	6	good	4.5	restricted	TPO; Angcos- on lower slope/ rock outcrops adj. to bdy. No.18 & vehicular right-of-way; multi-stemmed (2); part of significant remnant native tree group/ community; exotic garden
Highland Ridge	residential	20 Highland Ridge- rear garden/ lower slope	12.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native regrowth/ regen. (incl. seedlings/ saplings- Angcos) & remnant native ground layer (incl. Caldub, Hypmue, Lasdec, Diacae) assoc. w. upper rock outcrops; Pitund regrowth; exotic weeds
Highland Ridge	residential	21 Highland Ridge- front garden/ upper level	08.12.14	tree group	10ar(i)	Eucpun	1	80-100+	8	12	see notes	5.0	restricted	TPO; Eucpun- old growth specimen/ large basal cavity; exotic terraced garden/ highly modified
Highland Ridge	residential	21 Highland Ridge- front garden/ upper level	08.12.14	tree group	10ar(i)	Cergum	1	?30-40+	3	3	good	5.0	restricted	TPO; Cergum- old growth specimen/ large basal cavity; exotic terraced garden/ highly modified
Highland Ridge	residential	21 Highland Ridge- rear garden/ rock outcrops	08.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				5.0	restricted	significant s/s scarp, rock outcrops & formations (overhang); exotic garden; Pitund regrowth
Highland Ridge	residential	21 Highland Ridge- rear garden/ rock outcrops	08.12.14	tree group	10ag(i)	Ficrub	1	30-40+	6	7	good	5.0	restricted	TPO; Ficrub- on rock outcrops; exotic garden/ highly modified
Highland Ridge	residential	22 Highland Ridge- rear garden/ mid-slope	12.12.14	tree group	10ag(i)	Allit	1	15-20+	7	4	good	4.5	restricted	TPO; Allit- on terraced slope/ rock outcrops; exotic garden/ highly modified (dom. <i>Pinus</i> sp.); dom. weeds
Highland Ridge	residential	22 Highland Ridge- rear garden/ mid-slope	12.12.14	tree group	10ag(i)	Cergum	1	60-80+	6	4	good	4.5	restricted	TPO; Cergum- on mid-slope/ rock outcrops; exotic garden/ highly modified; dom. weeds
Highland Ridge	residential	22 Highland Ridge- rear garden/ mid-slope	12.12.14	tree group	10ag(i)	Cergum	1	30-40+	4	2	good	4.5	restricted	TPO; Cergum- on mid-slope/ rock outcrops; exotic garden/ highly modified; dom. weeds
Highland Ridge	residential	22 Highland Ridge- rear garden/ mid-slope	12.12.14	tree group	10ag(i)	Acmsmi	1	60-80+	7	5	good	4.5	restricted	TPO; Acmsmi- on mid-slope/ rock outcrops; multi-stemmed (3)/ possibly cultivated; exotic garden/ highly modified; dom. weeds
Highland Ridge	residential	22 Highland Ridge- rear garden/ rock outcrops	12.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native regrowth/ regen. (incl. seedlings/ saplings- Allit) and remnant native ground layer (incl. Acasua, Diacae, Smigly) assoc. w. rock outcrops; Banser (dead -stag/ old growth); Pitund (dom.) regrowth; dom. weeds

Highland Ridge	residential	22 Highland Ridge- rear garden/ upper slope	12.12.14	tree group	10ag(i)	Cergum	1	80-100+	7	7	good	4.5	restricted	TPO; Cergum- on upper steep slope/ rock outcrops (adj. to Highland Ridge frontage); old growth group (6+ stems)/ likely single specimen (5-7m HT/ 7m combined canopy diameter incl. 1X old fallen dead stem w. basal coppicing); significant remnant native understorey group; dom. weeds
Highland Ridge	residential	22 Highland Ridge- rear garden/ upper slope	12.12.14	tree group	10ag(i)	Allit	1	40-50+	9	8	fair	4.5	restricted	TPO; Allit- on upper steep slope/ rock outcrops (adj. to Highland Ridge frontage); ext. dead wood (30%); subject to bdy. survey (possibly on road reserve)
Highland Ridge	residential	23 Highland Ridge- rear garden/ rock outcrops	08.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				4.5	restricted	significant s/s scarp & rock outcrops; exotic garden; remnant natives (incl. Pteesc, Breobl); dom. weeds
Highland Ridge	residential	23 Highland Ridge- rear garden/ upper scarp	08.12.14	tree group	10ar(i)	Corgum	1	80-100+	12	9	poor	4.5	restricted	TPO; Corgum- on upper scarp; ext. dead wood (20%)/ epicormic growth; exotic garden/ generic native planting; dom. weeds
Highland Ridge	residential	23 Highland Ridge- rear garden/ upper scarp	08.12.14	tree group	10ar(i)	Ficrub	1	50-60+	6	14	good	4.5	restricted	TPO; Ficrub- multi-stemmed specimen on upper scarp/ rock outcrops; exotic garden/ dom. weeds
Highland Ridge	residential	23 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Eucpun	1	60-80+	12	9	fair	4.5	restricted	TPO; Eucpun- on upper slope (below scarp); ext. dead wood & epicormic growth; exotic garden/ dom. weeds
Highland Ridge	residential	23 Highland Ridge- rear garden/ lower slope	08.12.14	tree group	10ag(i)	Eucpun	1	50-60+	12	12	fair	4.5	restricted	TPO; Eucpun- on lower slope adj. to bdy. No.21; ext. dead wood/ epicormic growth; exotic garden/ dom. weeds
Highland Ridge	residential	24 Highland Ridge- front garden/ lower level	12.12.14	tree group	10ag(i)	Euchae	1	50-60+	9	8	good	5.0	restricted	TPO; Euchae- on raised lawn area adj. to vehicular right-of-way; some dead wood (incl. large branch)/ vigorous new growth; exotic garden/ highly modified
Highland Ridge	residential	24 Highland Ridge- rear garden/ upper slope	12.12.14	tree group	10ag(i)	Eucpun	1	60-80+	12	10	poor	4.5	restricted	TPO; Eucpun- on upper steep slope/ rock outcrops (adj. to Highland Ridge frontage); ext. dead wood (40%)/ epicormic growth; exotic garden/ highly modified; Pitund regrowth; local & generic native planting; dom. weeds

Highland Ridge	residential	24 Highland Ridge- rear garden/ upper slope	12.12.14	tree group	10ag(i)	Eucpun	1	60-80+	12	12	good	4.5	restricted	TPO; Eucpun- on upper steep slope/ rock outcrops (adj. to Highland Ridge frontage); exotic garden/ highly modified; dom. weeds
Highland Ridge	residential	24 Highland Ridge- rear garden/ upper slope	12.12.14	tree group	10ag(i)	Allit	1	15-20+	6	3	good	4.5	restricted	TPO; Allit- on upper steep slope/ rock outcrops (adj. to Highland Ridge frontage); exotic garden/ highly modified; dom. weeds
Highland Ridge	residential	24 Highland Ridge- rear garden/ upper slope	12.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native regrowth/ regen. (incl. seedlings/ saplings- Allit, Elaret) and remnant native ground layer (incl. Blecar, Diacae, Smigly) assoc. w. rock outcrops; subject to bdy. survey; Pitund regrowth; dom. weeds
Highland Ridge	residential	25 Highland Ridge- front garden/ upper level	08.12.14	tree group	10ar(i)	Eucrac	1	15-20+	7	6	good	5.0	restricted	TPO; Eucrac- adj. to upper front bdy.; exotic garden/ new subdivision; highly modified
Highland Ridge	residential	25 Highland Ridge- front garden/ upper slope	08.12.14	tree group	10ar(i)	Eucpun	1	50-60+	12	10	fair	5.0	restricted	TPO; Eucpun- adj. to bdy. No.23; ext. dead wood/ epicormic growth; exotic garden/ new subdivision; highly modified
Highland Ridge	residential	25 Highland Ridge- rear garden/ rock outcrops	08.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				5.0	restricted	significant s/s scarp & rock outcrops; exotic garden
Highland Ridge	residential	26 Highland Ridge- front garden/ lower level	12.12.14	tree group	10ag(i)	Eucrac	1	80-100+	15	18	good	5.0	restricted	TPO; Eucrac- exotic garden (adj. to vehicular right-of-way); old growth specimen/ vigorous growth w. some dead wood
Highland Ridge	residential	26 Highland Ridge- rear garden/ lower slope	12.12.14	tree group	10ag(i)	Eucpun	1	30-40+	12	10	good	2.4	fragmented	TPO; Eucpun- on lower slope/ rock outcrops adj. to pool; some dead wood; part of significant remnant native tree group/ community; local & generic native planting
Highland Ridge	residential	26 Highland Ridge- rear garden/ lower slope	12.12.14	tree group	10ag(i)	Allit	1	20-30+	9	5	poor	2.4	fragmented	TPO; Allit- on lower slope/ rock outcrops adj. to pool; part of significant remnant native tree group/ community; local & generic native planting
Highland Ridge	residential	26 Highland Ridge- rear garden/ rock outcrops	12.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				2.4	fragmented	significant s/s scarp (upper level) and rock outcrops; remnant native community/ high biodiversity (see listing below)

Highland Ridge	residential	26 Highland Ridge- rear garden/ mid-lower slope	12.12.14	remnant community	10ag(i)	see notes	n/a					2.4	fragmented	remnant native regrowth/ regen. (incl. Angcos, Cergum, Hakdac, Allit, Elaret, Perlev, Notlon, Xanarb, Breobl, Polsam/ up to 15-20+yrs) & remnant native ground layer (incl. Acauli, Lomlon, Lomgla, Lepvar, Entstr, Smigly, Diacae) assoc. w. rock outcrops; high biodiversity/ some weed invasion; Pitund regrowth; area would respond positively to bush regeneration strategy
Highland Ridge	residential	26 Highland Ridge- rear garden/ mid-lower slope	12.12.14	tree group	10ag(i)	Eucpun	1	50-60+	10	12	good	2.4	fragmented	TPO; Eucpun- on mid- to lower steep slope/ rock outcrops; some dead wood; part of significant remnant native tree group/ community; local & generic native planting
Highland Ridge	residential	26 Highland Ridge- rear garden/ mid-lower slope	12.12.14	tree group	10ag(i)	Hakdac	1	?50-60+	9	6	fair	2.4	fragmented	TPO; Hakdac- on mid- to lower steep slope/ rock outcrops; ext. dead wood; part of significant remnant native tree group/ community
Highland Ridge	residential	26 Highland Ridge- rear garden/ mid-lower slope	12.12.14	tree group	10ag(i)	Eucpun	1	60-80+	10	12	good	2.4	fragmented	TPO; Eucpun- on mid- to lower steep slope/ rock outcrops; 1X broken stem at base & insect damage; part of significant remnant native tree group/ community
Highland Ridge	residential	26 Highland Ridge- rear garden/ mid-lower slope	12.12.14	tree group	10ag(i)	Cergum	1	20-30+	6	3	good	2.4	fragmented	TPO; Cergum- on mid- to lower steep slope/ rock outcrops; part of significant remnant native tree group/ community
Highland Ridge	residential	26 Highland Ridge- rear garden/ mid-lower slope	12.12.14	tree group	10ag(i)	Hakdac	1	20-30+	7	4	good	2.4	fragmented	TPO; Hakdac- on mid- to lower steep slope/ rock outcrops; part of significant remnant native tree group/ community
Highland Ridge	residential	26 Highland Ridge- rear garden/ mid-lower slope	12.12.14	tree group	10ag(i)	Hakdac	1	20-30+	7	4	good	2.4	fragmented	TPO; Hakdac- on mid- to lower steep slope/ rock outcrops; part of significant remnant native tree group/ community
Highland Ridge	residential	26 Highland Ridge- rear garden/ mid-lower slope	12.12.14	tree group	10ag(i)	Perlev	n/a	varies				2.4	fragmented	TPO; Perlev (5+ individual trees)- significant remnant native understorey/ varying age structure (up to 2-3m HT/ up to 20-30yrs)
Highland Ridge	residential	26 Highland Ridge- rear garden/ mid-lower slope	12.12.14	tree group	10ag(i)	Allit	n/a	varies				2.4	fragmented	TPO; Allit (9+ individual trees)- significant remnant native understorey (dom.)/ varying age structure (up to 7-10m HT/ up to 20-30yrs)

Highland Ridge	residential	26 Highland Ridge- rear garden/ upper slope	12.12.14	tree group	10ag(i)	Eucpun	1	20-30+	8	7	good	4.5	restricted	TPO; Eucpun- on upper steep slope/ rock outcrops (adj. to road reserve); part of significant remnant native tree group/ community; also local & generic native planting (restoration planting); Pitund regrowth; dom. weeds
Highland Ridge	residential	26 Highland Ridge- rear garden/ upper slope	12.12.14	tree group	10ag(i)	Angbak	1	50-60+	4	2	fair	4.5	restricted	TPO; Angbak- on upper steep slope/ rock outcrops (adj. to road reserve); ext. dead wood/ vigorous new growth; part of significant remnant native tree group/ community
Highland Ridge	residential	26 Highland Ridge- rear garden/ upper slope	12.12.14	tree group	10ag(i)	Allit	n/a	varies				4.5	restricted	TPO; Allit (7+ individual trees)- significant remnant native understorey (dom.)/ varying age structure (up to 7-10m HT/ up to 20-30yrs)
Highland Ridge	residential	26 Highland Ridge- rear garden/ upper slope	12.12.14	tree group	10ag(i)	Elaret	n/a	varies				4.5	restricted	TPO; Elaret (5+ individual trees)- significant remnant native understorey/ varying age structure (up to 5-7m HT/ up to 20-30yrs)
Highland Ridge	road reserve	verge adj. to 26 Highland Ridge	12.12.14	tree group	10ag(i)	Eucpun	1	80-100+	12	16	good	4.5	restricted	TPO; Eucpun- on verge (road reserve) adj. to upper steep slope/ rock outcrops (26 Highland Ridge); old growth specimen/ lopped & some dead wood; part of significant remnant native tree group/ community; part of significant old growth tree group in streetscape (see listings); dom. weeds; listing subject to bdy. survey
Highland Ridge	road reserve	verge adj. to 26 Highland Ridge	12.12.14	tree group	10ag(i)	Corgum	1	80-100+	12	7	fair	4.5	restricted	TPO; Corgum- on verge (road reserve) adj. to upper steep slope/ rock outcrops (26 Highland Ridge); old growth specimen/ ext. dead wood (30%)/ epicormic growth; part of significant remnant native tree group/ community; listing subject to bdy. survey
Highland Ridge	road reserve	verge adj. to 26 Highland Ridge	12.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native regrowth/ regen. (incl. Angcos, Allit, Diacae, Lomlon); exotic garden/ mixed local & generic native planting (restoration planting); highly modified/ varying level of weeds

Highland Ridge	residential	27 Highland Ridge- rear garden/ rock outcrops	08.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				5.0	restricted	significant rock outcrops; exotic garden/ mixed local & generic native planting (incl. <i>Eucalyptus paniculata</i> ); remnant natives (Polsam, Dodtri- possibly planted & Pitund/ Glofer regrowth); highly modified/ dom. weeds
Highland Ridge	residential	27 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Eucpun	1	60-80+	15	15	good	5.0	restricted	TPO; Eucpun- on upper slope/ rock outcrops adj. to bdy. No.29; some dead wood; exotic garden/ dom. weeds
Highland Ridge	residential	27 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Eucpun	1	60-80+	12	8	good	5.0	restricted	TPO; Eucpun- on upper slope/ rock outcrops adj. to bdy. No.25A; leaning main stem; exotic garden/ dom. weeds
Highland Ridge	residential	27 Highland Ridge- rear garden/ lower slope	08.12.14	tree group	10ag(i)	Glofer	1	30-40+	9	9	good	5.0	restricted	TPO; Glofer- on lower slope/ rock outcrops; exotic garden/ dom. weeds
Highland Ridge	residential	27 Highland Ridge- rear garden/ lower slope	08.12.14	tree group	10ag(i)	Glofer	1	30-40+	10	9	good	5.0	restricted	TPO; Glofer- on lower slope/ rock outcrops; exotic garden/ dom. weeds
Highland Ridge	residential	28 Highland Ridge- rear garden/ lower slope	12.12.14	tree group	10ag(i)	Banser	1	30-40+	7	5	good	4.5	fragmented	TPO; Banser- on lower slope/ rock outcrops; part of significant remnant native tree group/ community; exotic garden
Highland Ridge	residential	28 Highland Ridge- rear garden/ lower slope	12.12.14	remnant community	10ag(i)	see notes	n/a					4.5	fragmented	remnant native regrowth/ regen. (incl. seedlings/ saplings- Allit, Hakdac/ up to 10-15+yrs) and remnant native ground layer (incl. Lomlon, Entstr); Pitund regrowth
Highland Ridge	residential	28 Highland Ridge- rear garden/ upper rock outcrops	12.12.14	remnant community	10ag(i)	see notes	n/a					1.3	fragmented	remnant native regrowth/ regen. (incl. Angcos, Euchae, Cergum, Hakdac (dom.), Allit, Kunamb, Elaret, Perlev, Ficrub/ up to 15-20+yrs) & remnant native shrubs/ ground layer (incl. Notlon, Xanarb, Crosal, Pulsti, Epalon, Breobl, Polsam, Acasua, Lomlon, Pteesc, Caldub, Entstr, Impcyl, Diacae, Schmel, Smigly) assoc. w. rock shelf, overhang & outcrops; high biodiversity/ minimal weed invasion; area would respond positively to bush regeneration strategy

Highland Ridge	residential	28 Highland Ridge- rear garden/ upper rock outcrops	12.12.14	tree group	10ag(i)	Acmsmi	1	30-40+	7	4	good	1.3	fragmented	TPO; Acmsmi- on rock shelf (upper slope); part of significant remnant native tree group/ community
Highland Ridge	residential	28 Highland Ridge- rear garden/ upper rock outcrops	12.12.14	tree group	10ag(i)	Eucrac	1	80-100+	10	9	good	2.5	fragmented	TPO; Eucrac- on rock shelf/ outcrops; old growth specimen/ lopped at base & large basal cavity; part of significant remnant native tree group/ community
Highland Ridge	residential	28 Highland Ridge- rear garden/ upper rock outcrops	12.12.14	tree group	10ag(i)	Euchae	1	30-40+	8	7	fair	2.5	fragmented	TPO; Euchae- on upper slope/ rock outcrops adj. to bdy. No.30; ext. dead wood; part of significant remnant native tree group/ community; varying level of weeds
Highland Ridge	residential	28 Highland Ridge- rear garden/ upper rock outcrops	12.12.14	tree group	10ag(i)	Euchae	1	15-20+	5	3	good	2.5	fragmented	TPO; Euchae- on upper slope/ rock outcrops; part of significant remnant native tree group/ community
Highland Ridge	residential	28 Highland Ridge- rear garden/ upper rock outcrops	12.12.14	tree group	10ag(i)	Hakdac	1	30-40+	6	5	good	2.5	fragmented	TPO; Hakdac- on upper slope/ rock outcrops; part of significant remnant native tree group/ community
Highland Ridge	residential	28 Highland Ridge- rear garden/ upper rock outcrops	12.12.14	tree group	10ag(i)	Kunamb	1	?40-50+	4	5	fair	2.5	fragmented	TPO; Kunamb- on upper slope/ rock outcrops; old specimen; part of significant remnant native tree group/ community
Highland Ridge	residential	28 Highland Ridge- rear garden/ upper rock outcrops	12.12.14	tree group	10ag(i)	Corgum	1	60-80+	12	7	fair	2.5	fragmented	TPO; Corgum- on upper slope/ rock outcrops; old growth specimen/ leaning w. ext. dead wood/ cavities; part of significant remnant native tree group/ community; Pitund regrowth; varying level of weeds
Highland Ridge	road reserve	verge adj. to 28 Highland Ridge	12.12.14	tree group	10ag(i)	Eucpun	1	40-50+	10	14	good	4.5	restricted	TPO; Eucpun- on verge (road reserve) adj. to upper steep slope/ rock shelf (28 Highland Ridge); some dead wood; part of significant remnant native tree group/ community; dom. weeds; listing subject to bdy. survey
Highland Ridge	road reserve	verge adj. to 28 Highland Ridge	12.12.14	tree group	10ag(i)	Eucpun	1	80-100+	9	12	fair	4.5	restricted	TPO; Eucpun- on verge (road reserve) adj. to upper steep slope/ rock shelf (28 Highland Ridge); old growth specimen/ ext. dead wood (30%); part of significant remnant native tree group/ community; dom. weeds; listing subject to bdy. survey

Highland Ridge	road reserve	verge adj. to 28 Highland Ridge	12.12.14	remnant community	10ag(i)	see notes	n/a						4.5	restricted	remnant native regrowth/ regen. (incl. seedlings/ saplings- Allit, Hakdac, Acalon) and remnant native ground layer (incl. Lomlon, Austen); Pitund regrowth; mixed local & generic native planting/ regen.; dom. weeds; listings subject to bdy. survey
Highland Ridge	residential	29 Highland Ridge- front garden/ upper level	08.12.14	tree group	10ag(i)	Eucpun	1	20-30+	12	12	fair	5.0	restricted	TPO; Eucpun- on upper level adj. to front bdy.; ext. dead wood (30%)/ epicormic growth; exotic garden/ highly modified	
Highland Ridge	residential	29 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Eucpun	1	60-80+	15	10	good	5.0	restricted	TPO; Eucpun- on upper slope/ rock outcrops adj. to bdy. No.31; leaning main stem/ some dead wood; exotic garden/ dom. generic native planting; dom. weeds	
Highland Ridge	residential	29 Highland Ridge- rear garden/ lower level	08.12.14	tree group	10ag(i)	Angcos	1	15-20+	8	3	good	5.0	restricted	TPO; Angcos- adj. to lower bdy. (Harbour Lane frontage); exotic garden/ dom. generic native planting ( <i>Eucalyptus saligna</i> / <i>E. microcorys</i> ); dom. weeds; subject to bdy. survey (possibly road reserve)	
Highland Ridge	road reserve	verge adj. to 30 Highland Ridge	12.12.14	single tree	10ag(i)	Euchae	1	80-100+	15	15	good	4.5	restricted	TPO; Euchae- on verge (road reserve) adj. to bdy. No.30 Highland Ridge; old growth specimen/ 1000mm dbh; component of significant old growth tree group in streetscape (see listings); dom. weeds; listing subject to bdy. survey	
Highland Ridge	road reserve	verge adj. to 30 Highland Ridge	12.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native regrowth/ regen. (incl. seedlings/ saplings- Allit, Acapar); exotic garden/ highly modified; mixed local & generic native planting/ regen. ( <i>Corymbia citriodora</i> ); dom. weeds	
Highland Ridge	residential	32 Highland Ridge- front garden	12.12.14	single tree	10ag(i)	Glofer	1	20-30+	6	6	good	4.5	restricted	TPO; Glofer- exotic garden/ highly modified (see remnant community below)	
Highland Ridge	road reserve	32 Highland Ridge- front garden	12.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	adj. to front bdy. & No.34; remnant native regrowth/ regen. (incl. seedlings/ saplings- Glofer, Kunamb, Acalin) and remnant native ground layer (incl. Lomlon, Diacae, Caldub, Entstr); also generic native planting; dom. weeds	



Highland Ridge	residential	33 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Eucpun	1	60-80+	12	16	good	5.0	restricted	TPO; Eucpun- adj. to bdy. to reserve (Harbour Lane frontage); multi-stemmed specimen (3) at base; exotic garden/ dom. weeds; subject to bdy. survey (adj. public reserve)
Highland Ridge	residential	33 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Allit	1	15-20+	7	6	good	5.0	restricted	TPO; Allit- exotic garden/ dom. weeds; also Allit regen./ sapling
Highland Ridge	residential	33 Highland Ridge- rear garden/ lower level	08.12.14	tree group	10ag(i)	Corgum	1	80-100+	12	15	good	5.0	restricted	TPO; Corgum- adj. to lower bdy. (Harbour Lane frontage); old growth specimen/ some dead wood; exotic garden/ dom. weeds
Highland Ridge	residential	33 Highland Ridge- rear garden/ upper slope	08.12.14	tree group	10ag(i)	Cergum	1	30-40+	7	2	good	5.0	restricted	TPO; Cergum- on upper slope; exotic garden/ dom. weeds
Highland Ridge	road reserve	cnr. Highland Ridge/ Harbour Lane												see Harbour Lane/ Highland Ridge (road reserve listing- adj. to No.33 Highland Ridge)
Highland Ridge	residential	34 Highland Ridge- front garden	12.12.14	tree group	10ag(i)	Angbak	1	80-100+	7	6	good	5.0	restricted	TPO; Angbak- adj. to front bdy.; old growth multi-stemmed specimen/ some dead wood & vigorous growth; significant old growth remnant native tree; exotic garden/ dom. weeds
Highland Ridge	residential	34 Highland Ridge- front garden	12.12.14	tree group	10ag(i)	Angbak	1	100-150+	9	7	fair	5.0	restricted	TPO; Angbak- upper slope adj. to bdy. No.32; old growth/ exceptionally large multi-stemmed (2) specimen/ ext. dead wood (40%) & vigorous epicormic growth; significant old growth remnant native tree; exotic garden/ dom. weeds
Highland Ridge	residential	34 Highland Ridge- front garden	12.12.14	tree group	10ag(i)	Glofer	1	15-20+	7	6	good	5.0	restricted	TPO; Glofer- exotic garden/ highly modified
Highland Ridge	road reserve	road cutting adj. to 36 Highland Ridge	12.12.14											see Rembrandt Drive (road reserve listing- adj. to rear bdy. No.36 Highland Ridge)
Highland Ridge	road reserve	road cutting adj. to 38 Highland Ridge	12.12.14											see Rembrandt Drive (road reserve listing- adj. to rear bdy. No.38 Highland Ridge)
<b>Lincoln Avenue</b>	public right-of-way	Lincoln Ave/ The Lee- lower steps	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a	varies				4.5	restricted	significant s/s scarp & rock outcrops; dom. weeds; remnant natives- Diacae
Lincoln Avenue	public right-of-way	Lincoln Ave/ The Lee- lower steps	10.10.14	tree group	10ar(i)	Euccam	1	unknown	3	4	good	4.5	restricted	TPO; Euccam- coppiced regrowth/ isolated rock outcrop adj. to steps & bdy. No.7 Lincoln Ave (Conservation Status: NSW TSC ROTAP 2VCi)

Lincoln Avenue	public right-of-way	Lincoln Ave/ The Lee-lower steps	10.10.14	tree group	10ar(i)	Angbak	1	?80-100+	5	4	very poor	4.5	restricted	TPO; Angbak- heavy pruning under powerlines/ ext. dead wood (80%); remove <i>Hedera</i> sp. (possibly same tree/ lignotuber No.7 Lincoln Ave)
Lincoln Avenue	residential	2 Lincoln Ave- front garden/ adj. to front bdy.	10.10.14	tree group	10ag(i)	Euces	1	80-100+	14	15	good	5.0	restricted	TPO; Euces- old growth spec./ some pruning for powerlines; exotic garden
Lincoln Avenue	residential	2 Lincoln Ave- upper rear garden/ adj. to bdy.	10.10.14	tree group	10ag(i)	Allit	1	20-30+	5	3	good	5.0	restricted	TPO; Allit- part of group/ regrowth; some dead wood; dom. weeds; Pitund regrowth
Lincoln Avenue	residential	2 Lincoln Ave- upper rear garden/ adj. to bdy.	10.10.14	tree group	10ag(i)	Allit	1	20-30+	7	5	good	5.0	restricted	TPO; Allit- part of group/ regrowth; some dead wood; dom. weeds; Pitund regrowth
Lincoln Avenue	residential	2 Lincoln Ave- upper rear garden/ adj. to bdy.	10.10.14	tree group	10ag(i)	Allit	1	20-30+	7	5	good	5.0	restricted	TPO; Allit- part of group/ regrowth; some dead wood; dom. weeds; Pitund regrowth
Lincoln Avenue	residential	2 Lincoln Ave- upper rear garden/ adj. to bdy.	10.10.14	tree group	10ag(i)	Corgum	1	60-80+	14	9	good	5.0	restricted	TPO; Corgum- adj. to bdy. No.4 Lincoln Ave; dom. weeds; Pitund regrowth
Lincoln Avenue	residential	3 Lincoln Ave- front garden	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a	varies				5.0	restricted	significant s/s scarp & rock outcrops; exotic garden; remnant natives- Hisinc, Pitund regrowth
Lincoln Avenue	residential	5 Lincoln Ave- front garden/ rock outcrops	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a	varies				5.0	restricted	significant s/s scarp & rock outcrops; exotic garden; remnant natives- Lomlon, Pitund regrowth
Lincoln Avenue	residential	5 Lincoln Ave- front garden/ rock outcrops	10.10.14	single tree	10ar(i)	Angcos	1	50-60+	7	5	good	5.0	restricted	TPO; Angcos- on rock outcrops
Lincoln Avenue	residential	6 Lincoln Ave- front garden	10.10.14	tree group	10ar(i)	Allit	1	20-30+	5	3	fair	5.0	restricted	TPO; Allit- some dead wood; exotic garden/ dom. weeds; generic native planting
Lincoln Avenue	residential	6 Lincoln Ave- front garden	10.10.14	tree group	10ar(i)	Angcos	1	<5	3	1	good	5.0	restricted	TPO; Angcos- possibly natural regeneration
Lincoln Avenue	residential	6 Lincoln Ave- rear garden/ upper scarp	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a	varies				2.5	fragmented	TPO; significant s/s scarp & rock outcrops; exotic garden/ dom. weeds; remnant natives- Allit, Elaret, Ficrub, Glofer, Pitund regrowth community (up to 10-20+ yrs age structure)
Lincoln Avenue	residential	6 Lincoln Ave- rear garden/ lower scarp	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a	varies				2.3	fragmented	TPO; significant remnant native community/ good regeneration on lower scarp adj. to bdy. No.19 Sugarloaf Cr- Allit, Elaret, Cergum, Baneri, Epalon, Acater, Lomlon, Hisinc, Ficrub, Glofer, Pitund (up to 10-20+ yrs age structure)

Lincoln Avenue	residential	7 Lincoln Ave- front garden/ rock outcrops	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a	varies				4.5	restricted	significant s/s scarp & rock outcrops; current building site; exotic garden/ dom. weeds; remnant natives- Diacae, Austen
Lincoln Avenue	residential	7 Lincoln Ave- front garden/ rock outcrops	10.10.14	tree group	10ar(i)	Angbak	1	?80-100+	5	4	poor	4.5	restricted	TPO; Angbak- on upper scarp (possibly same tree/ lignotuber in adj. right-of-way)
Lincoln Avenue	residential	7 Lincoln Ave- front garden/ rock outcrops	10.10.14	tree group	10ar(i)	Euccam	1	unknown	2.5	2.5	good	4.5	restricted	TPO; <b>CHECK</b> Euccam- coppiced regrowth/ on rock outcrop adj. to driveway & bdy. No.9 Lincoln Ave (possibly same parent/ underground rootstock as in right-of-way) (Conservation Status: NSW TSC ROTAP 2VCi)
Lincoln Avenue	residential	7 Lincoln Ave- front garden/ rock outcrops	10.10.14	tree group	10ar(i)	Euccam	1	unknown			good	4.5	restricted	TPO; <b>CHECK</b> Euccam- seedling or coppiced regrowth/ on upper rock outcrop adj. to driveway (Conservation Status: NSW TSC ROTAP 2VCi)
Lincoln Avenue	residential	9 Lincoln Ave- front garden/ rock outcrops	10.10.14	tree group	10ar(i)	Corgum	1	80-100+	9	9	good	2.5	restricted	TPO; Corgum- old growth; part of significant mixed remnant group/ community adj. to driveway/ entry; varying level of weeds; ext. recent clearing (up to 30+ stems/ 5-50cm dbh) under RFS 10/50 Code; some herbicidal damage evident
Lincoln Avenue	residential	9 Lincoln Ave- front garden/ rock outcrops	10.10.14	tree group	10ar(i)	Allit	1	20-30+	4	3	good	2.5	restricted	TPO; Allit- part of significant remnant group/ community adj. to driveway/ entry; varying level of weeds; ext. recent clearing (up to 30+ stems/ 5-50cm dbh) under RFS 10/50 Code; herbicidal damage evident
Lincoln Avenue	residential	9 Lincoln Ave- front garden/ rock outcrops	10.10.14	tree group	10ar(i)	Allit	1	20-30+	4	3	good	2.5	restricted	TPO; Allit- part of significant remnant group/ community adj. to driveway/ entry; varying level of weeds; ext. recent clearing (up to 30+ stems/ 5-50cm dbh) under RFS 10/50 Code; herbicidal damage evident
Lincoln Avenue	residential	9 Lincoln Ave- front garden/ rock outcrops	10.10.14	tree group	10ar(i)	Allit	1	30-40+	7	4	good	2.5	restricted	TPO; Allit- part of significant remnant group/ community adj. to driveway/ entry; varying level of weeds; ext. recent clearing (up to 30+ stems/ 5-50cm dbh) under RFS 10/50 Code; herbicidal damage evident

Lincoln Avenue	residential	9 Lincoln Ave- front garden/ rock outcrops	10.10.14	tree group	10ar(i)	Allit	1	30-40+	7	5	good	2.5	restricted	TPO; Allit- part of significant remnant group/ community adj. to driveway/ entry; varying level of weeds; ext. recent clearing (up to 30+ stems/ 5-50cm dbh) under RFS 10/50 Code; herbicidal damage evident
Lincoln Avenue	residential	9 Lincoln Ave- front garden/ rock outcrops	10.10.14	tree group	10ar(i)	Allit	1	30-40+	7	5	good	2.5	restricted	TPO; Allit- part of significant remnant group/ community adj. to driveway/ entry; varying level of weeds; ext. recent clearing (up to 30+ stems/ 5-50cm dbh) under RFS 10/50 Code; herbicidal damage evident
Lincoln Avenue	residential	9 Lincoln Ave- front garden/ rock outcrops	10.10.14	tree group	10ar(i)	Cergum	1	20-30+	3	1	good	2.5	restricted	TPO; Cergum- part of significant remnant group/ community adj. to driveway/ entry; varying level of weeds; ext. recent clearing (up to 30+ stems/ 5-50cm dbh) under RFS 10/50 Code; herbicidal damage evident
Lincoln Avenue	residential	9 Lincoln Ave- front garden/ rock outcrops	10.10.14	tree group	10ar(i)	Cergum	1	30-40+	4	2	good	2.5	restricted	TPO; Cergum- part of significant remnant group/ community adj. to driveway/ entry; varying level of weeds; ext. recent clearing (up to 30+ stems/ 5-50cm dbh) under RFS 10/50 Code; herbicidal damage evident
Lincoln Avenue	residential	9 Lincoln Ave- front garden/ rock outcrops	10.10.14	remnant community	10ar(i)	see notes	n/a	varies				2.5	restricted	remnant native ground stratum associated with rock outcrops (incl. Crosal, Entstr, Lomgla, Lomlon, Diacae)
Lincoln Avenue	residential	9 Lincoln Ave- front garden	10.10.14	tree group	10ar(i)	Glofer	1	20-30+	7	6	good	5.0	isolated	TPO; Glofer- lawn adj. to bdy. No.10 The Lee
Lincoln Avenue	residential	9 Lincoln Ave- rear garden/ scarp	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a					4.5	fragmented	significant s/s scarp & rock outcrops; exotic garden/ dom. weeds; Pitund regrowth
Lincoln Avenue	residential	9 Lincoln Ave- rear garden/ scarp	10.10.14	tree group	10ar(i)	Corgum	1	80-100+	12	12	fair	4.5	fragmented	TPO;Corgum - old growth/ 30% dead wood; top of scarp
Lincoln Avenue	residential	9 Lincoln Ave- rear garden/ scarp	10.10.14	tree group	10ar(i)	Corgum	1	60-80+	10	6	poor	4.5	fragmented	TPO;Corgum - old growth/ extensive dead wood; top of scarp
Lincoln Avenue	residential	9 Lincoln Ave- rear garden/ scarp	10.10.14	tree group	10ar(i)	Allit	1	30-40+	7	4	good	4.5	fragmented	TPO;Corgum - old growth/ extensive dead wood; top of scarp
Lincoln Avenue	residential	9 Lincoln Ave- rear garden/ scarp	10.10.14	remnant community	10ar(i)	see notes	n/a	varies				4.5	fragmented	remnant natives/ regeneration associated with scarp/ rock outcrops (incl. Kunamb, Elaret, Lomlon, Diacae)

Lincoln Avenue	residential	10 Lincoln Ave- front garden	10.10.14	tree group	10ar(i)	Angcos	1	80-100+	14	14	good	4.5	fragmented	TPO; Angcos- old growth/ adj. to bdy. No.12 Lincoln Ave; exotic garden; remnant native ground layer- Lomlon, Caldub
Lincoln Avenue	residential	10 Lincoln Ave- rear garden/ scarp	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a					4.5	fragmented	significant s/s scarp & rock outcrops; exotic garden/ dom. weeds; Elaret, Pitund regrowth
Lincoln Avenue	residential	10 Lincoln Ave- rear garden/ upper scarp	10.10.14	tree group	10ar(i)	Corgum	1	40-50+	8	6	poor	4.5	fragmented	TPO; Corgum- extensive dead wood/ vigorous epicormic growth
Lincoln Avenue	residential	10 Lincoln Ave- rear garden/ upper scarp	10.10.14	tree group	10ar(i)	Corgum	1	40-50+	9	7	good	4.5	fragmented	TPO; Corgum- some dead wood in crown
Lincoln Avenue	residential	11 Lincoln Ave- rear garden/ scarp	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a					5.0	restricted	significant s/s scarp & rock outcrops; exotic garden
Lincoln Avenue	residential	11 Lincoln Ave- rear garden/ scarp	10.10.14	tree group	10ar(i)	Angcos	1	60-80+	10	12	good	5.0	restricted	TPO; Angcos- upper scarp
Lincoln Avenue	residential	11 Lincoln Ave- rear garden/ scarp	10.10.14	tree group	10ar(i)	Banser	1	750-60+	6	8	good	5.0	restricted	TPO; Angcos- upper scarp/ adj. to bdy. No.13 Lincoln Ave
Lincoln Avenue	residential	12 Lincoln Ave- front garden	10.10.14	tree group	10ar(i)	Eucpip	1	80-100+	10	7	good	5.0	fragmented	TPO; Eucpip- lopped/ old growth tree on upper slope adj. to driveway; exotic garden
Lincoln Avenue	residential	12 Lincoln Ave- front garden	10.10.14	tree group	10ar(i)	Angcos	1	60-80+	12	8	good	4.5	fragmented	TPO; Angcos- some dead wood in crown/ upper slope adj. to driveway
Lincoln Avenue	residential	12 Lincoln Ave- front garden	10.10.14	tree group	10ar(i)	Eucpip	1	<5			good	5.0	fragmented	TPO; Eucpip- natural regeneration
Lincoln Avenue	residential	12 Lincoln Ave- rear garden/ scarp	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a					5.0	restricted	significant rock outcrops/ scarp along lower bdy.; exotic garden/ dom. weeds
Lincoln Avenue	residential	12 Lincoln Ave- rear garden	10.10.14	tree group	10ar(i)	Angcos	1	50-60+	10	6	good	5.0	restricted	TPO; Angcos- some dead wood in crown/ adj. to house & bdy No.21 Lincoln Ave
Lincoln Avenue	residential	12 Lincoln Ave- rear garden	10.10.14	tree group	10ar(i)	Euchae	1	50-60+	10	10	good	5.0	restricted	TPO; Euchae- some dead wood in crown/ adj. to house & bdy No.21 Lincoln Ave
Lincoln Avenue	residential	15 Lincoln Ave- front garden	10.10.14	tree group	10ar(i)	Glofer	1	60-80+	10	9	good	5.0	restricted	TPO; Glofer- adj. to driveway; exotic garden/ Pitund regrowth
Lincoln Avenue	residential	15 Lincoln Ave- front garden	10.10.14	tree group	10ar(i)	Glofer	1	50-60+	10	7	good	5.0	restricted	TPO; Glofer- adj. to driveway; exotic garden/ Pitund regrowth
Lincoln Avenue	residential	15 Lincoln Ave- front garden	10.10.14	tree group	10ar(i)	Glofer	1	80-100+	10	12	good	5.0	restricted	TPO; Glofer- old growth/ lower terraced garden
Lincoln Avenue	residential	15 Lincoln Ave- rear garden	10.10.14	tree group	10ar(i)	Angcos	1	60-80+	10	7	good	4.5	restricted	TPO; Angcos- some dead wood/ vigorous new growth; upper terrace adj. to house; dom.weeds/ remnant native groundcovers

Lincoln Avenue	residential	15 Lincoln Ave- rear garden	10.10.14	tree group	10ar(i)	Ficrub	1	60-80+	8	8	good	4.5	restricted	TPO; Ficrub- multi-stemmed/ lopped on upper scarp adj. to bdy. No17 Lincoln Ave
Lincoln Avenue	residential	15 Lincoln Ave- rear garden	10.10.14	tree group	10ar(i)	Ficrub	1	20-30+	5	4	good	4.5	restricted	TPO; Ficrub- multi-stemmed/ lopped on lower terrace
Lincoln Avenue	residential	15 Lincoln Ave- rear garden	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a	varies				4.5	restricted	upper scarp/ exotic garden; remnant natives- Pteesc, Pitund regrowth
Lincoln Avenue	residential	17 Lincoln Ave- rear garden/ scarp	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a	varies				5.0	restricted	significant s/s scarp & rock outcrops; exotic garden/ dom. weeds; Kunamb, Ficrub, Pitund regrowth; no access
Lincoln Avenue	residential	17 Lincoln Ave- rear garden/ scarp	10.10.14	single tree	10ar(i)	Ficrub	1	20-30+	5	4	good	5.0	restricted	TPO; Ficrub- multi-stemmed/ top of scarp
<b>North Arm Road</b>	residential	1 North Arm Rd- rear garden/ upper slope	14.08.15	tree group	10ag(i)	Corgum	1	?100-150+	18	14	fair	5.0	fragmented	adj.SEPP19/ TPO; Corgum- on upper slope adj. to house/ deck & boundary to No.1A North Arm Rd; old growth specimen/ ext. dead wood (20%); part of significant remnant native tree group; exotic garden/ highly modified; dom. weeds
North Arm Road	residential	1 North Arm Rd- rear garden/ lower slope	14.08.15	tree group	10ag(i)	Angcos	1	60-80+	18	18	good	5.0	fragmented	adj.SEPP19/ TPO; Angcos- on lower slope adj. to pool/ lower terrace & boundary to No.1A North Arm Rd; some dead wood/ vigorous growth; part of significant remnant native tree group; subject to boundary survey; remnant natives (incl. Hypmue); dom. weeds
North Arm Road	residential	1 North Arm Rd- rear garden/ lower slope	14.08.15	tree group	10ag(i)	Eucpip	1	50-60+	8	10	fair	5.0	fragmented	adj.SEPP19/ TPO; Eucpip- on lower slope adj. to pool/ lower terrace & boundary to No.1A North Arm Rd; multi-stemmed (2) at base/ 1 X leaning stem; ext. dead wood & epicormic growth; part of significant remnant native tree group
North Arm Road	residential	1 North Arm Rd- rear garden/ lower slope	14.08.15	tree group	10ag(i)	Cergum	1	unknown	5	1	good	5.0	fragmented	adj.SEPP19/ TPO; Cergum- on embankment adj. to reserve boundary; lopped/ multi-stemmed regrowth; listing subject to boundary survey
North Arm Road	residential	1 North Arm Rd- rear garden/ lower slope	14.08.15	tree group	10ag(i)	Elaret	1	15-20+	7	3	good	5.0	fragmented	adj.SEPP19/ TPO; Elaret- regrowth on embankment adj. to reserve boundary; listing subject to boundary survey

North Arm Road	residential	1 North Arm Rd- rear garden/ lower slope	14.08.15	tree group	10ag(i)	Glofer	1	15-20+	6	5	good	5.0	fragmented	adj.SEPP19/ TPO; Glofer- regrowth on embankment adj. to reserve boundary; listing subject to boundary survey
North Arm Road	residential	1A North Arm Rd- front garden/ upper scarp	14.08.15	scarp/ rock outcrops	10ag(i)	see notes	n/a					4.5	fragmented	adj.SEPP19/ TPO; significant s/s scarp & rock outcrops; remnant native community (see below)
North Arm Road	residential	1A North Arm Rd- front garden/ upper scarp	14.08.15	?remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	adj.SEPP19/ TPO; upper scarp/ rock outcrops adj. to vehicular right-of-way; highly modified; local & generic native planting (incl. Allit/ Elaret/ Calser (up to 10-15yrs+/ up to 7m HT) & Dodtri, Grelin, Banint, <i>Acacia</i> spp./ all likely planted-unknown provenance); dom. weeds
North Arm Road	residential	1A North Arm Rd- front garden/ upper scarp	14.08.15	tree group	10ag(i)	Angcos	1	80-100+	16	16	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- on upper scarp face adj. to vehicular right-of-way; old growth specimen/ vigorous growth
North Arm Road	residential	1A North Arm Rd- front garden/ lower scarp	14.08.15	tree group	10ag(i)	Eucpip	1	?100-150+	18	15	good	3.5	fragmented	adj.SEPP19/ TPO; Eucpip- on lower scarp face; old growth specimen/ some dead wood
North Arm Road	residential	1A North Arm Rd- front garden/ lower scarp	14.08.15	remnant community	10ag(i)	see notes	n/a	varies				3.5	fragmented	adj.SEPP19/ TPO; lower scarp/ rock outcrops; remnant natives (incl. Allit/ Elaret/ Cergum/ Hakdac/ Ficrub regrowth (up to 10-15yrs+/ up to 3-7m HT) & Perpin, Acalin, Diacae, Smigly)/ <i>Cyathea cooperi</i> - cultivated origin; upper slope adj. to boundary No.23 Greenfield Ave-remnant natives (incl. Glofer/ Elaret regrowth (up to 5-10yrs+) & Gahery, Hypmue, Pteesc); generic native planting (incl. Banint); Pitund regrowth; dom. weeds
North Arm Road	residential	1A North Arm Rd- lower scarp/ upper SW slope	14.08.15	tree group	10ag(i)	Eucpip	1	?100-150+	22	20	good	3.5	fragmented	adj.SEPP19/ TPO; Eucpip- on upper slope (below scarp) adj. to house & boundary to No.23 Greenfield Ave; old growth multi-stemmed (2) specimen/ some dead wood
North Arm Road	residential	1A North Arm Rd- lower NW slope	14.08.15	tree group	10ag(i)	Corgum	1	20-30+	7	1	poor	1.2	contiguous	adj.SEPP19/ TPO; Corgum- on lower slope adj. to house/ boundary to No.23 Greenfield Ave & reserve; damaged upper main stem/ dead wood & epicormic growth

North Arm Road	residential	1A North Arm Rd- lower NW slope	14.08.15	tree group	10ag(i)	Cergum	1	?20-30+	7	4	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope adj. to house/ boundary to No.23 Greenfield Ave & reserve; part of significant remnant native Cergum group/ lignotuber regrowth (see listing: 23 Greenfield Ave)
North Arm Road	residential	1A North Arm Rd- lower NW slope	14.08.15	tree group	10ag(i)	Cergum	1	?20-30+	7	3	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope adj. to house/ boundary to No.23 Greenfield Ave & reserve; part of significant remnant native Cergum group/ lignotuber regrowth
North Arm Road	residential	1A North Arm Rd- lower NW slope	14.08.15	tree group	10ag(i)	Cergum	1	?20-30+	6	3	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope adj. to house/ boundary to No.23 Greenfield Ave & reserve; part of significant remnant native Cergum group/ lignotuber regrowth
North Arm Road	residential	1A North Arm Rd- lower NW slope	14.08.15	tree group	10ag(i)	Cergum	1	?15-20+	4	2	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope adj. to house/ boundary to No.23 Greenfield Ave & reserve; part of significant remnant native Cergum group/ lignotuber regrowth
North Arm Road	residential	1A North Arm Rd- lower NW slope	14.08.15	tree group	10ag(i)	Cergum	1	?15-20+	5	2	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope adj. to house/ boundary to No.23 Greenfield Ave & reserve; part of significant remnant native Cergum group/ lignotuber regrowth
North Arm Road	residential	1A North Arm Rd- lower NW slope	14.08.15	tree group	10ag(i)	Cergum	1	?15-20+	5	2	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope adj. to house/ boundary to No.23 Greenfield Ave & reserve; part of significant remnant native Cergum group/ lignotuber regrowth
North Arm Road	residential	1A North Arm Rd- lower NW slope	14.08.15	remnant community	10ag(i)	see notes	n/a	varies				1.2	contiguous	adj.SEPP19/ TPO; lower slope adj. to house/ boundary to No.23 Greenfield Ave & reserve; remnant natives (incl. Elaret/ Banser/ Cergum/ Glofer regrowth (up to 10-15yrs+ / up to 3-7m HT) & Polsam, Gahery, Hypmue, Smigly, Stejap); Pitund regrowth; Eucpip X1- dead standing tree (stag); minimal weeds
North Arm Road	residential	1A North Arm Rd- lower NW slope	14.08.15	tree group	10ag(i)	Banser	1	20-30+	4	4	poor	1.2	contiguous	adj.SEPP19/ TPO; Banser- on lower slope adj. to house/ boundary to No.23 Greenfield Ave & reserve; damaged stems/ ext. dead wood & epicormic growth



North Arm Road	residential	1A North Arm Rd- lower NW slope	14.08.15	tree group	10ag(i)	Angcos	1	60-80+	15	15	good	1.2	contiguous	adj.SEPP19/ TPO; Angcos- on lower slope adj. to house/ boundary to No.23 Greenfield Ave & reserve; multi-stemmed (2) at base; vigorous growth; listing subject to boundary survey
North Arm Road	residential	1A North Arm Rd- lower NE slope	14.08.15	tree group	10ag(i)	Angcos	1	?100-150+	25	22	good	3.5	contiguous	adj.SEPP19/ TPO; Angcos- on lower slope adj. to house/ boundary to No.1 North Arm Rd & reserve; old growth specimen/ some dead wood & vigorous growth
North Arm Road	residential	1A North Arm Rd- lower NE slope	14.08.15	tree group	10ag(i)	Angcos	1	?100-150+	25	20	good	3.5	contiguous	adj.SEPP19/ TPO; Angcos- on lower slope adj. to house/ boundary to No.1 North Arm Rd & reserve; old growth specimen/ some dead wood & vigorous growth
North Arm Road	residential	1A North Arm Rd- lower NE slope	14.08.15	tree group	10ag(i)	Angcos	1	80-100+	25	18	poor	3.5	contiguous	adj.SEPP19/ TPO; Angcos- on lower slope adj. to house/ boundary to No.1 North Arm Rd & reserve; old growth specimen/ some dead wood & vigorous growth
North Arm Road	residential	1A North Arm Rd- lower NE slope	14.08.15	remnant community	10ag(i)	see notes	n/a	varies				3.5	contiguous	adj.SEPP19/ TPO; lower slope adj. to house/ boundary to No.1 North Arm Rd & reserve; remnant natives (incl. Elaret (dom./ 9+)/ Cergum/ Glofer regrowth (up to 10-15yrs+/ up to 5-7m HT) & Perpin, Gahery, Caldub, Diacae, Smigly); local & generic native planting (incl. Acmsmi, Calser, <i>Cissus antarctica</i> ); Pitund (dom.) regrowth; dom. weeds
North Arm Road	residential	4 North Arm Rd- rear garden/ upper level	15.10.15	single tree	10ag(i)	Corgum	1	60-80+	16	4	see notes	5.0	fragmented	TPO; Corgum- some dead wood/ vigorous epicormic growth; on upper slope adj. to boundary No.1 Rembrandt Dve; exotic garden/ highly modified; Pitund regrowth; weeds
North Arm Road	residential	5 North Arm Rd- rear garden/ upper level	18.08.15	tree group	10ag(i)	Angcos	1	?100-150+	18	7	v.poor	5.0	fragmented	adj.SEPP19/ TPO; Angcos- on upper level adj. to pool deck; old growth specimen; heavily lopped/ ext. dead wood in upper crown & epicormic growth on lower trunk; exotic garden/ weed thicket on upper & lower slope to reserve; <i>Cyathea cooperi</i> / cultivated origin; dom. weeds

North Arm Road	residential	5 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	?40-50+	7	4	good	4.5	fragmented	adj.SEPP19/ TPO; Cergum- on lower slope/ vigorous growth; highly modified/ dom. exotics; weed thicket on lower slope; remnant natives (incl. Polsam, Grelin, Pteesc); Allit- old dead standing tree (stag); Pitund regrowth
North Arm Road	residential	5 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	?60-80+	6	4	fair	4.5	fragmented	adj.SEPP19/ TPO; Cergum- on lower slope; ext. dead wood/ vigorous new growth
North Arm Road	residential	5 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Elaret	1	30-40+	7	4	v.poor	4.5	fragmented	adj.SEPP19/ TPO; Elaret- on lower slope; ext. dead wood/ crown die-back (90%)
North Arm Road	residential	5 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Angcos	1	60-80+	18	15	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- on lower slope adj. to reserve boundary (pegged boundary); some dead wood/ vigorous growth
North Arm Road	residential	5 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Polsam	1	?50-60+	3	5	good	4.5	fragmented	adj.SEPP19/ TPO; Polsam- on lower slope adj. to reserve boundary (pegged boundary); old specimen (taxa); leaning main stem/ vigorous growth
North Arm Road	residential	6 North Arm Rd- rear garden/ upper level	15.10.15	single tree	10ag(i)	Eucpun	1	80-100+	18	18	good	5.0	fragmented	TPO; Eucpun- old growth multi-stemmed specimen; some dead wood/ vigorous growth; on upper rock outcrops adj. to boundary No.1 Rembrandt Dve & No.4 North Arm Rd; exotic garden/ highly modified; weeds
North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	?80-100+	14	12	fair	4.5	fragmented	adj.SEPP19/ TPO; Cergum- on lower slope; old growth multi-stemmed (2) specimen/ ext. dead wood (40%)/ vigorous new growth; highly modified upper terraces & lower slope; dom. exotics/ weed thicket; generic native planting ( <i>Casuarina</i> sp.)/ <i>Cyathea cooperi</i> - cultivated origin; Allit- old dead stumps; remnant native regrowth (see below)
North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Banser	1	50-60+	7	8	good	4.5	fragmented	adj.SEPP19/ TPO; Banser- on lower slope; lopped at base/ regrowth
North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Calser	1	?60-80+	6	9	good	4.5	fragmented	adj.SEPP19/ TPO; Calser- on lower slope; old damaged & dead stems/ multi-stemmed vigorous regrowth

North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Eucpun	1	15-20+	18	6	fair	4.5	fragmented	adj.SEPP19/ TPO; Eucpun- on lower slope; open crown/ poor vigour; possibly planted (unknown provenance)
North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Angcos	1	30-40+	18	8	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- on lower slope; some dead wood/ vigorous growth
North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	adj.SEPP19/ TPO; on lower slope & boundary to reserve (pegged boundary); remnant natives (incl. Cergum (varying age structure)/ Allit (dom./ 7+) regrowth (up to 20-30yrs+/ up to 12m HT) & Polsam, Xanarb, Pteesc, Lomlon); Angcos- regen./ saplings; Pitund regrowth (incl. old specimen); dom. weeds
North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	?60-80+	12	12	good	4.5	fragmented	adj.SEPP19/ TPO; Cergum- on lower slope; multi-stemmed (2) specimen/ 1 X stem snapped; vigorous growth; part of significant Cergum group/ lignotuber regrowth & varying age structure
North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	?50-60+	7	3	good	4.5	fragmented	adj.SEPP19/ TPO; Cergum- on lower slope; damaged main stem/ vigorous new growth; part of significant Cergum group (varying age structure)
North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	?50-60+	7	3	good	4.5	fragmented	adj.SEPP19/ TPO; Cergum- on lower slope; multi-stemmed (2) specimen/ vigorous new growth; part of significant Cergum group (varying age structure)
North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	?20-30+	2.5	1	good	4.5	fragmented	adj.SEPP19/ TPO; Cergum- on lower slope; lopped at base/ vigorous new growth; part of significant Cergum group (varying age structure)
North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	?20-30+	3	2	good	4.5	fragmented	adj.SEPP19/ TPO; Cergum- on lower slope adj. to reserve boundary; damaged base/ vigorous new growth; part of significant Cergum group (varying age structure)

North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	unknown	1.5	0.5	good	4.5	fragmented	adj.SEPP19/ TPO; Cergum- on lower slope/ boundary to reserve; lopped at base/ vigorous new growth; part of significant Cergum group (varying age structure)
North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	unknown	1.5	0.5	good	4.5	fragmented	adj.SEPP19/ TPO; Cergum- on lower slope/ boundary to reserve; lopped at base/ vigorous new growth; part of significant Cergum group (varying age structure)
North Arm Road	residential	7 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	?30-40+	12	2	good	4.5	fragmented	adj.SEPP19/ TPO; Cergum- on lower slope/ boundary to reserve; vigorous growth; part of significant Cergum group (varying age structure)
North Arm Road	residential	8 North Arm Rd- rear garden	15.10.15	single tree	10ag(i)	Corgum	1	60-80+	18	10	good	5.0	fragmented	TPO; Corgum- some dead wood/ vigorous growth; terraced exotic garden/ highly modified; adj. to boundary No.3 Rembrandt Dve & No.6 North Arm Rd; weeds
North Arm Road	residential	9 North Arm Rd- rear garden/ lower scarp	18.08.15	scarp/ rock outcrops	10ag(i)	see notes	n/a					4.5	fragmented	adj.SEPP19/ TPO; significant s/s scarp, rock outcrops & overhang (contiguous w. No.11, 13 & 15 North Arm Rd- see listings); highly modified/ no remnant native canopy trees; remnant native ferns assoc. w. lower scarp/ overhang (see below); dom. weeds
North Arm Road	residential	9 North Arm Rd- rear garden/ lower scarp	18.08.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	adj.SEPP19/ TPO; highly modified/ largely cleared; remnant native regrowth on lower scarp and slope to reserve boundary (incl. Hakgib, Pteesc, Diacae); remnant native ferns assoc. w. lower scarp/ overhang (incl. Todbar, Hisinc, Gledic, Adiaet, Bleamb, Ptevit)/ good regen; dom. weeds
North Arm Road	residential	11 North Arm Rd- rear garden/ lower scarp	18.08.15	scarp/ rock outcrops	10ag(i)	see notes	n/a					4.5	fragmented	adj.SEPP19/ TPO; significant s/s scarp, rock outcrops & overhang (contiguous w. No.9, 13 & 15 North Arm Rd- see listings); remnant native ferns assoc. w. lower scarp/ overhang (see below); dom. weeds

North Arm Road	residential	11 North Arm Rd- rear garden/ lower scarp	18.08.15	remnant community	10ag(i)	see notes	n/a	varies					4.5	fragmented	adj.SEPP19/ TPO; highly modified/ largely cleared; remnant native ground layer/ ferns (incl. Pteesc, Caldub, Hymmue) and fern species assoc. w. lower scarp/ overhang (incl. Todbar, Hisinc, Gledic, Glerup, Bleamb)/ good regen; generic native planting (incl. <i>Eucalyptus microcorys</i> ); dom. weeds
North Arm Road	residential	11 North Arm Rd- rear garden/ lower scarp	18.08.15	single tree	10ag(i)	Cergum	1	?80-100+	8	5	see notes	4.5	fragmented	adj.SEPP19/ TPO; Cergum- old growth specimen near base of scarp; ext. dead wood in upper crown/ vigorous new growth in mid- to lower crown incl. coppicing at base	
North Arm Road	residential	13 North Arm Rd- rear garden/ lower scarp	18.08.15	scarp/ rock outcrops	10ag(i)	see notes	n/a					4.5	fragmented	adj.SEPP19/ TPO; significant s/s scarp, rock outcrops & overhang (contiguous w. No.9, 11 & 15 North Arm Rd- see listings); remnant native ferns assoc. w. lower scarp/ overhang (see below); dom. exotics/ weeds	
North Arm Road	residential	13 North Arm Rd- rear garden/ lower scarp	18.08.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	adj.SEPP19/ TPO; highly modified/ largely cleared; remnant native ground layer/ ferns (incl. Pteesc, Hymmue) and fern species assoc. w. lower scarp/ overhang (incl. Todbar, Hisinc, Gledic, Glerup, Bleamb)/ good regen (incl. Ficrub seedling regrowth); local & generic native planting (incl. Acabin, <i>Hakea</i> sp.); dom. weeds	
North Arm Road	residential	13 North Arm Rd- rear garden/ lower scarp	18.08.15	tree group	10ag(i)	Cergum	1	?100-150+	9	8	good	4.5	fragmented	adj.SEPP19/ TPO; Cergum- old growth specimen multi-stemmed (3) at base; some damaged stems & dead wood/ vigorous new growth	
North Arm Road	residential	13 North Arm Rd- rear garden/ lower scarp	18.08.15	tree group	10ag(i)	Banser	1	20-30+	4	7	good	4.5	fragmented	adj.SEPP19/ TPO; Banser- leaning main stem/ vigorous growth	
North Arm Road	residential	15 North Arm Rd- rear garden/ upper slope	18.08.15	scarp/ rock outcrops	10ag(i)	see notes	n/a					4.5	fragmented	adj.SEPP19/ TPO; significant s/s scarp & rock outcrops (contiguous w. No.9, 11 & 13 North Arm Rd- see listings); exotic garden/ recently cleared; remnant native community/ significant mixed native tree group (see below); dom. weeds	

North Arm Road	residential	15 North Arm Rd- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Angcos	1	?100-150+	15	18	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- old growth specimen on upper rock outcrops; some dead wood/ vigorous new growth; part of significant native tree group (see adjoining listings: Nos. 1 & 3 The Quarterdeck)
North Arm Road	residential	15 North Arm Rd- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Elaret	1	30-40+	6	6	poor	4.5	fragmented	adj.SEPP19/ TPO; Elaret- on upper rock outcrops; ext. dead wood/ poor vigour
North Arm Road	residential	15 North Arm Rd- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Ficrub	1	?40-50+	4		see notes	4.5	fragmented	adj.SEPP19/ TPO; Ficrub- multi-stemmed specimen on upper rock outcrops; heavily lopped/ vigorous new growth
North Arm Road	residential	15 North Arm Rd- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Angcos	1	20-30+	16	8	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- on upper slope; some dead wood/ vigorous new growth
North Arm Road	residential	15 North Arm Rd- rear garden/ upper slope	18.08.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	adj.SEPP19/ TPO; highly modified/ largely cleared; remnant native regrowth on upper to lower slope (incl. Breobl, Pteesc, Caldub, Stejap); Acmsmi (30-40yrs+/ 7m HT)/ likely planted adj. to boundary No.1 The Quarterdeck; Pitund regrowth; <i>Cyathea cooperi</i> - cultivated origin; dom. weeds
North Arm Road	residential	15 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	20-30+	7	2	good	4.5	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope; snapped upper stems/ vigorous new growth
North Arm Road	residential	15 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Elaret	1	15-20+	7	2	good	4.5	contiguous	adj.SEPP19/ TPO; Elaret- on lower slope/ vigorous growth
North Arm Road	residential	15 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Elaret	1	15-20+	9	3	good	4.5	contiguous	adj.SEPP19/ TPO; Elaret- on lower slope/ vigorous growth
North Arm Road	residential	15 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Glofer	1	20-30+	9	7	good	4.5	contiguous	adj.SEPP19/ TPO; Glofer- on lower slope/ vigorous growth
North Arm Road	residential	15 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Corgum	1	60-80+	22	7	good	4.5	contiguous	adj.SEPP19/ TPO; Corgum- on lower slope adj. to reserve boundary; some dead wood/ vigorous new growth; part of significant native tree group (see adjoining listings: Nos. 1 & 3 The Quarterdeck)

North Arm Road	residential	15 North Arm Rd- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Angcos	1	80-100+	15	15	good	4.5	contiguous	adj.SEPP19/ TPO; Angcos- old growth specimen on lower slope adj. to reserve boundary; some dead wood/ vigorous new growth; part of significant native tree group (see adjoining listings: Nos. 1 & 3 The Quarterdeck)
North Arm Road	residential	16 North Arm Rd- rear garden	10.11.15	single tree	10ag(i)	Angcos	1	50-60+	18	15	good	5.0	fragmented	TPO; Angcos- some dead wood/ vigorous growth; adj. to pool & boundary to No.14 North Arm Rd; exotic/ native garden; highly modified; good regen. (incl. Angcos/ Glofer); local & generic native planting (incl. Kunamb, Elaret, Cergum, Ozodio, Acmsmi & <i>Corymbia citriodora</i> ); Note: immature Euchae X2/ front garden & Angcos X1 on public verge- planted by owner (unknown provenance)
North Arm Road	residential	20 North Arm Rd- front garden	10.11.15		10ag(i)	Angcos	1	15-20+	12	5	good	5.0	fragmented	TPO; Angcos- adj. to front boundary & verge; owner confirmed planting (unknown provenance); exotic garden/ highly modified; local & generic native planting (incl. <i>Corymbia citriodora</i> )
North Arm Road	residential	20 North Arm Rd- rear garden/ upper level	15.10.15	single tree	10ag(i)	Corgum	1	20-30+	9	3	see notes	5.0	restricted	TPO; Corgum- ext. dead wood/ crown die-back on main stem; vigorous multi-stemmed (2) regrowth on lower trunk; exotic garden/ highly modified; generic native planting (incl. Banint)
North Arm Road	residential	22 North Arm Rd- rear garden/ lower slope	15.10.15	single tree	10ag(i)	Cergum	1	?60-80+	9	6	good	5.0	fragmented	TPO; Cergum- multi-stemmed specimen; terraced exotic garden; highly modified/ dom. weeds
North Arm Road	road reserve	grass verge adj. to 24 North Arm Rd	18.09.15	single tree	10ag(i)	Angcos	1	60-80+	7	10	good	5.0	fragmented	TPO; Angcos- on grass verge adj. to boundary No.24 North Arm Rd; possibly old growth specimen; heavily lopped under overhead powerlines/ unbalanced crown & vigorous growth
North Arm Road	residential	28 North Arm Rd- front garden	10.11.15	rock outcrop	10ag(i)	see notes	n/a					5.0	fragmented	TPO; significant rock outcrop/ formation; highly modified; no remnant native canopy trees/ no native regen.; local & generic native planting (incl. Elaret, Banint); dom. weeds

North Arm Road	residential	30 North Arm Rd- rear garden/ upper level	09.11.15	tree group	10ag(i)	Eucpip	1	?100-150+	8	7	see notes	5.0	restricted	TPO; Eucpip- old growth multi-stemmed specimen; ext. dead wood/ heavily lopped w. dead older basal regrowth & new vigorous regrowth (up to 3m HT); on upper lawn; exotic terraced garden/ highly modified; dom. weeds
North Arm Road	residential	30 North Arm Rd- rear garden/ upper level	09.11.15	tree group	10ag(i)	Cergum	1	?60-80+	5	3	good	5.0	restricted	TPO; Cergum- heavily lopped/ vigorous regrowth; on upper terrace adj. to boundary No.32 North Arm Rd
North Arm Road	residential	38 North Arm Rd- front garden	10.11.15	tree group	10ag(i)	Angcos	1	40-50+	12	8	good	5.0	fragmented	TPO; Angcos- leaning main stem/ vigorous growth; competition w. planted <i>Syzygium paniculata</i> ; on upper terraced slope/ rock outcrops adj. to boundary No.36 North Arm Rd; exotic garden/ highly modified
North Arm Road	residential	38 North Arm Rd- front garden	10.11.15	tree group	10ag(i)	Cergum	1	?50-60+	2	4	good	5.0	fragmented	TPO; Cergum- heavily pruned/ vigorous growth; exotic garden/ highly modified
Note: Area D - listings subject to north-eastern boundary confirmation (HWM)			11.08.15	remnant community	4a	see notes	n/a	varies				4.5	fragmented	Willis Park - Scotts Creek riparian corridor grading to estuarine complex ( <i>Casuarina glauca/ Avicennia marina</i> ); highly modified/ dom. weeds; area under restoration strategy (not part of Glenaeon Rudolf Steiner School grounds)
Rembrandt Drive	residential	9 Rembrandt Dve- rear garden	10.11.15	single tree	10ag(i)	Ficrub	1	40-50+	14	14	good	5.0	restricted	TPO; Ficrub- vigorous growth; on upper scarp face & boundary to No.14 North Arm Rd; exotic garden/ highly modified; listing subject to boundary survey
Rembrandt Drive	residential	11 Rembrandt Dve- embankment	18.09.15	tree group	10ag(i)	Angcos	1	20-30+	12	8	good	4.5	fragmented	TPO; Angcos- multi-trunk/ vigorous growth; steep terraced embankment between vehicular right-of-way and Rembrandt Dve (upper verge); highly modified/ exotic garden; remnant native regrowth (incl. Pitund, Glofer (saplings), Pteesc); local & generic native planting (incl. Banint, <i>Acacia</i> spp.); dom. weeds; part of contiguous remnant native tree group/ community (see listings: Nos.13, 15 & 17 Rembrandt Dve & upper road reserve)



Rembrandt Drive	residential	11 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Glofer	1	unknown	1.5	1.5	see notes	4.5	fragmented	TPO; Glofer- lopped/ vigorous regrowth off old stump; steep terraced embankment between vehicular right-of-way and Rembrandt Dve (upper verge)
Rembrandt Drive	residential	11 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Corgum	1	?60-80+	20	16	good	4.5	fragmented	TPO; Corgum- possibly old growth specimen on lower slope/ rock outcrops adj. to boundary No.13 Rembrandt Dve; part of contiguous remnant native tree group/ community on steep embankment (see listings: Nos.13, 15 & 17 Rembrandt Dve)
Rembrandt Drive	residential	11 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Cergum	1	10-15+	3.5	2	good	4.5	fragmented	TPO; Cergum- on lower slope/ rock outcrops adj. to boundary No.13 Rembrandt Dve; part of contiguous remnant native tree group/ community on steep embankment (see listings: Nos.13, 15 & 17 Rembrandt Dve)
Rembrandt Drive	residential	11 Rembrandt Dve-rear garden	15.10.15	tree group	10ag(i)	Cergum	1	?80-100+	12	6	good	5.0	fragmented	TPO; Cergum- on lower lawn area adj. to boundary No.13 Rembrandt Dve; old growth specimen; exotic garden/ highly modified; <i>Cyathea cooperi</i> - cultivated origin; dom. weeds
Rembrandt Drive	residential	11 Rembrandt Dve-rear garden	15.10.15	tree group	10ag(i)	Angcos	1	15-20+	14	5	good	5.0	fragmented	TPO; Angcos- on boundary to No.13 Rembrandt Dve; vigorous growth
Rembrandt Drive	road reserve	upper verge adj. to 13-17 Rembrandt Dve	18.09.15	tree group	10ag(i)	Banser	1	10-15+	3	2	good	3.5	fragmented	TPO; Banser- on upper verge adj. to boundary No.13 Rembrandt Dve (opp. No.20 Rembrandt Dve); highly modified; restoration strategy/ likely planted (unknown provenance); part of contiguous remnant native tree group/ community on embankment (see listing: 13 Rembrandt Dve); listings subject to boundary survey; dom. weeds
Rembrandt Drive	road reserve	upper verge adj. to 13-17 Rembrandt Dve	18.09.15	tree group	10ag(i)	Eucsie	1	15-20+	12	6	good	3.5	fragmented	TPO; Eucsie- on upper verge adj. to boundary No.13 Rembrandt Dve (opp. No.20 Rembrandt Dve); vigorous growth
Rembrandt Drive	road reserve	upper verge adj. to 13-17 Rembrandt Dve	18.09.15	tree group	10ag(i)	Cergum	1	15-20+	3.5	2	good	3.5	fragmented	TPO; Cergum- on upper verge adj. to boundary No.13 Rembrandt Dve (opp. No.20 Rembrandt Dve); heavily pruned under overhead powerlines/ vigorous growth

Rembrandt Drive	road reserve	upper verge adj. to 13-17 Rembrandt Dve	18.09.15	tree group	10ag(i)	Eucpun	1	15-20+	12	5	good	3.5	fragmented	TPO; Eucpun- on upper verge adj. to boundary No.15 Rembrandt Dve (opp. No.22 Rembrandt Dve); vigorous growth
Rembrandt Drive	road reserve	upper verge adj. to 13-17 Rembrandt Dve	18.09.15	tree group	10ag(i)	Banser	1	15-20+	4	3	good	3.5	fragmented	TPO; Banser- on upper verge adj. to boundary No.15 Rembrandt Dve (opp. No.22 Rembrandt Dve); heavily pruned under overhead powerlines/ vigorous growth; likely planted
Rembrandt Drive	road reserve	upper verge adj. to 13-17 Rembrandt Dve	18.09.15	tree group	10ag(i)	Eucsie	1	40-50+	16	16	fair	3.5	fragmented	TPO; Eucsie- on upper verge adj. to boundary No.15 Rembrandt Dve (opp. No.22 Rembrandt Dve); ext. dead wood (20%)/ vigorous growth & pruning adj. to powerlines
Rembrandt Drive	road reserve	upper verge adj. to 13-17 Rembrandt Dve	18.09.15	tree group	10ag(i)	Angcos	1	15-20+	12	8	see notes	5.0	fragmented	TPO; Angcos- on upper terraced slope adj. to boundary No.17 Rembrandt Dve (opp. No.24 Rembrandt Dve); ext. damage to lower trunk/ insect damage & epicormic growth; highly modified/ ext. clearing, herbicidal treatment & mulching; owner confirmed survey boundary (survey peg)
Rembrandt Drive	road reserve	upper verge adj. to 13-17 Rembrandt Dve	18.09.15	remnant community	10ag(i)	see notes	n/a	varies				3.5	fragmented	TPO; on upper verge adj. to steep embankment/ boundary Nos.13-17 Rembrandt Dve (opp. Nos.20-22 Rembrandt Dve); highly modified; exotics/ dom. weeds; remnant native regrowth/ restoration strategy (incl. Allit (15+)- (up to 15-20yrs+/ up to 3m HT heavily lopped under powerlines) + Pteesc, Diacae, Entstr, Austen, Glycla); also Banspi, Anghis, Dodtri (up to 5-10yrs+)/ likely planted (unknown provenance); good native regen./ saplings (incl. Angcos, Eucsie, Eucpip, Allit, Elaret, Glofer); Pitund (dom.)/ Glofer regrowth; listings subject to boundary survey

Rembrandt Drive	residential	13 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Eucsie	1	50-60+	15	12	good	2.5	fragmented	TPO; Eucsie- some dead wood/ vigorous growth; on upper steep SW embankment/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); varying level of disturbance/ weed invasion; part of contiguous remnant native tree group/ community (see listings: Nos.11, 15 & 17 Rembrandt Dve)
Rembrandt Drive	residential	13 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Angcos	1	10-15+	7	4	good	2.5	fragmented	TPO; Angcos- on upper SW steep embankment/ rock outcrops between vehicular right-of-way and Rembrandt Dve; part of contiguous remnant native tree group/ community (see listings: Nos.11, 15 & 17 Rembrandt Dve)
Rembrandt Drive	residential	13 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Angcos	1	unknown	3.5	3	good	2.5	fragmented	TPO; Angcos- lopped to base/ multi-stemmed (2) regrowth; on upper SW steep embankment/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 15 & 17 Rembrandt Dve)
Rembrandt Drive	residential	13 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Elaret	1	unknown	1.5	1.5	good	2.5	fragmented	TPO; Elaret- lopped to base/ multi-stemmed regrowth; on upper SW steep embankment/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 15 & 17 Rembrandt Dve)
Rembrandt Drive	residential	13 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Corgum	1	15-20+	9	4	good	2.5	fragmented	TPO; Corgum- on upper steep embankment/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 15 & 17 Rembrandt Dve)

Rembrandt Drive	residential	13 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Eucpun	1	15-20+	10	7	good	2.5	fragmented	TPO; Eucpun- on mid-slope/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 15 & 17 Rembrandt Dve)
Rembrandt Drive	residential	13 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Elaret	1	30-40+	12	5	good	2.5	fragmented	TPO; Elaret- on mid-embankment/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 15 & 17 Rembrandt Dve)
Rembrandt Drive	residential	13 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Angcos	1	?100-150+	15	12	good	2.5	fragmented	TPO; Angcos- old growth specimen/ some dead wood; on lower slope/ rock outcrops (adj. to boundary No.15 Rembrandt Dve) between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 15 & 17 Rembrandt Dve)
Rembrandt Drive	residential	13 Rembrandt Dve-embankment	18.08.15	remnant community	10ag(i)	see notes	n/a	varies				2.5	fragmented	TPO; varying level of disturbance/ weed invasion; remnant native regrowth assoc. w. significant rock outcrops; increasing remnant native biodiversity on mid- to upper slope (incl. Allit (11+/- up to 15-20yrs+/- 7-10m HT), Elaret (2+/- up to 15-20yrs+/- 4-7m HT), Hakgib, Polsam, Xanarb, Grelin, Dodtri, Pteesc, Smigly, Entmar, Entstr, Schmel, Diacae, Glycla, Lomlon)/ good natural regen. (incl. Cergum, Angcos, Eucsie, Elaret); Kenrub, Harvio, Acapar, Lomlon- likely mixed restoration strategy (unknown provenance); also generic native planting; Pitund regrowth; exotics/ weeds

Rembrandt Drive	residential	13 Rembrandt Dve-rear garden	15.10.15	tree group	10ag(i)	Angcos	1	30-40+	20	8	good	4.5	fragmented	TPO; Angcos- some dead wood; on lawn terrace; part of significant remnant native tree group/ community (see listings: Nos.11, 15 & 17 Rembrandt Dve); highly modified/ dom. weeds; Pitund regrowth; local & generic native planting (incl. Acmsmi, Elaret, <i>Hakea</i> spp.)
Rembrandt Drive	residential	13 Rembrandt Dve-rear garden	15.10.15	tree group	10ag(i)	Elaret	1	30-40+	7	5	fair	4.5	fragmented	TPO; Elaret- some dead wood/ crown die-back
Rembrandt Drive	residential	13 Rembrandt Dve-rear garden	15.10.15	tree group	10ag(i)	Angcos	1	50-60+	14	12	poor	4.5	fragmented	TPO; Angcos- ext. dead wood/ crown die-back (50%) & epicormic growth; on lower lawn terrace (adj. to boundary No.15 Rembrandt Dve); part of significant remnant native tree group/ community
Rembrandt Drive	residential	13 Rembrandt Dve-rear garden	15.10.15	tree group	10ag(i)	Eucpip	1	?100-150+	25	20	good	4.5	fragmented	TPO; Eucpip- old growth specimen on lower slope (adj. to boundary Nos.11 Rembrandt Dve & 16 North Arm Rd); some dead wood, cavities and insect damage in lower trunk; vigorous epicormic growth; part of significant remnant native tree group/ community; dom. weeds
Rembrandt Drive	residential	13 Rembrandt Dve-rear garden	15.10.15	tree group	10ag(i)	Angcos	1	60-80+	20	16	good	4.5	fragmented	TPO; Angcos- on lower slope (adj. to boundary Nos.11 Rembrandt Dve & 16 North Arm Rd); some dead wood/ vigorous growth; part of significant remnant native tree group/ community
Rembrandt Drive	residential	13 Rembrandt Dve-rear garden	15.10.15	tree group	10ag(i)	Banser	1	20-30+	7	3	good	4.5	fragmented	TPO; Banser- on lower slope (adj. to boundary Nos.11 Rembrandt Dve & 16 North Arm Rd); vigorous growth; part of significant remnant native tree group/ community
Rembrandt Drive	residential	13 Rembrandt Dve-rear garden	15.10.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO; remnant native regrowth assoc. on lower slope (adj. to boundary Nos.11 Rembrandt Dve & 16 North Arm Rd) (incl. Elaret (4)/ Cergum (1) up to 10-15yrs+/ up to 4-9m HT), Lamfor, Pteesc); also generic native planting; Pitund regrowth; exotics/ weeds

Rembrandt Drive	residential	15 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Eucpip	1	50-60+	15	15	good	2.5	fragmented	TPO; Eucpip- some dead wood/ vigorous growth; on upper steep SW embankment between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 13 & 17 Rembrandt Dve); listing subject to boundary survey
Rembrandt Drive	residential	15 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Angcos	1	20-30+	12	4	good	2.5	fragmented	TPO; Angcos- on upper steep SW embankment between vehicular right-of-way and Rembrandt Dve (upper verge) adj. to boundary No.13 Rembrandt Dve; part of contiguous remnant native tree group/ community (see listings: Nos.11, 13 & 17 Rembrandt Dve); listing subject to boundary survey
Rembrandt Drive	residential	15 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Allit	1	20-30+	7	5	good	2.5	fragmented	TPO; Allit- on upper steep embankment between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 13 & 17 Rembrandt Dve)
Rembrandt Drive	residential	15 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Allit	1	20-30+	9	5	poor	2.5	fragmented	TPO; Allit- ext. dead wood/ die-back (70%); on upper steep embankment between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 13 & 17 Rembrandt Dve)
Rembrandt Drive	residential	15 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Angcos	1	?100-150+	12	12	good	2.5	fragmented	TPO; Angcos- old growth specimen/ some dead wood; on mid-slope/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 13 & 17 Rembrandt Dve)

Rembrandt Drive	residential	15 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Cergum	1	?60-80+	4	4	good	2.5	fragmented	TPO; Cergum- on mid-slope/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 13 & 17 Rembrandt Dve)
Rembrandt Drive	residential	15 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Cergum	1	?60-80+	8	7	good	2.5	fragmented	TPO; Cergum- multi-stemmed at base (3)/ lignotuber regrowth; possibly old growth specimen; on mid-slope/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 13 & 17 Rembrandt Dve)
Rembrandt Drive	residential	15 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Perlev	1	?40-50+	3	3.5	good	2.5	fragmented	TPO; Perlev- on mid-slope/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 13 & 17 Rembrandt Dve)
Rembrandt Drive	residential	15 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Corgum	1	50-60+	14	6	good	2.5	fragmented	TPO; Corgum- vigorous growth; on lower steep embankment/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 13 & 17 Rembrandt Dve)
Rembrandt Drive	residential	15 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Banser	1	20-30+	5	7	fair	2.5	fragmented	TPO; Banser- leaning stem/ poor vigour; on lower steep embankment/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 13 & 17 Rembrandt Dve)

Rembrandt Drive	residential	15 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Angcos	1	60-80+	9	12	good	2.5	fragmented	TPO; Angcos- some dead wood/ vigorous growth; on lower rock outcrops adj. to right-of-way (embankment between vehicular right-of-way and Rembrandt Dve upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 13 & 17 Rembrandt Dve)
Rembrandt Drive	residential	15 Rembrandt Dve-embankment	18.09.15	tree group	10ag(i)	Allit	1	20-30+	7	6	good	2.5	fragmented	TPO; Allit- on lower rock outcrops adj. to right-of-way (embankment between vehicular right-of-way and Rembrandt Dve upper verge); part of contiguous remnant native tree group/ community (see listings: Nos.11, 13 & 17 Rembrandt Dve)
Rembrandt Drive	residential	15 Rembrandt Dve-embankment	18.08.15	remnant community	10ag(i)	see notes	n/a	varies				2.5	fragmented	TPO; varying level of disturbance/ weed invasion; remnant native regrowth assoc. w. significant rock outcrops; high remnant native biodiversity (incl. Allit (10+/- up to 10-15yrs+/- 7-10m HT), Elaret (4+/- up to 10-15yrs+/- 4-7m HT), Polsam, Xanarb, Grelin, Dodtri, Pteesc, Smigly, Entstr, Thetri, Schmel, Diacae, Lepvar, Lomlon, <i>Cryptostylis</i> sp.)/ good natural regen. (incl. Cergum, Angcos, Eucsie, Elaret, Glofer); dead standing tree (stag) on upper embankment; also local and generic native planting (unknown provenance); Pitund (dom. sub-canopy/ up to 15-20yrs+) regrowth/ mesic shift; exotics/ weeds
Rembrandt Drive	residential	15 Rembrandt Dve-rear garden	15.10.15	tree group	10ag(i)	Angcos	1	50-60+	18	16	good	2.5	fragmented	TPO; Angcos- some dead wood/ vigorous growth; on upper terraced slope adj. to boundary No.13 Rembrandt Dve; exotic garden/ highly modified; remnant natives (incl. Elaret (sapling regrowth), Pteesc) assoc. w. rock outcrops; Pitund regrowth; generic native planting (incl. Synglo), <i>Cyathea cooperi</i> (cultivated origin); dom. weeds



Rembrandt Drive	residential	15 Rembrandt Dve-rear garden	15.10.15	tree group	10ag(i)	Angcos	1	40-50+	18	25	fair	4.5	fragmented	TPO; Angcos- unusually tall specimen/ sparse open crown, insect damage to base & ext. epicormic regrowth; owner confirmed planting approx. 50 years ago/ NSW Forestry Commission tubestock (unknown provenance)
Rembrandt Drive	residential	17 Rembrandt Dve-embankment	15.10.15	tree group	10ag(i)	Angcos	1	30-40+	18	12	see notes	5.0	fragmented	TPO; Angcos- ext. damage to lower trunk/ epicormic growth; on upper steep embankment/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); highly modified/ ext. clearing, herbicidal treatment & mulching; cut stumps; remnant native (Diacae); owner confirmed survey boundary (survey peg)
Rembrandt Drive	residential	17 Rembrandt Dve-embankment	15.10.15	tree group	10ag(i)	Angcos	1	30-40+	16	7	see notes	5.0	fragmented	TPO; Angcos- ext. damage to lower trunk/ vigorous new growth; on lower steep embankment/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge)
Rembrandt Drive	residential	19 Rembrandt Dve-front garden/ upper slope	15.10.15	tree group	10ag(i)	Angcos	1	?100-150+	18	18	good	4.5	fragmented	TPO; Angcos- old growth specimen; some dead wood/ vigorous growth; on upper rock outcrops adj. to driveway & entry; exotic garden/ highly modified; remnant natives (incl. Entstr, Diacae, Pteesc) assoc. w. significant rock outcrops; Pitund regrowth; 2 X dead Angcos; generic native planting (incl. <i>Corymbia citriodora</i> ); dom. weeds
Rembrandt Drive	residential	19 Rembrandt Dve-front garden/ upper slope	15.10.15	tree group	10ag(i)	Eucpip	1	?100-150+	22	20	good	4.5	fragmented	TPO; Eucpip- old growth multi-stemmed (2) specimen; some dead wood/ vigorous growth; on upper rock outcrops adj. to boundary No.21 Rembrandt Dve; listing subject to boundary survey
Rembrandt Drive	residential	19 Rembrandt Dve-rear garden	15.10.15	tree group	10ag(i)	Angcos	1	60-80+	16	12	fair	5.0	fragmented	TPO; Angcos- ext. dead wood/ sparse open canopy; vigorous epicormic growth; adj. to boundary No.17 Rembrandt Dve; exotic garden/ highly modified; dom. weeds

Rembrandt Drive	residential	19 Rembrandt Dve-rear garden	15.10.15	tree group	10ag(i)	Angcos	1	60-80+	16	14	fair	5.0	fragmented	TPO; Angcos- ext. dead wood/ sparse open canopy; vigorous epicormic growth; on open lawn
Rembrandt Drive	residential	21 Rembrandt Dve-rear garden	15.10.15	single tree	10ag(i)	Cergum	1	?40-50+	4	3	good	5.0	fragmented	TPO; Cergum- on rock outcrops/ scarp adj. to boundary Nos. 19 & 23 Rembrandt Dve; exotic garden/ highly modified; listing subject to boundary survey; dom. weeds
Rembrandt Drive	residential	23 Rembrandt Dve-embankment	09.11.15	tree group	10ag(i)	Euchae	1	60-80+	16	7	fair	5.0	fragmented	TPO; Euchae- ext. dead wood (20%)/ past heavy lopping (adj. to overhead powerlines); on upper steep embankment between vehicular right-of-way and Rembrandt Dve (upper verge); exotic garden/ highly modified; mulched slope; Pitund regrowth; local & generic native planting (incl. Elaret & Cergum- likely planted); weeds
Rembrandt Drive	residential	23 Rembrandt Dve-embankment	09.11.15	tree group	10ag(i)	Angcos	1	15-20+	12	7	good	5.0	fragmented	TPO; Angcos- vigorous growth; on mid-steep embankment between vehicular right-of-way and Rembrandt Dve (upper verge)
Rembrandt Drive	residential	23 Rembrandt Dve-embankment	09.11.15	tree group	10ag(i)	Allit	1	20-30+	8	5	v.poor	5.0	fragmented	TPO; Allit- ext. dead wood/ die-back (70%); on mid-steep embankment between vehicular right-of-way and Rembrandt Dve (upper verge)
Rembrandt Drive	residential	23 Rembrandt Dve-embankment	15.10.15	tree group	10ag(i)	Angcos	1	80-100+	18	16	good	5.0	fragmented	TPO; Angcos- old growth specimen; some dead wood; on steep embankment/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge)
Rembrandt Drive	residential	23 Rembrandt Dve-embankment	15.10.15	tree group	10ag(i)	Angcos	1	15-20+	12	3	good	5.0	fragmented	TPO; Angcos- vigorous growth; on upper steep embankment/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge)
Rembrandt Drive	residential	23 Rembrandt Dve-front garden/ upper level	15.10.15	tree group	10ag(i)	Angcos	1	?100-150+	18	20	good	5.0	fragmented	TPO; Angcos- old growth specimen; some dead wood/ vigorous new growth; on steep slope/ rock outcrops adj. to house & vehicular right-of-way; exotic garden/ highly modified

Rembrandt Drive	residential	23 Rembrandt Dve-rear garden/ lower slope	15.10.15	tree group	10ag(i)	Angcos	1	50-60+	16	9	good	5.0	fragmented	TPO; Angcos- some dead wood/ vigorous growth; on lower steep slope/ rock outcrops adj. to boundary No.21 Rembrandt Dve; exotic garden/ highly modified; local & generic native planting (incl. Banint, Elaret, <i>Acacia</i> sp.)
Rembrandt Drive	residential	23 Rembrandt Dve-rear garden/ lower slope	15.10.15	tree group	10ag(i)	Cergum	1	?50-60+	9	5	good	5.0	fragmented	TPO; Cergum- on lower steep slope/ rock outcrops
Rembrandt Drive	residential	23 Rembrandt Dve-rear garden/ lower slope	15.10.15	tree group	10ag(i)	Banser	1	?20-30+	7	7	good	5.0	fragmented	TPO; Banser- on lower steep slope/ rock outcrops; possibly planted
Rembrandt Drive	residential	25 Rembrandt Dve-embankment	09.11.15	tree group	10ag(i)	Angcos	1	20-30+	10	7	good	2.5	fragmented	TPO; Angcos- some dead wood/ vigorous growth; on upper steep embankment between vehicular right-of-way and Rembrandt Dve (upper verge); listing subject to boundary survey; varying level of disturbance/ modification; remnant native ground layer (see below); local & generic native planting; dom. weeds
Rembrandt Drive	residential	25 Rembrandt Dve-embankment	09.11.15	tree group	10ag(i)	Corgum	1	60-80+	22	16	good	2.5	fragmented	TPO; Corgum- some dead wood/ vigorous growth; on upper steep embankment between vehicular right-of-way and Rembrandt Dve (upper verge)
Rembrandt Drive	residential	25 Rembrandt Dve-embankment	09.11.15	tree group	10ag(i)	Angcos	1	50-60+	14	12	good	2.5	fragmented	TPO; Angcos- some dead wood/ vigorous growth; on upper steep embankment between vehicular right-of-way and Rembrandt Dve (upper verge)
Rembrandt Drive	residential	25 Rembrandt Dve-embankment	09.11.15	tree group	10ag(i)	Cergum	1	?60-80+	8	7	good	2.5	fragmented	TPO; Cergum- multi-stemmed (4) at ground level (lignotuber regrowth)/ possibly old growth specimen; vigorous growth; on mid-slope/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge)
Rembrandt Drive	residential	25 Rembrandt Dve-embankment	09.11.15	tree group	10ag(i)	Eucsie	1	?50-60+	18	8	fair	2.5	fragmented	TPO; Eucsie- ext. dead wood (30%)/ poor vigour; on mid-slope/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge)

Rembrandt Drive	residential	25 Rembrandt Dve-embankment	09.11.15	remnant community	10ag(i)	see notes	n/a	varies					2.5	fragmented	TPO; remnant native regrowth on upper steep embankment between vehicular right-of-way and Rembrandt Dve (upper verge); part of significant remnant native community on embankment (see listings-23, 25A, 25B, 27, 29 & 31 Rembrandt Dve);varying level of disturbance/ modification; remnant natives (incl. Acalon, Pteesc (dom.), Entstr, Diacae, Diarev, Lomgla, Oplaem, Micsti, Glycla; also Angcos, Allit, Acapar regen. up to 5 yrs+) assoc. w. rock outcrops; Pitund regrowth; local & generic native planting; dom. weeds; all listings subjvct to boundary survey
Rembrandt Drive	residential	25 Rembrandt Dve-entry garden	09.11.15	tree group	10ag(i)	Angcos	1	20-30+	14	7	good	4.5	fragmented	TPO; Angcos- vigorous growth; on steep terraced slope/ rock outcrops between garage (upper level) & house adj. to boundary No.23 Rembrandt Dve; exotic garden/ highly modified; remnant native ground layer (incl. Caldub); Note: generic native planting (dom.) on lower eastern slope (see No.25A Rembrandt Dve listing)	
Rembrandt Drive	residential	25 Rembrandt Dve-upper west garden	09.11.15	tree group	10ag(i)	Angcos	1	50-60+	14	7	good	3.5	fragmented	TPO; Angcos- vigorous growth; part of significant remnant native tree group on steep terraced slope/ rock outcrops adj. to boundary No.19 & 23 Rembrandt Dve; exotic garden/ highly modified; remnant natives (incl. Banspi (possibly planted), Elaret (regen./ up to 5yrs+), Pteesc & orchid- Cryere); generic native planting/ dom. canopy (incl. Eucpil, <i>Eucalyptus microcorys</i> ); weeds	
Rembrandt Drive	residential	25 Rembrandt Dve-upper west garden	09.11.15	tree group	10ag(i)	Elaret	1	15-20+	6	3	good	3.5	fragmented	TPO; Elaret- vigorous growth; part of significant remnant native tree group on steep terraced slope/ rock outcrops adj. to boundary No.19 & 23 Rembrandt Dve	

Rembrandt Drive	residential	25 Rembrandt Dve- upper west garden	09.11.15	tree group	10ag(i)	Angcos	1	?100-150+	20	20	good	3.5	fragmented	TPO; Angcos- old growth specimen (1050mm DBH); some dead wood/ vigorous new growth; part of significant remnant native tree group on steep terraced slope/ rock outcrops adj. to boundary No.19 & 23 Rembrandt Dve
Rembrandt Drive	residential	25 Rembrandt Dve- upper west garden	09.11.15	tree group	10ag(i)	Cergum	1	?30-40+	4	3	good	3.5	fragmented	TPO; Cergum- multi-stemmed (4) specimen; lopped/ vigorous regrowth; part of significant remnant native tree group on steep terraced slope/ rock outcrops adj. to boundary No.19 & 23 Rembrandt Dve
Rembrandt Drive	residential	25 Rembrandt Dve- upper west garden	09.11.15	tree group	10ag(i)	Elaret	1	?20-30+	2	2	good	3.5	fragmented	TPO; Elaret- lopped/ vigorous regrowth; part of significant remnant native tree group on steep terraced slope/ rock outcrops adj. to boundary No.19 & 23 Rembrandt Dve
Rembrandt Drive	residential	25A Rembrandt Dve- embankment	09.11.15	tree group	10ag(i)	Eucsie	1	60-80+	18	18	poor	3.5	fragmented	TPO; Eucsie- ext. dead wood (50%)/ epicormic growth & poor vigour; on mid-slope/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); listings subject to boundary survey; varying level of disturbance/ modification; remnant native regrowth (see below); local & generic native planting; dom. weeds
Rembrandt Drive	residential	25A Rembrandt Dve- embankment	09.11.15	tree group	10ag(i)	Cergum	1	?60-80+	5	4	good	3.5	fragmented	TPO; Cergum- multi-stemmed (4) at base (lignotuber regrowth); vigorous growth; on lower slope/ rock outcrops between vehicular right-of-way and Rembrandt Dve
Rembrandt Drive	residential	25A Rembrandt Dve- embankment	09.11.15	tree group	10ag(i)	Allit	1	15-20+	6	7	good	3.5	fragmented	TPO; Allit- vigorous growth; on lower slope/ rock outcrops adj. to vehicular right-of-way
Rembrandt Drive	residential	25A Rembrandt Dve- embankment	09.11.15	tree group	10ag(i)	Angcos	1	20-30+	14	6	good	3.5	fragmented	TPO; Angcos- vigorous growth; on lower slope/ rock outcrops adj. to vehicular right-of-way
Rembrandt Drive	residential	25A Rembrandt Dve- embankment	09.11.15	tree group	10ag(i)	Angcos	1	5-10+	5	3	good	3.5	fragmented	TPO; Angcos- sapling/ vigorous growth; on lower slope/ rock outcrops adj. to vehicular right-of-way
Rembrandt Drive	residential	25A Rembrandt Dve- embankment	09.11.15	tree group	10ag(i)	Perlev	1	?40-50+	2	2	good	3.5	fragmented	TPO; Perlev- vigorous growth; on lower slope/ rock outcrops adj. to vehicular right-of-way

Rembrandt Drive	residential	25A Rembrandt Dve-embankment	09.11.15	remnant community	10ag(i)	see notes	n/a	varies					3.5	fragmented	TPO; remnant native regrowth on upper steep embankment between vehicular right-of-way and Rembrandt Dve (upper verge); part of broader significant remnant native community on embankment (see listings- 23, 25, 25B, 27, 29 & 31 Rembrandt Dve); varying level of disturbance/ modification; remnant natives/ sapling regen. (incl. Acaimp (up to 10-15 yrs+/- up to 6-7m HT), Allit, Angcos, Elaret, Ficrub, Acapar (up to 5yrs+), Diacae) assoc. w. significant rock outcrops; Pitund regrowth; local & generic native planting (incl. <i>Lophostemon confertus</i> ); dom. weeds; all listings subject to boundary survey
Rembrandt Drive	residential	25A Rembrandt Dve-rear garden/ upper slope	09.11.15	tree group	10ag(i)	Angcos	1	?100-150+	22	22	good	4.5	fragmented	TPO; Angcos- massive old growth multi-stemmed (2) specimen (1800mm DBH); some dead wood/ vigorous growth; on upper slope adj. to house & deck; part of significant remnant native tree group on mid- to upper slope/ rock outcrops; highly modified; remnant native ground layer (see below); generic native planting (dom.) on lower slope (see below); dom weeds	
Rembrandt Drive	residential	25A Rembrandt Dve-rear garden/ upper slope	09.11.15	tree group	10ag(i)	Cergum	1	?60-80+	8	7	good	4.5	fragmented	TPO; Cergum- multi-stemmed (3) at base (lignotuber regrowth); vigorous growth; on upper slope/ rock outcrops; part of significant remnant native Cergum group	
Rembrandt Drive	residential	25A Rembrandt Dve-rear garden/ upper slope	09.11.15	tree group	10ag(i)	Cergum	1	?20-30+	4	3	good	4.5	fragmented	TPO; Cergum- vigorous growth; on upper slope/ rock outcrops; part of significant remnant native Cergum group	
Rembrandt Drive	residential	25A Rembrandt Dve-rear garden/ upper slope	09.11.15	tree group	10ag(i)	Cergum	1	?30-40+	5	3	good	4.5	fragmented	TPO; Cergum- vigorous growth; on upper slope/ rock outcrops; part of significant remnant native Cergum group	

Rembrandt Drive	residential	25A Rembrandt Dve-rear garden/ upper slope	09.11.15	tree group	10ag(i)	Cergum	1	?30-40+	5	4	good	4.5	fragmented	TPO; Cergum- vigorous growth; on upper slope/ rock outcrops; part of significant remnant native Cergum group
Rembrandt Drive	residential	25A Rembrandt Dve-rear garden/ upper slope	09.11.15	tree group	10ag(i)	Cergum	1	?20-30+	4	2	good	4.5	fragmented	TPO; Cergum- vigorous growth; on upper slope/ rock outcrops; part of significant remnant native Cergum group
Rembrandt Drive	residential	25A Rembrandt Dve-rear garden/ upper slope	09.11.15	tree group	10ag(i)	Cergum	1	?20-30+	4	2	good	4.5	fragmented	TPO; Cergum- vigorous growth; on upper slope/ rock outcrops; part of significant remnant native Cergum group
Rembrandt Drive	residential	25A Rembrandt Dve-rear garden/ upper slope	09.11.15	tree group	10ag(i)	Angcos	1	60-80+	18	10	good	4.5	fragmented	TPO; Angcos- some dead wood/ competition w. planted <i>Acacia elata</i> ; on mid-slope; part of significant remnant native tree group
Rembrandt Drive	residential	25A Rembrandt Dve-rear garden	09.11.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO; remnant native regrowth on mid- to upper slope (incl. Cergum, Pteesc, Caldub, Diacae; also Elaret 7+/- possibly all planted); highly modified; generic native planting (dom.) on lower slope (incl. mature Eucpil X2, Acmsmi, <i>Toona ciliata</i> , <i>Acacia elata</i> , <i>Grevillea robusta</i> , <i>Alphitonia excelsa</i> , <i>Waterhousea floribunda</i> ); subject to boundary survey-No.25 Rembrandt Dve; dom. weeds
Rembrandt Drive	residential	25B Rembrandt Dve-embankment/ narrow strip	09.11.15	tree group	10ag(i)	Angcos	1	?100-150+	22	18	fair	3.5	fragmented	TPO; Angcos- old growth multi-stemmed (2) specimen; ext. dead wood/ large cavity & vigorous epicormic growth; on upper steep slope/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); all embankment listings subject to boundary survey; varying level of disturbance/ modification; remnant native community (see below); dom. weeds
Rembrandt Drive	residential	25B Rembrandt Dve-embankment/ narrow strip	09.11.15	tree group	10ag(i)	Cergum	1	?60-80+	9	6	good	3.5	fragmented	TPO; Cergum- multi-stemmed (3) at base (lignotuber regrowth); on upper rock outcrops between vehicular right-of-way and Rembrandt Dve

Rembrandt Drive	residential	25B Rembrandt Dve-embankment/ narrow strip	09.11.15	tree group	10ag(i)	Ficrub	1	15-20+	6	8	good	3.5	fragmented	TPO; Ficrub- multi-stemmed specimen/ vigorous growth; on upper rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); listing subject to boundary survey
Rembrandt Drive	residential	25B Rembrandt Dve-embankment/ narrow strip	09.11.15	tree group	10ag(i)	Angcos	1	5-10+	4	2	good	3.5	fragmented	TPO; Angcos- sapling/ vigorous growth; on lower slope/ rock outcrops adj. to vehicular right-of-way
Rembrandt Drive	residential	25B Rembrandt Dve-embankment/ narrow strip	09.11.15	remnant community	10ag(i)	see notes	n/a	varies				3.5	fragmented	TPO; remnant native regrowth on upper steep embankment between vehicular right-of-way and Rembrandt Dve (upper verge); part of broader significant remnant native community on embankment (see listings- 23, 25, 25A, 27, 29 & 31 Rembrandt Dve); varying level of disturbance/ modification; remnant natives/ sapling regen. assoc. w. significant rock outcrops (incl. Allit (dom./ 4+ regrowth up to 10-15yrs+/ up to 5-7m HT & Acaimp- on lower slope) & Leptri, Notlon, Dodtri, Euslat, Pteesc, Entstr, Thetri); Angcos- regen./ saplings; Pitund regrowth; dom. weeds; all listings subject to boundary survey
Rembrandt Drive	residential	25B Rembrandt Dve-rear garden/ lower slope	09.11.15	tree group	10ag(i)	Perlev	1	?30-40+	1.5	2	see notes	4.5	fragmented	TPO; Perlev- damaged/ fallen main stem; on steep lower slope/ rock outcrops; exotic garden/ highly modified
Rembrandt Drive	residential	25B Rembrandt Dve-rear garden/ lower slope	09.11.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO; remnant native regrowth on steep lower slope (incl. Allit (2)/ Glofer (2) (up to 15-20yrs+/ up to 8m HT) & Pteesc); fallen dead trees; local & generic native planting (incl. Elaret & ?Eucpil/ fallen w. ext. herbivory & die-back); Pitund regrowth; dom. weeds



Rembrandt Drive	residential	27 Rembrandt Dve-embankment/ narrow strip	09.11.15	tree group	10ag(i)	Corgum	1	40-50+	12	6	good	3.5	fragmented	TPO; Corgum- some dead wood/ vigorous growth; on upper steep slope/ rock outcrops between vehicular right-of-way and Rembrandt Dve (upper verge); all embankment listings subject to boundary survey; varying level of disturbance/ modification; remnant native regrowth (see below); dom. weeds
Rembrandt Drive	residential	27 Rembrandt Dve-embankment/ narrow strip	09.11.15	tree group	10ag(i)	Cergum	1	?60-80+	9	7	good	3.5	fragmented	TPO; Cergum- multi-stemmed (3) at base (lignotuber regrowth); on lower slope/ rock outcrops between vehicular right-of-way and Rembrandt Dve
Rembrandt Drive	residential	27 Rembrandt Dve-embankment/ narrow strip	09.11.15	tree group	10ag(i)	Angcos	1	15-20+	8	3	good	3.5	fragmented	TPO; Angcos- vigorous growth; on lower slope/ rock outcrops adj. to vehicular right-of-way
Rembrandt Drive	residential	27 Rembrandt Dve-embankment/ narrow strip	09.11.15	tree group	10ag(i)	Perlev	1	?40-50+	1.5	2	good	3.5	fragmented	TPO; Perlev- vigorous growth; on lower slope/ rock outcrops adj. to vehicular right-of-way
Rembrandt Drive	residential	27 Rembrandt Dve-embankment/ narrow strip	09.11.15	tree group	10ag(i)	Angcos	1	20-30+	12	6	good	3.5	fragmented	TPO; Angcos- some dead wood/ pruning & vigorous growth; on lower slope/ rock outcrops adj. to vehicular right-of-way
Rembrandt Drive	residential	27 Rembrandt Dve-embankment/ narrow strip	09.11.15	remnant community	10ag(i)	see notes	n/a	varies				3.5	fragmented	TPO; remnant native regrowth on upper steep embankment between vehicular right-of-way and Rembrandt Dve (upper verge); part of broader significant remnant native community on embankment (see listings- 23, 25, 25A, 25B, 29 & 31 Rembrandt Dve); varying level of disturbance/ modification; remnant natives/ sapling regen. assoc. w. significant rock outcrops (incl. Allit (dom./ 30+ regrowth up to 10-15yrs+/ up to 6-9m HT & Acaimp- on lower slope) & Elaret, Leptri, Polsam, Perpin, Crosal, Smigly, Panpan, Euslat, Leplat, Pteesc, Entstr, Thetri, Cryere); Angcos/ Elaret- regen./ saplings; also generic native planting (incl. <i>Acacia elata</i> ); dom. weeds; all listings subject to boundary survey

Rembrandt Drive	residential	29 Rembrandt Dve-embankment/ narrow strip	10.11.15	tree group	10ag(i)	Angcos	1	?100-150+	18	16	good	2.5	fragmented	TPO; Angcos- old growth specimen; some dead wood/ vigorous epicormic growth; on steep slope/ rock outcrops (below scarp) between vehicular right-of-way and Rembrandt Dve (upper verge); all embankment listings subject to boundary survey; varying level of disturbance/ modification; remnant native community (see below); dom. weeds
Rembrandt Drive	residential	29 Rembrandt Dve-embankment/ narrow strip	10.11.15	tree group	10ag(i)	Banser	1	?50-60+	8	9	good	2.5	fragmented	TPO; Banser- on lower rock outcrops (below scarp) adjacent to vehicular right-of-way
Rembrandt Drive	residential	29 Rembrandt Dve-embankment/ narrow strip	10.11.15	tree group	10ag(i)	Elaret	1	20-30+	10	4	good	2.5	fragmented	TPO; Elaret- vigorous growth; on lower rock outcrops (below scarp) adjacent to vehicular right-of-way
Rembrandt Drive	residential	29 Rembrandt Dve-embankment/ narrow strip	10.11.15	tree group	10ag(i)	Kunamb	1	?20-30+	3	4	good	2.5	fragmented	TPO; Kunamb- old specimen; on lower rock outcrops (below scarp) adjacent to vehicular right-of-way

Rembrandt Drive	residential	29 Rembrandt Dve-embankment/ narrow strip	10.11.15	remnant community	10ag(i)	see notes	n/a	varies					2.5	fragmented	TPO; remnant native regrowth community on upper steep embankment between vehicular right-of-way and Rembrandt Dve (upper verge); part of broader significant remnant native community on embankment (see listings- 23, 25, 25A, 25B, 27 & 31 Rembrandt Dve); varying level of disturbance/ modification; high biodiversity; remnant natives/ sapling regen. assoc. w. significant rock outcrops (incl. Allit (dom./ 32+ up to 10-15yrs+/ up to 4-7m HT) & Glofer (3)/ Elaret (3) (up to 5-10yrs+/ 5-6m HT), Banser, Leptri, Polsam, Perpin, Crosal, Miceri, Acalin, Smigly, Panpan, Leplat, Pteesc, Diacae, Diarev, Entstr, Cryere & possibly/ Lombre ( <i>Lomandra brevis</i> ) scheduled ROTAP 2RC- a small population assoc. w. damp patches below rock outcrops); good regen./ saplings (incl. Angcos); fallen/ old dead trees (incl. Banser/ Perlev); also generic native planting (incl. Banint); dom. weeds; all listings subject to boundary survey
Rembrandt Drive	residential	29 Rembrandt Dve-front garden/ entry level	10.11.15	tree group	10ag(i)	Angcos	1	60-80+	12	5	good	5.0	fragmented	TPO; Angcos- vigorous growth; past heavy pruning & ext. insect damage to lower trunk; on upper steep slope/ rock outcrops adjacent to pedestrian entry; exotic garden/ highly modified; local & generic native planting (incl. Elaret); dom. weeds	
Rembrandt Drive	residential	29 Rembrandt Dve-front garden/ entry level	10.11.15	tree group	10ag(i)	Cergum	1	?60-80+	6	5	good	5.0	fragmented	TPO; Cergum- multi-stemmed (2) at base (lignotuber regrowth); on upper steep slope/ rock outcrops adj. to boundary No.27 Rembrandt Dve	

Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Eucsie	1	50-60+	18	16	good	3.5	fragmented	TPO; Eucsie- some dead wood; on upper verge/ rock outcrop adj. to scarp & north- western boundary to No.31 Rembrandt Dve (opp. No.32 Rembrandt Dve); part of significant remnant native tree group- Eucsie/ Angcos (co-doms.)/ community along scarp & steep embankment (see listings- 23, 25, 25A, 25B, 27, 29, 31 & 37 Rembrandt Dve); varying level of disturbance/ high biodiversity (see below); local & generic native planting; dom. weeds
Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Angcos	1	15-20+	12	5	good	3.5	fragmented	TPO; Angcos- on upper scarp face & north-western boundary to No.31 Rembrandt Dve (opp. No.32 Rembrandt Dve); part of significant remnant native tree group/ community assoc. w. scarp/ rock outcrops
Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Eucsie	1	15-20+	7	4	good	3.5	fragmented	TPO; Eucsie- on upper rock outcrops/ verge adj. to north-western boundary to No.31 Rembrandt Dve; part of significant remnant native tree group/ community assoc. w. scarp/ rock outcrops
Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Eucsie	1	10-15+	12	2	good	3.5	fragmented	TPO; Eucsie- on upper rock outcrops/ verge adj. to north-western boundary to No.31 Rembrandt Dve; part of significant remnant native tree group/ community assoc. w. scarp/ rock outcrops
Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Angcos	1	80-100+	14	15	good	3.5	fragmented	TPO; Angcos- old growth specimen; some dead wood & vigorous epicormic growth; on upper rock outcrops/ verge adj. to north-western boundary to No.31 Rembrandt Dve; part of significant remnant native tree group/ community assoc. w. scarp/ rock outcrops
Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Eucsie	1	15-20+	9	6	good	3.5	fragmented	TPO; Eucsie- multi-stemmed; on upper rock outcrops/ verge adj. to north-western boundary to No.31 Rembrandt Dve; part of significant remnant native tree group/ community assoc. w. scarp/ rock outcrops

Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Eucsie	1	20-30+	9	8	fair	3.5	fragmented	TPO; Eucsie- ext. dead wood/ crown die-back (30%) & poor vigour; on upper rock outcrops/ verge adj. to north-western boundary to No.31 Rembrandt Dve; part of significant remnant native tree group/ community assoc. w. scarp/ rock outcrops
Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Eucsie	1	20-30+	9	7	v.poor	3.5	fragmented	TPO; Eucsie- ext. dead wood/ crown die-back (90%); on upper rock outcrops/ verge adj. to north-western boundary to No.31 Rembrandt Dve; part of significant remnant native tree group/ community assoc. w. scarp/ rock outcrops
Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Angcos	1	60-80+	7	8	good	3.5	fragmented	TPO; Angcos- some dead wood & competition w. <i>Acacia elata</i> ; on upper scarp adj. to north-western boundary to No.31 Rembrandt Dve; part of significant remnant native tree group/ community assoc. w. scarp/ rock outcrops
Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Cergum	1	?60-80+	4	5	good	3.5	fragmented	TPO; Cergum- multi-stemmed at base (lignotuber regrowth); on upper scarp adj. to north-western boundary to No.31 Rembrandt Dve; part of significant remnant native tree group/ community assoc. w. scarp/ rock outcrops
Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Eucsie	1	?60-80+	14	12	fair	3.5	fragmented	TPO; Eucsie- ext. dead wood/ crown die-back (30%) & poor vigour; on upper scarp adj. to north-western boundary to No.31 Rembrandt Dve; part of significant remnant native tree group/ community assoc. w. scarp/ rock outcrops
Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Angcos	1	15-20+	8	3	good	3.5	fragmented	TPO; Angcos- some dead wood/ vigorous growth; on upper scarp adj. to north-western boundary to No.31 Rembrandt Dve; part of significant remnant native tree group/ community assoc. w. scarp/ rock outcrops

Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Eucsie	1	?40-50+	12	9	fair	3.5	fragmented	TPO; Eucsie- ext. dead wood/ damage to lower trunk & poor vigour; on upper verge adj. to carport No.31 Rembrandt Dve; part of significant remnant native tree group/ community assoc. w. scarp/ rock outcrops
Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	tree group	10ag(i)	Angcos	1	80-100+	16	10	good	3.5	fragmented	TPO; Angcos- old growth specimen; some dead wood & vigorous new growth; on upper verge adj. to driveway No.31 Rembrandt Dve; part of significant remnant native tree group/ community assoc. w. scarp/ rock outcrops
Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	scarp/ rock outcrops	10ag(i)	see notes	n/a					3.5	fragmented	TPO; significant s/s scarp & rock outcrops along western boundary to No.31 Rembrandt Dve; remnant native community assoc. w. rock outcrops (see below); dom. weeds
Rembrandt Drive	road reserve	upper rock outcrops/ scarp adj. to 31 Rembrandt Dve	09.11.15	remnant community	10ag(i)	see notes	n/a	varies				3.5	fragmented	TPO; on upper rock outcrop & grass verge adj. to scarp/ western boundary to No.31 Rembrandt Dve (opp. Nos.32-32A Rembrandt Dve); varying level of disturbance/ high biodiversity; remnant native community/ regrowth (incl. Allit (3+) (up to 10-15yrs+/ up to 5-7m HT), Perpin, Xanarb, Notlon, Miceri, Pteesc, Diacae, Diarev, Entstr) assoc. w. significant rock outcrops/ scarp; local native restoration strategy (incl. Acalon, Acapar, Grelin, Ozodio, Kunamb, Dodtri, Lomlon, Thetri, Diccri, Austen (up to 5-10yrs+)/ likely planted (unknown provenance); also generic native planting/ regen. (incl. <i>Acacia elata</i> , <i>Corymbia citriodora</i> ); good native regen./ saplings (incl. Angcos, Eucsie, Allit); Pitund regrowth; listings subject to boundary survey

Rembrandt Drive	residential	31 Rembrandt Dve- lower north slope (below house)	10.11.15	tree group	10ag(i)	Eucsie	1	15-20+	12	7	poor	3.5	fragmented	TPO; Eucsie- ext. dead wood/ crown die- back (40%) & poor vigour; on steep slope/ lower scarp (above stone retaining wall/ NW corner); part of significant remnant native tree group/ community along scarp & steep embankment (see listings- 23, 25, 25A, 25B, 27, 29, 37 Rembrandt Dve & road reserve); varying level of disturbance/ high biodiversity (see below); dom. weeds
Rembrandt Drive	residential	31 Rembrandt Dve- lower north slope (below house)	10.11.15	tree group	10ag(i)	Allit	1	30-40+	12	8	fair	3.5	fragmented	TPO; Allit- some dead wood/ poor vigour; on steep slope/ lower scarp (NW corner); part of significant remnant native tree group/ community
Rembrandt Drive	residential	31 Rembrandt Dve- lower north slope (below house)	10.11.15	tree group	10ag(i)	Allit	1	30-40+	12	6	fair	3.5	fragmented	TPO; Allit- some dead wood/ poor vigour; on steep slope/ lower scarp (NW corner); part of significant remnant native tree group/ community
Rembrandt Drive	residential	31 Rembrandt Dve- lower north slope (below house)	10.11.15	tree group	10ag(i)	Allit	1	20-30+	8	4	poor	3.5	fragmented	TPO; Allit- ext. dead wood/ poor vigour; on steep slope/ lower scarp (NW corner); part of significant remnant native tree group/ community
Rembrandt Drive	residential	31 Rembrandt Dve- lower north slope (below house)	10.11.15	tree group	10ag(i)	Allit	1	20-30+	8	4	fair	3.5	fragmented	TPO; Allit- some dead wood/ poor vigour; on steep slope/ lower scarp (NW corner); part of significant remnant native tree group/ community
Rembrandt Drive	residential	31 Rembrandt Dve- lower north slope (below house)	10.11.15	tree group	10ag(i)	Banser	1	?40-50+	6	7	good	3.5	fragmented	TPO; Banser- vigorous growth; on steep slope/ lower scarp (NW corner); part of significant remnant native tree group/ community
Rembrandt Drive	residential	31 Rembrandt Dve- lower north slope/ scarp	10.11.15	scarp/ rock outcrops	10ag(i)	see notes	n/a					3.5	fragmented	TPO; significant s/s scarp & rock outcrops along boundary to road reserve; remnant native community assoc. w. rock outcrops (see below); dom. weeds

Rembrandt Drive	residential	31 Rembrandt Dve- lower north slope/ scarp	10.11.15	remnant community	10ag(i)	see notes	n/a	varies					3.5	fragmented	TPO; remnant native regrowth community on slope (lower scarp) & upper rock outcrops adj. to road reserve (Rembrandt Dve); part of broader significant remnant native community (see listings- 23, 25, 25A, 25B, 27 & 29 Rembrandt Dve & upper scarp/ road reserve); varying level of disturbance/ modification; remnant native regrowth (incl. Allit (6+)/ Xanarb- on upper rock outcrops/ Glofer (7+) on lower rock outcrops adj. to right-of-way (up to 10-15yrs+/ up to 4-7m HT) & Elaret, Perpin, Breobl, Dodtri, Leplat, Pteesc, Lomlon, Diacae, Thetri, Entstr, Cryere); good regen./ seedlings (incl. Angcos, Allit, Elaret); Pitund regrowth; also <i>Cyathea cooperi</i> / cultivated origin; dom. weeds; listings subject to boundary survey
Rembrandt Drive	residential	31 Rembrandt Dve- scarp (adj. to house)	10.11.15	tree group	10ag(i)	Allit	1	15-20+	6	6	good	4.5	fragmented	TPO; Allit- on upper scarp adj. to house; part of significant remnant native tree group/ community; varying level of disturbance; dom. weeds	
Rembrandt Drive	residential	31 Rembrandt Dve- lower slope (below house)	10.11.15	tree group	10ag(i)	Angcos	1	60-80+	16	15	good	4.5	fragmented	TPO; Angcos- some dead wood/ vigorous growth; on lower slope adj. to right-of-way (below house); part of significant remnant native tree group/ community	
Rembrandt Drive	residential	31 Rembrandt Dve- upper slope (below north terrace)	10.11.15	tree group	10ag(i)	Banser	1	15-20+	8	7	good	4.5	fragmented	TPO; Banser- leaning main stem; part of significant remnant native tree group/ community	
Rembrandt Drive	residential	31 Rembrandt Dve- lower slope (below north terrace)	10.11.15	tree group	10ag(i)	Eucpun	1	80-100+	18	15	good	4.5	fragmented	TPO; Eucpun- old growth specimen; some dead wood; on lower slope (below north terrace) adj. to right-of-way; part of significant remnant native tree group/ community	
Rembrandt Drive	residential	31 Rembrandt Dve- lower slope (below house)	10.11.15	tree group	10ag(i)	Cergum	1	?20-30+	5	3	good	4.5	fragmented	TPO; Cergum- on lower slope adj. to right-of-way; part of significant remnant native tree group/ community	



Rembrandt Drive	residential	31 Rembrandt Dve- lower slope (below house/ north terrace	10.11.15	remnant community	10ag(i)	see notes	n/a	varies					4.5	fragmented	TPO; remnant native regrowth community on lower slope adj. to right-of-way (below house & northern terrace); part of broader significant remnant native community (see listings); varying level of disturbance/ modification grading to weed thicket along NE boundary; remnant natives (incl. Allit (3+)/ Elaret (2)/ Glofer (up to 10-15yrs+/ up to 4-7m HT) & Dodtri, Pteesc (dom.), Smigly); good regen./ seedlings (incl. Angcos, Allit, Elaret); Pitund regrowth; dom. weeds
Rembrandt Drive	road reserve	upper verge between 31 & 37 Rembrandt Dve	10.11.15	tree group	10ag(i)	Eucsie	1	30-40+	12	12	fair	3.5	fragmented	TPO; Eucsie- some dead wood/ poor vigour; on verge/ rock outcrops adj. to easement (upper level); part of significant remnant native tree group/ community	
Rembrandt Drive	road reserve	upper verge between 31 & 37 Rembrandt Dve	10.11.15	remnant community	10ag(i)	see notes	n/a	varies					3.5	fragmented	TPO; on rock outcrops & verge adj. to easement (upper level) between Nos.31 & 37 Rembrandt Dve; varying level of disturbance; remnant native community/ regrowth (incl. Angcos/ Allit/ Elaret/ Glofer (group- up to 10-15yrs+/ up to 6-7m HT), Acalon, Hompop, Polsam, Breobl, Pteesc, Diarev, Entstr, Lomlon (remnant); mixed w. local native restoration strategy (incl. Lomlon, Dodtri, Dicri (up to 5-10yrs+)/ unknown provenance; Pitund regrowth; dom. weeds
Rembrandt Drive	public easement	upper slope between 31 & 37 Rembrandt Dve	10.11.15	tree group	10ag(i)	Angcos	1	?60-80+	7	8	good	4.5	fragmented	TPO; Angcos- heavily lopped under overhead powerlines/ vigorous new growth; possibly old growth specimen; on public easement (upper slope/ rock outcrops) adj. to driveway No.31 Rembrandt Dve; part of significant remnant native tree group/ community (see road reserve listings)	

Rembrandt Drive	public easement	upper slope between 31 & 37 Rembrandt Dve	10.11.15	tree group	10ag(i)	Cergum	1	?60-80+	8	4	good	4.5	fragmented	TPO; Cergum- multi-stemmed (2) at base (lignotuber regrowth)/ possibly old growth specimen; on public easement (upper slope/ rock outcrops); part of significant remnant native tree group/ community
Rembrandt Drive	public easement	upper slope between 31 & 37 Rembrandt Dve	10.11.15	tree group	10ag(i)	Cergum	1	?60-80+	6	4	good	4.5	fragmented	TPO; Cergum- multi-stemmed at base (lignotuber regrowth)/ possibly old growth specimen; on public easement (upper slope/ rock outcrops); part of significant remnant native tree group/ community
Rembrandt Drive	public easement	mid-slope between 31 & 37 Rembrandt Dve	10.11.15	tree group	10ag(i)	Eucsie	1	15-20+	10	3	good	4.5	fragmented	TPO; Eucsie- vigorous growth; on public easement (mid-slope/ rock outcrops) adj. to boundary/ terrace wall No.31 Rembrandt Dve
Rembrandt Drive	public easement	lower slope between 31 & 37 Rembrandt Dve	10.11.15	tree group	10ag(i)	Allit	1	15-20+	7	5	good	4.5	fragmented	TPO; Allit- vigorous growth; on public easement (mid-slope/ rock outcrops) adj. to boundary/ terrace wall No.31 Rembrandt Dve
Rembrandt Drive	public easement	between 31 & 37 Rembrandt Dve	10.11.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO; on public easement/ rock outcrops between Nos.31 & 37 Rembrandt Dve; highly modified/ grading to weed thicket on mid- to lower slope; remnant native community/ regrowth (incl. Allit/ Elaret/ Glofer (up to 5-10yrs+/ up to 6-7m HT), Hompop, Pteesc, Lomlon); Pitund regrowth (dom.); dom. weeds
Rembrandt Drive	residential	37 Rembrandt Dve- rear garden/ rock outcrops	10.11.15	tree group	10ag(i)	Cergum	1	20-30+	4	3	good	4.5	fragmented	TPO; Cergum- adj. to easement (northern boundary); exotic garden/ highly modified; dom. weeds; listing subject to boundary survey
Rembrandt Drive	residential	37 Rembrandt Dve- rear garden/ rock outcrops	10.11.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO; remnant natives assoc. w. rock outcrops (incl. Elaret (up to 10-15yrs+/ up to 4-6m HT), Pteesc, Lomlon); good regen./ seedlings (incl. Angcos); dom. weeds
Rembrandt Drive	road reserve	upper verge adj. to 37 Rembrandt Dve	10.11.15	tree group	10ag(i)	Angcos	1	60-80+	12	12	good	4.5	fragmented	TPO; Angcos- some dead wood/ vigorous growth; on verge/ upper scarp adj. to boundary No.37 Rembrandt Dve; part of significant remnant native tree group/ community (see road reserve listings)

Rembrandt Drive	road reserve	upper verge adj. to 37 Rembrandt Dve	10.11.15	tree group	10ag(i)	Glofer	1	30-40+	8	6	good	4.5	fragmented	TPO; Glofer- adj. to boundary No.37 Rembrandt Dve
Rembrandt Drive	road reserve	upper verge adj. to 37 Rembrandt Dve	10.11.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO; on upper scarp/ rock outcrops & grass verge adj. to boundary No.37 Rembrandt Dve; varying level of disturbance/ grading to weed thicket; remnant native community/ regrowth & mixed restoration (incl. Allit, Breobl, Lomlon); Pitund (dom.) regrowth; also generic natives/ regen. ( <i>Corymbia citriodora</i> ); dom. weeds
Rembrandt Drive	public reserve (portion)	southern portion adj. to 37 Rembrandt Dve	10.11.15	tree group	10ag(i)	Angcos	1	80-100+	18	18	good	4.5	fragmented	SEPP19/ TPO; Angcos- old growth specimen; some dead wood/ vigorous growth; between southern boundary No.37 Rembrandt Dve & vehicular access road (land parcel incl. right-of-way and public reserve/ Harold Reid Reserve); highly modified/ restoration strategy (see below); listings subject to boundary survey
Rembrandt Drive	public reserve (portion)	southern portion adj. to 37 Rembrandt Dve	10.11.15	tree group	10ag(i)	Corgum	1	50-60+	12	8	fair	4.5	fragmented	SEPP19/ TPO; Corgum- ext. dead wood (40%)/ vigorous epicormic growth; between southern boundary No.37 Rembrandt Dve & vehicular access road (on right-of-way and public reserve)
Rembrandt Drive	public reserve (portion)	southern portion adj. to 37 Rembrandt Dve	10.11.15	tree group	10ag(i)	Angcos	1	40-50+	18	12	good	4.5	fragmented	SEPP19/ TPO; Angcos- vigorous growth; between southern boundary No.37 Rembrandt Dve & vehicular access road (on right-of-way and public reserve)

Rembrandt Drive	public reserve (portion)	southern portion adj. to 37 Rembrandt Dve	10.11.15	remnant community	10ag(i)	see notes	n/a	varies					4.5	fragmented	SEPP19/ TPO; between southern boundary No.37 Rembrandt Dve & vehicular access road (on right-of-way and public reserve/ Harold Reid Reserve); highly modified; remnant native community/ regrowth & mixed restoration (incl. Euchae, Allit, Kunamb, Glofer, Elaret, Ozodio, Hompop, Grelin, Breobl, Lomlon, Impcyl, Acthel, Diacae, Entstr, Thetri, Hymue); Pitund regrowth; also generic natives (Banint, <i>Grevillea</i> spp.); dom. weeds; listings subject to boundary survey
Rembrandt Drive	public reserve (portion)	right-of-way adj. to 39 Rembrandt Dve	10.11.15	tree group	10ag(i)	Angcos	1	30-40+	10	7	good	4.5	fragmented	SEPP19/ TPO; Angcos- some dead wood/ vigorous growth; adj. to formed right-of-way/ boundary No.39 Rembrandt Dve & fenced public reserve (Harold Reid Reserve); highly modified; remnant natives (incl. Breobl, Diacae); dom. weeds	
Rembrandt Drive	public reserve (portion)	right-of-way adj. to 39 Rembrandt Dve	10.11.15	tree group	10ag(i)	Angcos	1	30-40+	9	5	good	4.5	fragmented	SEPP19/ TPO; Angcos- some dead wood/ vigorous growth; adj. to formed right-of-way/ boundary No.39 Rembrandt Dve & fenced public reserve (Harold Reid Reserve)	
Rembrandt Drive	residential	39 Rembrandt Dve-rear garden/ scarp	10.11.15	single tree	10ag(i)	Angcos	1	?100-150+	20	18	see notes	5.0	fragmented	adj.SEPP19/TPO; Angcos- old growth specimen; some dead wood/ crown die-back (20%) & vigorous epicormic growth; on top of scarp adj. to boundary No.42 North Arm Rd; exotic garden/ highly modified; dom. weeds on scarp	
Rembrandt Drive	road reserve	road cutting adj. to 4 Harbour Lane	03.12.14	remnant community	10ag(i)	see notes	n/a	varies					3.5	restricted	remnant native understorey/ regrowth community (incl. Allit (5+) up to 15-20yrs+/ 7-10m HT, Ficrub, Perpin, Glofer, Ficrub, Banser, Elaret, Kunamb, Dodtri) & native ground layer/ ferns (incl. Glemic, Glerup, Pteesc, Hymue) assoc. w. rock outcrops; possibly mixed local native planting; Pitund (dom.) regrowth; dom. weeds; listings subject to bdy. survey

Rembrandt Drive	road reserve	verge adj. to 6 Rembrandt Dve	03.12.14	single tree	10ag(i)	Euccap	1	100-150+	16	16	fair	5.0	restricted	TPO; Euccap- old growth specimen/ exceptionally large dimensions (HT/ canopy diam.) (Beadle, Evans & Carolin 1982; Benson & McDougall, Cunninghamia 5(4) 1998)/ possibly X <i>E. globoidea</i> ; some dead wood; exotic garden/ dom.weeds; Pitund regrowth
Rembrandt Drive	road reserve	verge adj. to 8 Rembrandt Dve	05.12.14	single tree	10ag(i)	Euccap	1	80-100+	8	8	good	5.0	restricted	TPO; Euccap- old growth multi-stemmed specimen/ coppiced base (3) & some pruning; on grass verge adj. to driveway No.8 Rembrandt Drive
Rembrandt Drive	residential	8 Rembrandt Dve- front garden	05.12.14	tree group	10ag(i)	Eucpun	1	60-80+	9	12	fair	5.0	restricted	TPO; Eucpun- ext. dead wood (30%)/ vigorous new growth (remove <i>Hedera canariensis</i> on stem base); exotic garden/ dom. weeds
Rembrandt Drive	residential	8 Rembrandt Dve- rear garden/ lower slope	05.12.14	tree group	10ag(i)	Eucpun	1	60-80+	12	12	good	5.0	restricted	TPO; Eucpun- some dead wood; on lower steep slope/ rock outcrops (adj. to Harbour Lane); highly modified/ dom. weeds
Rembrandt Drive	residential	8 Rembrandt Dve- rear garden/ lower slope	05.12.14	tree group	10ag(i)	Angcos	1	10-15+	6	2	good	5.0	restricted	TPO; Angcos- immature/ sapling; on lower steep slope/ rock outcrops (adj. to Harbour Lane); highly modified/ dom. weeds
Rembrandt Drive	road reserve	verge adj. to 16 Rembrandt Dve/ rock outcrops	05.12.14	single tree	10ag(i)	Allit	1	20-30+	7	7	good	5.0	restricted	TPO; Allit- multi-stemmed (2) on sandstone outcrops/ lawn area; exotic garden; local & generic native planting (also immature Eucpun X1/ leaning w. ext. insect damage at base/ likely cultivated (unknown provenance)
Rembrandt Drive	residential	16 Rembrandt Dve- front garden	05.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				5.0	restricted	significant s/s scarp & rock outcrops; exotic garden/ highly modified; local native planting (incl. Elaret. Cergum, Diacae) and generic natives (incl. <i>Agonis flexuosa</i> ); dom. weeds
Rembrandt Drive	residential	16 Rembrandt Dve- front garden	05.12.14	tree group	10ag(i)	Glofer	1	50-60+	14	10	good	5.0	restricted	TPO; Glofer- exotic garden/ highly modified; also regrowth/ saplings (Glofer); local & generic native planting; dom. weeds
Rembrandt Drive	residential	16 Rembrandt Dve- front garden	05.12.14	tree group	10ag(i)	Angcos	1	20-30+	15	5	good	5.0	restricted	TPO; Angcos- possibly cultivated
Rembrandt Drive	residential	16 Rembrandt Dve- front garden	05.12.14	tree group	10ag(i)	Corgum	1	40-50+	14	5	fair	5.0	restricted	TPO; Corgum- adj. to driveway/ ext. dead wood

Rembrandt Drive	residential	16 Rembrandt Dve-front garden	05.12.14	tree group	10ag(i)	Cergum	1	40-50+	7	4	good	5.0	restricted	TPO; Cergum- multi-stemmed specimen/ likely cultivated
Rembrandt Drive	residential	16 Rembrandt Dve-front garden	05.12.14	tree group	10ag(i)	Allit	1	20-30+	6	7	fair	5.0	restricted	TPO; Allit- adj. to entry gate/ leaning w. ext. dead wood
Rembrandt Drive	residential	18 Rembrandt Dve-rear garden/ scarp	05.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				5.0	restricted	significant s/s scarp, rock outcrops & formations; exotic garden/ highly modified; dom. weeds
Rembrandt Drive	residential	18 Rembrandt Dve-rear garden/ lower slope	05.12.14	tree group	10ag(i)	Eucpun	1	100-150+	16	16	see notes	5.0	restricted	TPO; Eucpun- massive multi-stemmed (3)/ (2X dead stems) old growth specimen/ old cavities & heavily lopped w. vigorous epicormic growth on upper single stem (basal growth- dead)- on steep lower slope/ rock outcrops; part of significant group of remnant native old growth trees
Rembrandt Drive	residential	18 Rembrandt Dve-rear garden/ upper slope	05.12.14	tree group	10ag(i)	Eucpun	1	100-150+	16	20	see notes	5.0	restricted	TPO; Eucpun- old growth specimen/ ext. dead wood (30%) incl. large branches- on upper rock outcrops/ part of significant group of remnant native old growth trees; Pitund regrowth; dom. weeds
Rembrandt Drive	residential	20 Rembrandt Dve-rear garden/ upper slope	05.12.14	tree group	10ag(i)	Eucpun	1	40-50+	16	7	fair	5.0	restricted	TPO; Eucpun- on upper steep slope adj. to rear bdy. (Harbour Lane); ext. dead wood (20%)/ vigorous new growth; part of larger group of remnant native trees; generic native planting; Pitund regrowth; dom. weeds
Rembrandt Drive	residential	20 Rembrandt Dve-rear garden/ upper slope	05.12.14	tree group	10ag(i)	Allit	1	20-30+	7	7	good	5.0	restricted	TPO; Allit- on upper steep slope adj. to rear bdy. (Harbour Lane); dom. weeds
Rembrandt Drive	residential	20 Rembrandt Dve-rear garden/ upper slope	05.12.14	tree group	10ag(i)	Allit	1	15-20+	7	4	good	5.0	restricted	TPO; Allit- on upper steep slope adj. to rear bdy. (Harbour Lane); dom. weeds
Rembrandt Drive	residential	22 Rembrandt Dve-front garden	05.12.14	tree group	10ag(i)	Cergum	1	40-50+	7	3	good	5.0	restricted	TPO; Cergum- multi-stemmed specimen/ possibly cultivated; exotic garden/ dom. weeds
Rembrandt Drive	residential	22 Rembrandt Dve-rear garden/ upper slope	05.12.14	tree group	10ag(i)	Eucpun	1	60-80+	16	18	see notes	5.0	restricted	TPO; Eucpun- on upper steep slope adj. to rear bdy. (Harbour Lane); multi-stemmed specimen (2)/ 1x leaning & some dead wood; exotic garden/ dom. weeds

Rembrandt Drive	road reserve	cnr. Rembrandt Drive/ Harbour Lane	05.12.14	tree group	10ag(i)	Eucpun	1	30-40+	8	8	good	4.5	restricted	TPO; Eucpun- on rock outcrops adj. to bdy. No.26 Rembrandt Drive; some dead wood/ vigorous new growth; dom. weeds
Rembrandt Drive	road reserve	cnr. Rembrandt Drive/ Harbour Lane	05.12.14	tree group	10ag(i)	Eucpun	1	20-30+	7	7	good	4.5	restricted	TPO; Eucpun- on rock outcrops adj. to bdy. No.26 Rembrandt Drive; some dead wood/ vigorous new growth; dom. weeds
Rembrandt Drive	road reserve	cnr. Rembrandt Drive/ Harbour Lane	05.12.14	tree group	10ag(i)	Angcos	1	15-20+	4	3	see notes	4.5	restricted	TPO; Angcos- on rock outcrops adj. to bdy. No.26 Rembrandt Drive; lopped/ under overhead powerlines; dom. weeds
Rembrandt Drive	road reserve	cnr. Rembrandt Drive/ Harbour Lane	05.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native shrubby regrowth (incl. immature Allit (3+), Acalin & regen./ seedlings Corgum, Angcos, Allit) and remnant native ground layer (incl. Pteesc, Glycla); local & generic native planting; Pitund regrowth; dom. weeds
Rembrandt Drive	residential	28 Rembrandt Dve- front garden/ rock outcrops	08.12.14	tree group	10ag(i)	Euchae	1	80-100+	9	12	good	4.5	restricted	TPO; Euchae- on upper slope/ rock outcrops; old growth specimen/ some dead wood & cavity; terraced exotic garden/ dom. weeds; remnant native ground layer (incl. Diacae, Diarev, Caldub)
Rembrandt Drive	residential	28 Rembrandt Dve- front garden/ rock outcrops	08.12.14	tree group	10ag(i)	Banser	1	50-60+	5	4	fair	4.5	restricted	TPO; Banser- on rock outcrops; terraced exotic garden/ dom. weeds
Rembrandt Drive	residential	28 Rembrandt Dve- front garden/ rock outcrops	08.12.14	tree group	10ag(i)	Angcos	1	10-15+	6	3	good	4.5	restricted	TPO; Angcos- on rock outcrops; terraced exotic garden/ dom. weeds
Rembrandt Drive	residential	28 Rembrandt Dve- front garden/ rock outcrops	08.12.14	tree group	10ag(i)	Elaret	1	30-40+	8	3	good	4.5	restricted	TPO; Elaret- on rock outcrops; terraced exotic garden/ dom. weeds
Rembrandt Drive	residential	28 Rembrandt Dve- rear garden/ rock outcrops	08.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				4.5	restricted	significant s/s scarp & rock outcrops; exotic garden/ dom. weeds; remnant natives (incl. Allit (regen.), Pteesc, Lomlon)
Rembrandt Drive	residential	28 Rembrandt Dve- rear garden/ rock outcrops	08.12.14	tree group	10ag(i)	Elaret	1	40-50+	9	4	good	4.5	restricted	TPO; Elaret- on upper rock outcrops; exotic garden/ dom. weeds
Rembrandt Drive	residential	28 Rembrandt Dve- rear garden/ rock outcrops	08.12.14	tree group	10ag(i)	Cergum	1	60-80+	7	4	good	4.5	restricted	TPO; Elaret- on rock outcrops adj. to bdy. No.30; exotic garden/ dom. weeds

Rembrandt Drive	residential	28 Rembrandt Dve-rear garden/ rock outcrops	08.12.14	tree group	10ag(i)	Cergum	1	40-50+	5	3	good	4.5	restricted	TPO; Elaret- on rock outcrops; exotic garden/ dom. weeds
Rembrandt Drive	residential	30 Rembrandt Dve-front garden	17.12.14	single tree	10ag(i)	Angcos	1	80-100+	16	16	good	5.0	fragmented	TPO; Angcos- adj. to front bdy; old growth specimen/ some dead wood; exotic garden/ dom. weeds; no access to rear garden
Rembrandt Drive	residential	32 Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Angcos	1	10-15+	8	3	good	4.5	fragmented	TPO; Angcos- on rock outcrops adj. to front bdy; immature/ sapling; exotic garden/ dom. weeds; remnant natives (incl. Caldub); generic native planting (incl. <i>Corymbia citriodora</i> ) colonisation
Rembrandt Drive	residential	32 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	tree group	10ag(i)	Glofer	1	40-50+	9	7	good	4.5	fragmented	TPO; Glofer- on upper rock outcrops; dead standing trees (stags); no access to rear garden
Rembrandt Drive	residential	32A Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Eucsie	1	30-40+	10	10	good	4.5	fragmented	TPO; Eucsie- on rock outcrops adj. to entry steps; some dead wood/ NB. 2X stems (see below) possibly basal regrowth/ lopped old growth specimen; exotic terraced garden/ dom. weeds; remnant native ferns (incl. Caldub)
Rembrandt Drive	residential	32A Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Eucsie	1	20-30+	9	6	good	4.5	fragmented	TPO; Eucsie- on rock outcrops adj. to entry steps; some dead wood/ NB. 2X stems (see above) possibly basal regrowth/ lopped old growth specimen; exotic terraced garden/ dom. weeds
Rembrandt Drive	residential	32A Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Allit	1	20-30+	3	4	good	4.5	fragmented	TPO; Allit- on rock outcrops adj. to bdy.No.32B; exotic garden/ dom. weeds
Rembrandt Drive	residential	32A Rembrandt Dve-rear garden/ rock outcrops	17.12.14	tree group	10ag(i)	Allit	1	15-20+	5	3	poor	4.5	restricted	TPO; Allit- on rock outcrops/ upper scarp/ cutting adj. to rear of house & bdy. No.32B; exotic garden/ dom. weeds; remnant native ground layer (incl. Lomlon)
Rembrandt Drive	residential	32A Rembrandt Dve-rear garden/ rock outcrops	17.12.14	tree group	10ag(i)	Allit	1	15-20+	6	4	v.poor	4.5	restricted	TPO; Allit- on rock outcrops/ upper scarp/ cutting adj. to rear of house & bdy. No.32B; exotic garden/ dom. weeds; remnant native ground layer (incl. Lomlon)



Rembrandt Drive	road reserve	road cutting/ scarp adj. to 32B Rembrandt Dve	17.12.14	tree group	10ag(i)	Angcos	1	20-30+	10	5	good	4.5	restricted	TPO; Angcos- on rock outcrops/ scarp adj. to front bdy. No.32B Rembrandt Drive; remnant native shrubby regrowth & ground layer (see below); dom. weeds; listing subject to bdy. survey
Rembrandt Drive	road reserve	road cutting/ scarp adj. to 32B Rembrandt Dve	17.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native shrubby regrowth/ regen. on upper rock outcrops (incl. Allit (dom.), Dodtri, Breobl/ up to 5-10+yrs) and remnant native ground layer (incl. Lomlon, Entstr); dom. weeds; listings subject to boundary survey
Rembrandt Drive	road reserve	rock outcrops adj. to 32B Rembrandt Dve	17.12.14	tree group	10ag(i)	Eucsie	1	80-100+	16	12	good	3.5	fragmented	TPO; Eucsie- on rock outcrops/ adj. to front bdy. No.32B (SE cnr.) & bdy. No.34 Rembrandt Drive; old growth specimen/ visually prominent in streetscape; part of significant remnant native tree group/ community; dom. weeds; listing subject to bdy. survey
Rembrandt Drive	road reserve	rock outcrops adj. to 32B Rembrandt Dve	17.12.14	tree group	10ag(i)	Angflo	1	?15-20+	9	7	good	3.5	fragmented	TPO; Angflo- NOT Angcra- on rock outcrops/ adj. to front bdy. No.32B (SE cnr.) & bdy. No.34 Rembrandt Drive; leaning over roadway; generic native (likely self-sown - unknown provenance); dom. weeds; listing subject to bdy. survey [listing confirmed - FI./Fr. samples collected 10/11/2015];
Rembrandt Drive	road reserve	rock outcrops adj. to 32B Rembrandt Dve	17.12.14	tree group	10ag(i)	Angbak	1	?50-60+	4	5	good	3.5	fragmented	TPO; Angbak- on rock outcrops/ adj. to front bdy. No.32B (SE cnr.) & bdy. No.34 Rembrandt Drive; leaning over roadway; part of significant remnant native tree group/ community; dom. weeds; listing subject to bdy. survey
Rembrandt Drive	road reserve	rock outcrops adj. to 32B Rembrandt Dve	17.12.14	tree group	10ag(i)	Angbak	1	?30-40+	3	2	good	3.5	fragmented	TPO; Angbak- on rock outcrops/ adj. to front bdy. No.32B (SE cnr.) & bdy. No.34 Rembrandt Drive; leaning over roadway; part of significant remnant native tree group/ community; dom. weeds; listing subject to bdy. survey

Rembrandt Drive	road reserve	rock outcrops adj. to 32B Rembrandt Dve	17.12.14	tree group	10ag(i)	Eucsie	1	20-30+	9	6	good	3.5	fragmented	TPO; Eucsie- on rock outcrops/ adj. to front bdy. No.32B (SE cnr.) & bdy. No.34 Rembrandt Drive; leaning over roadway; part of significant remnant native tree group/ community; dom. weeds; listing subject to bdy. survey
Rembrandt Drive	road reserve	rock outcrops adj. to 32B Rembrandt Dve	17.12.14	remnant community	10ag(i)	see notes	n/a					3.5	fragmented	remnant native shrubby regrowth/ regen. on rock outcrops (incl. Elaret (6+), Allit, Dodtri/ up to 15-20+yrs) and remnant native shrubs/ ground layer (incl. Crosal, Entstr, Diacae); dom. weeds; listings subject to boundary survey
Rembrandt Drive	residential	34 Rembrandt Dve- rear garden/ rock outcrops	17.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				4.5	restricted	significant s/s scarp & rock outcrops; exotic garden/ highly modified; remnant native regrowth (see below); dead standing tree- Eucsie (stag); Pitund regrowth; generic native planting (incl. <i>Corymbia citriodora</i> - front garden); dom. weeds
Rembrandt Drive	residential	34 Rembrandt Dve- rear garden/ rock outcrops	17.12.14	tree group	10ag(i)	Ficrub	1	10-15+	3	3	good	4.5	restricted	TPO; Ficrub- vigorous growth; on rock outcrops adj. to pool; part of significant remnant native tree group; no access to rear garden
Rembrandt Drive	residential	34 Rembrandt Dve- rear garden/ rock outcrops	17.12.14	tree group	10ag(i)	Corgum	1	30-40+	12	5	good	4.5	restricted	TPO; Corgum- multi-stemmed/ vigorous growth; on rock outcrops adj. to pool; part of significant remnant native tree group
Rembrandt Drive	residential	34 Rembrandt Dve- rear garden/ rock outcrops	17.12.14	tree group	10ag(i)	Angbak	1	?30-40+	4	2	good	4.5	restricted	TPO; Angbak- multi-stemmed (2) at base/ likely lignotuber regrowth; on north-western rock outcrops; part of significant remnant native tree group
Rembrandt Drive	residential	34 Rembrandt Dve- rear garden/ rock outcrops	17.12.14	tree group	10ag(i)	Eucpun	1	30-40+	12	10	poor	4.5	restricted	TPO; Eucpun- ext. dead wood (50%)/ poor vigour; on north-western rock outcrops; part of significant remnant native tree group
Rembrandt Drive	residential	34 Rembrandt Dve- rear garden/ rock outcrops	17.12.14	tree group	10ag(i)	Euchae	1	30-40+	8	6	good	4.5	restricted	TPO; Euchae- some dead wood/ vigorous growth; on north-western rock outcrops; part of significant remnant native tree group
Rembrandt Drive	residential	34 Rembrandt Dve- rear garden/ upper slope	17.12.14	tree group	10ag(i)	Banser	1	30-40+	6	8	good	4.5	restricted	TPO; Banser- leaning main stem/ vigorous growth; on upper slope/ rock outcrops; part of significant remnant native tree group

Rembrandt Drive	residential	34 Rembrandt Dve-rear garden/ upper slope	17.12.14	tree group	10ag(i)	Corgum	1	80-100+	12	15	v.poor	4.5	restricted	TPO; Corgum- multi-stemmed (3) old growth specimen; ext. dead wood/ die-back (90%) & poor vigour/ epicormic growth; on upper slope/ rock outcrops; part of significant remnant native tree group
Rembrandt Drive	residential	34 Rembrandt Dve-rear garden/ upper slope	17.12.14	tree group	10ag(i)	Eucsie	1	80-100+	15	18	fair	4.5	restricted	TPO; Eucsie- multi-stemmed (2) old growth specimen; ext. dead wood (30%)/ epicormic growth; on upper slope/ rock outcrops; part of significant remnant native tree group
Rembrandt Drive	residential	34 Rembrandt Dve-rear garden/ upper slope	17.12.14	tree group	10ag(i)	Allit	1	20-30+	10	7	fair	4.5	restricted	TPO; Allit- leaning main stem; on upper slope/ rock outcrops; part of significant remnant native tree group
Rembrandt Drive	residential	34 Rembrandt Dve-rear garden/ upper slope	17.12.14	tree group	10ag(i)	Allit	1	20-30+	12	8	fair	4.5	restricted	TPO; Allit- on upper slope/ rock outcrops; part of significant remnant native tree group
Rembrandt Drive	residential	34 Rembrandt Dve-rear garden/ upper slope	17.12.14	tree group	10ag(i)	Angbak	1	80-100+	8	8	fair	4.5	restricted	TPO; Angbak- multi-stemmed old growth specimen; ext. dead wood/ smothered in exotic climber- <i>Parthenocissus tricuspidata</i> / recommend removal; on upper slope/ rock outcrops; part of significant remnant native tree group
Rembrandt Drive	residential	34 Rembrandt Dve-rear garden/ upper slope	17.12.14	tree group	10ag(i)	Angbak	1	?40-50+	6	2	good	4.5	restricted	TPO; Angbak- lopped/ vigorous regrowth; on upper slope/ rock outcrops; part of significant remnant native tree group
Rembrandt Drive	residential	34 Rembrandt Dve-rear garden/ upper slope	17.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native shrubby regrowth/ regen. on rock outcrops (incl. Allit/ Cergum (co-doms.)/ Elaret, Euchae, Dodtri- up to 5-10+ yrs) and remnant native shrubs/ ground layer (incl. Crosal, Entstr, Diacae, Pteesc, Caldub); Pitund regrowth; dom. weeds
Rembrandt Drive	residential	42 Rembrandt Dve-rear garden/ lower slope	17.12.14	tree group	10ag(i)	Euchae	1	80-100+	10	16	good	4.5	restricted	TPO; Euchae- old growth specimen; some dead wood/ vigorous growth; adj. to boundary No.44 Rembrandt Drive; part of significant remnant native tree group; exotic terraced garden/ highly modified; remnant native ground layer (see below); dom. weeds

Rembrandt Drive	residential	42 Rembrandt Dve-rear garden/ lower slope	17.12.14	tree group	10ag(i)	Euchae	1	80-100+	10	7	good	4.5	restricted	TPO; Euchae- old growth specimen; some dead wood (10%)/ vigorous growth; part of significant remnant native tree group
Rembrandt Drive	residential	42 Rembrandt Dve-rear garden/ lower slope	17.12.14	tree group	10ag(i)	Euchae	1	40-50+	7	8	good	4.5	restricted	TPO; Euchae- some dead wood (10%)/ vigorous growth; adj. to boundary No.40 Rembrandt Drive; part of significant remnant native tree group
Rembrandt Drive	residential	42 Rembrandt Dve-rear garden/ lower slope	17.12.14	tree group	10ag(i)	Angbak	1	?unknown	1	0.5	good	4.5	restricted	TPO; Angbak- lopped/ vigorous regrowth; on lower slope; part of significant remnant native tree group
Rembrandt Drive	residential	42 Rembrandt Dve-rear garden/ upper slope	17.12.14	tree group	10ag(i)	Corgum	1	80-100+	9	10	good	4.5	restricted	TPO; Corgum- old growth multi-stemmed (3) specimen/ some dead wood; on upper slope/ rock outcrops (no access); part of significant remnant native tree group
Rembrandt Drive	residential	42 Rembrandt Dve-rear garden/ upper slope	17.12.14	tree group	10ag(i)	Banser	1	30-40+	3	4	good	4.5	restricted	TPO; Banser- on upper slope/ rock outcrops (below scarp); part of significant remnant native tree group
Rembrandt Drive	residential	42 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				4.5	restricted	significant s/s scarp & rock outcrops (lower scarp); exotic garden/ highly modified; remnant native regrowth (see below); dom. weeds
Rembrandt Drive	residential	42 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant natives (incl. Elaret/ up to 10-15+ yrs) and ground layer/ ferns assoc. w. rock outcrops/ lower scarp & overhang (incl. Glerup, Caldub, Diacae & unidentified sp.); Pitund regrowth; dom. weeds
Rembrandt Drive	residential	44 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				3.5	restricted	significant s/s scarp & rock outcrops (lower scarp); exotic garden/ highly modified; remnant native regrowth (see below); dom. weeds
Rembrandt Drive	residential	44 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	remnant community	10ag(i)	see notes	n/a					3.5	restricted	remnant native shrubby regrowth assoc. w. rock outcrops/ lower scarp (incl. Allit 8+ / (dom.)- up to 15-20+ yrs/ up to 9-10m HT; regen./ saplings- Cergum, Elaret, Allit) and remnant native shrubs/ ground layer (incl. Xanarb, Crosal, Gledic, Entstr, Diacae, Caldub, Smigly); Pitund regrowth (dom.); dom. weeds; also front garden- remnant native ground layer (incl. Thetri, Caldub)

Rembrandt Drive	residential	44 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	tree group	10ag(i)	Euchae	1	60-80+	12	12	good	3.5	restricted	TPO; Euchae- some dead wood/ vigorous growth; on lower scarp; part of significant remnant native tree group
Rembrandt Drive	residential	44 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	tree group	10ag(i)	Angbak	1	?30-40+	3	3	good	3.5	restricted	TPO; vigorous growth/ possibly older; on lower scarp; part of significant remnant native tree group
Rembrandt Drive	residential	44 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	tree group	10ag(i)	Angbak	1	?40-50+	5	3	good	3.5	restricted	TPO; vigorous growth/ possibly older; on lower scarp; part of significant remnant native tree group
Rembrandt Drive	residential	46 Rembrandt Dve-front garden/ rock outcrops	17.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native regrowth/ ferns assoc. w. significant rock outcrops adj. to verge (incl. Cyaaus, Acapar, Caldub); <i>Cyathea cooperi</i> (dom.)/ cultivated origin; dom. weeds
Rembrandt Drive	residential	46 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				3.5	restricted	significant s/s scarp, rock outcrops & overhang (lower scarp/ boundary); exotic garden/ highly modified; remnant native regrowth/ community (see below); dom. weeds
Rembrandt Drive	residential	46 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	remnant community	10ag(i)	see notes	n/a					3.5	restricted	remnant native shrubby regrowth assoc. w. rock outcrops/ lower scarp (incl. Allit, Cergum, Elaret, Kunamb, Baneri- up to 10-15+ yrs/ up to 2-3m HT) and remnant native ground layer (incl. Epalon, Crosal, Acasua, Gledic, Diacae, Diarev, Lomlon, Lomgla, Caldub, Smigly); relatively high biodiversity/ good native regen.; no remnant native canopy present; Pitund regrowth; dom. weeds
Rembrandt Drive	public reserve	reserve between Nos.47 & 49 Rembrandt Drive	17.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	public reserve contiguous w. Harold Reid Reserve; highly modified/ mesic shift; no remnant native canopy trees; Pitund (dom.) regrowth (up to 20-30yrs+/ up to 7-8m HT); remnant native shrubby regrowth/ regen. assoc. w. rock outcrops (incl. Hompop, Glofer, Dodtri, Notlon, Kunamb) and native ground layer/ climbers (incl. Diacae, Pteesc, Diccri, Hypmue, Cishyp); <i>Cyathea cooperi</i> - cultivated origin; dom. weeds

Rembrandt Drive	residential	48 Rembrandt Dve-front garden/ rock outcrops	17.12.14	remnant community	10ag(i)	see notes	n/a						4.5	restricted	steep slope; remnant native regrowth assoc. w. significant rock outcrops (incl. Allit (3+)/ Elaret- up to 10-15+yrs; and Caldub); Pitund regrowth (dom.); exotic garden/ highly modified; dom. weeds
Rembrandt Drive	residential	48 Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Corgum	1	80-100+	9	12	good	4.5	restricted	TPO; Corgum- old growth multi-stemmed (2) specimen/ 1X main stem lopped; some dead wood; on upper slope/ rock outcrops	
Rembrandt Drive	residential	48 Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Allit	1	20-30+	7	5	good	4.5	restricted	TPO; Allit- on steep slope/ rock outcrops; vigorous growth	
Rembrandt Drive	residential	48 Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Calser	1	?30-40+	3	4	good	4.5	restricted	TPO; Calser- damaged main stem/ vigorous regrowth; on lower rock outcrops	
Rembrandt Drive	residential	48 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies					4.5	restricted	significant s/s scarp & rock outcrops (subject to boundary survey); exotic garden/ highly modified; remnant native regrowth/ community (see below); dom. weeds
Rembrandt Drive	residential	48 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	remnant community	10ag(i)	see notes	n/a						4.5	restricted	remnant native shrubby regrowth assoc. w. rock outcrops & scarp (incl. Allit (7+/ dom.) on upper rock outcrops (up to 15-20+yrs/ up to 4-7m HT); Cergum, Baneri) and remnant native ground layer (incl. Caldub); no access; Pitund regrowth; dom. weeds; listings subject to boundary survey
Rembrandt Drive	residential	54 Rembrandt Dve-front garden/ rock outcrops	17.12.14	remnant community	10ag(i)	see notes	n/a						3.5	restricted	significant remnant native regrowth/ community assoc. w. rock outcrops (incl. Cergum- up to 15-20+yrs; Elaret, Anghis, Hakdac) and remnant native ground layer (incl. Crosal, Empmin, Epalon, Diacae, Entstr, Pteesc, Smigly, Bilsca); relatively high biodiversity/ good native regen. (incl. Elaret, Anghis); community would respond to minimal disturbance bush regeneration strategy; Pitund regrowth; also generic natives/ regen. (incl. <i>Corymbia citriodora</i> ); dom. weeds

Rembrandt Drive	residential	54 Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Euchae	1	20-30+	8	6	v.poor	3.5	restricted	TPO; Euchae- ext. dead wood/ die-back (60%); on front boundary adj. to driveway & boundary No.56 Rembrandt Drive
Rembrandt Drive	residential	54 Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Euchae	1	20-30+	7	6	fair	3.5	restricted	TPO; Euchae- multi-stemmed/ leaning; ext. dead wood (30%)/ vigorous new growth; on front boundary adj. to driveway & boundary No.56 Rembrandt Drive
Rembrandt Drive	residential	54 Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Cyaaus	1	?40-50+	2	3	good	3.5	restricted	TPO; Cyaaus- old specimen; on rock outcrops adj. to front boundary
Rembrandt Drive	residential	54 Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Banser	1	30-40+	6	6	good	3.5	restricted	TPO; Banser- leaning main stem; on rock outcrops adj. to front boundary; part of significant remnant native regrowth group
Rembrandt Drive	residential	54 Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Anghis	1	?unknown	1	1	good	3.5	restricted	TPO; Anghis- lopped/ regrowth; possibly old specimen; on rock outcrops adj. to front boundary; part of significant remnant native regrowth group
Rembrandt Drive	residential	54 Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Hakdac	1	20-30+	7	5	good	3.5	restricted	TPO; Hakdac- vigorous growth; on upper rock outcrops adj. to driveway; part of significant remnant native regrowth group
Rembrandt Drive	residential	54 Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Hakdac	1	20-30+	6	4	good	3.5	restricted	TPO; Hakdac- vigorous growth; on upper rock outcrops adj. to driveway; part of significant remnant native regrowth group
Rembrandt Drive	residential	54 Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Cergum	1	?40-50+	7	4	good	3.5	restricted	TPO; Cergum- vigorous growth; on upper rock outcrops; part of significant remnant native regrowth group
Rembrandt Drive	residential	54 Rembrandt Dve-front garden/ rock outcrops	17.12.14	tree group	10ag(i)	Hakdac	1	40-50+	8	5	v.poor	3.5	restricted	TPO; Hakdac- ext. dead wood/ die-back (90%); on upper rock outcrops adj. to boundary No.56 Rembrandt Drive; part of significant remnant native regrowth group

Rembrandt Drive	residential	55 Rembrandt Dve-rear garden/ upper slope	17.12.14	tree group	10ag(i)	Eucpun	1	80-100+	16	16	good	4.5	fragmented	adj.SEPP19/ TPO; Eucpun- old growth specimen; some dead wood/ vigorous growth; part of significant remnant native tree group on this property (Eucpun- incl. old growth specimens); on upper slope/ rock outcrops adj. to boundary No.53 Rembrandt Drive; exotic garden/ highly modified; largely cleared/ current construction site; no access; Pitund (dom.) regrowth; generic native planting (incl. <i>Eucalyptus grandis</i> ); dom. weeds
Rembrandt Drive	residential	55 Rembrandt Dve-rear garden/ upper slope	17.12.14	tree group	10ag(i)	Eucpun	1	50-60+	12	10	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Eucpun- some dead wood/ vigorous growth; part of significant remnant native tree group (Eucpun); on upper slope/ rock outcrops adj. to boundary No.53 Rembrandt Drive
Rembrandt Drive	residential	55 Rembrandt Dve-rear garden/ upper slope	17.12.14	tree group	10ag(i)	Eucpun	1	50-60+	12	9	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Eucpun- some dead wood/ vigorous growth; part of significant remnant native tree group (Eucpun); on upper slope/ rock outcrops adj. to steps
Rembrandt Drive	residential	55 Rembrandt Dve-rear garden/ mid-slope	17.12.14	tree group	10ag(i)	Eucpun	1	80-100+	16	16	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Eucpun- old growth multi-stemmed (2) specimen; some dead wood/ vigorous growth; part of significant remnant native tree group (Eucpun); on mid-slope/ rock outcrops
Rembrandt Drive	residential	55 Rembrandt Dve-rear garden/ lower slope	17.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native shrubby regrowth assoc. w. significant rock outcrops adj. to lower boundary to reserve (incl. Cergum- up to 10-15yrs+) and remnant native ground layer (incl. Caldub); Pitund (dom.) regrowth; generic native planting (incl. <i>Eucalyptus robusta</i> / <i>E. botryoides</i> ); dom. weeds; listings subject to boundary survey



Rembrandt Drive	residential	57 Rembrandt Dve-rear garden/ upper level	17.12.14	tree group	10ag(i)	Eucrac	1	80-100+	9	16	poor	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Eucrac- old growth multi-stemmed (2) specimen; damaged lower trunk/ ext. dead wood & crown die-back (40%); epicormic growth; part of significant remnant native tree group on this property; on upper level adj. to house; exotic garden; steep gully/ slope; dom. weeds
Rembrandt Drive	residential	57 Rembrandt Dve-rear garden/ upper level	17.12.14	tree group	10ag(i)	Eucrac	1	60-80+	15	15	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Eucrac- possibly old growth specimen; some dead wood/ vigorous growth; part of significant remnant native tree group on this property; adj. to upper rear deck to house
Rembrandt Drive	residential	57 Rembrandt Dve-rear garden/ mid-slope	17.12.14	tree group	10ag(i)	Eucpun	1	60-80+	12	12	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Eucpun- some dead wood/ vigorous growth; part of significant remnant native tree group on this property; on steep slope/ rock outcrops adj. to boundary No.55 Rembrandt Drive (see listing)
Rembrandt Drive	residential	57 Rembrandt Dve-rear garden/ mid-slope	17.12.14	tree group	10ag(i)	Eucpun	1	60-80+	12	9	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Eucpun- some dead wood/ vigorous growth; part of significant remnant native tree group on this property; on steep slope/ rock outcrops adj. to boundary No.55 Rembrandt Drive (see listing)
Rembrandt Drive	residential	57 Rembrandt Dve-rear garden/ mid-slope	17.12.14	tree group	10ag(i)	Ficrub	1	40-50+	7	12	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Ficrub- multi-stemmed specimen/ vigorous growth; part of significant remnant native tree group on this property; on rock outcrops/ scarp adj. to boundary No.59 Rembrandt Drive (see listing)
Rembrandt Drive	residential	57 Rembrandt Dve-rear garden/ mid-slope	17.12.14	tree group	10ag(i)	Elaret	1	20-30+	4	4	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Elaret- multi-stemmed/ vigorous growth; part of significant remnant native tree group on this property; on rock outcrops/ mid-slope
Rembrandt Drive	residential	57 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				4.5	fragmented	significant s/s scarp, rock outcrops & formations; remnant native regrowth/ community (see below)

Rembrandt Drive	residential	57 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	remnant community	10ag(i)	see notes	n/a						4.5	fragmented	remnant native shrubby regrowth assoc. w. significant rock outcrops/ scarp on mid-to lower slope (incl. Elaret- up to 15-20yrs+/ up to 9m HT) and remnant native ground layer/ climbers (incl. Acasua, Pteesc, Smigly, Cishyp)/ largely cleared; 1X large dead standing tree/ mid-slope (stag- unidentified) & 1X dead Eucpun (stag)- adj. to boundary No.55 Rembrandt Dve; Pitund (dom.) regrowth (incl. older specimens up to 60-80yrs+/ up to 10m HT); generic native planting (incl. <i>Syzygium paniculatum</i> ); lower boundary listings subject to boundary survey; dom. weeds
Rembrandt Drive	residential	57 Rembrandt Dve-rear garden/ lower slope	17.12.14	tree group	10ag(i)	Angcos	1	50-60+	16	12	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos-some dead wood/ vigorous growth; part of significant remnant native tree group on this property; on lower steep slope/ rock outcrops adj. to reserve boundary; listing subject to boundary survey	
Rembrandt Drive	residential	57 Rembrandt Dve-rear garden/ lower slope	17.12.14	tree group	10ag(i)	Angcos	1	30-40+	16	5	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos-vigorous growth; part of significant remnant native tree group on this property; on lower steep slope/ rock outcrops adj. to reserve boundary; listing subject to boundary survey	
Rembrandt Drive	residential	59 Rembrandt Dve-front garden	17.12.14	tree group	10ag(i)	Angcos	1	60-80+	22	18	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos-multi-stemmed specimen/ vigorous growth; significant visual specimen in streetscape; adj. to front boundary/ verge & boundary No.57 Rembrandt Drive; owner confirmation- sapling/ small tree 50yrs ago; part of significant remnant native tree group on this property; exotic garden; dom. weeds	

Rembrandt Drive	residential	59 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies					4.5	fragmented	significant s/s scarp & rock outcrops; steep gully; upper slope largely cleared/ highly modified; remnant native regrowth/ community on lower slope/ rock outcrops (see below); Pitund regrowth; dom. weeds
Rembrandt Drive	residential	59 Rembrandt Dve-rear garden/ lower slope	17.12.14	tree group	10ag(i)	Angcos	1	40-50+	15	6	good	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos-some dead wood/ vigorous growth; part of significant remnant native tree group on this property; on steep lower slope/ rock outcrops adj. to boundary No.57 Rembrandt Drive (see listing)	
Rembrandt Drive	residential	59 Rembrandt Dve-rear garden/ lower slope	17.12.14	tree group	10ag(i)	Angcos	1	50-60+	16	10	good	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos-some dead wood/ vigorous growth; part of significant remnant native tree group on this property; on steep lower slope/ rock outcrops adj. to boundary No.57 Rembrandt Drive (see listing)	
Rembrandt Drive	residential	59 Rembrandt Dve-rear garden/ lower slope	17.12.14	tree group	10ag(i)	Angcos	1	30-40+	15	4	good	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos-vigorous growth; part of significant remnant native tree group on this property; on steep lower slope/ rock outcrops adj. to boundary No.57 Rembrandt Drive (see listing)	
Rembrandt Drive	residential	59 Rembrandt Dve-rear garden/ lower slope	17.12.14	remnant community	10ag(i)	see notes	n/a						3.5	contiguous	significant remnant native regrowth/ community assoc. w. rock outcrops on steep lower gully slope (incl. Elaret/ Allit- up to 10-15+yrs/ up to 7-9m HT & Leiden); and remnant native ground layer (incl. Pteesc, Smigly, Lepvar, Diacae, Lomlon, Entstr); relatively high biodiversity/ good native regen.; community would respond to minimal disturbance bush regeneration strategy; Pitund regrowth; also generic native planting/ climbers (incl. <i>Cissus antartica</i> , <i>Hibbertia scandens</i> ); listings subject to boundary survey; dom. weeds

Rembrandt Drive	residential	59 Rembrandt Dve-rear garden/ lower slope	17.12.14	tree group	10ag(i)	Cergum	1	80-100+	9	7	good	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Cergum- old growth group; multi-stemmed (4) at base/ likely lignotuber regrowth; vigorous growth; part of significant remnant native tree group on this property; on steep lower gully slope/ rock outcrops on boundary to reserve; listing subject to boundary survey
Rembrandt Drive	residential	59 Rembrandt Dve-rear garden/ lower slope	17.12.14	tree group	10ag(i)	Eucpip	1	80-100+	18	16	fair	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Eucpip- old growth specimen; ext. dead wood (30%) & large basal cavity; vigorous growth; part of significant remnant native tree group on this property; on steep lower gully slope/ rock outcrops adj. to reserve boundary; listing subject to boundary survey
Rembrandt Drive	residential	59 Rembrandt Dve-rear garden/ lower slope	17.12.14	tree group	10ag(i)	Banser	1	60-80+	10	7	good	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Banser- some dead wood/ vigorous growth; part of significant remnant native tree group on this property; on steep lower gully slope/ rock outcrops adj. to reserve boundary; listing subject to boundary survey
Rembrandt Drive	residential	62 Rembrandt Dve-rear garden/ rock outcrops	12.12.14	tree group	10ag(i)	Ficrub	1	60-80+	10	12	good	5.0	restricted	TPO; Ficrub- on upper rock outcrops adj. to vehicular right-of-way; multi-stemmed specimen; Pitund (dom.) regrowth; exotic garden/ dom. weeds; listing subject to bdy. survey
Rembrandt Drive	residential	62 Rembrandt Dve-rear garden/ rock outcrops	12.12.14	tree group	10ag(i)	Allit	1	40-50+	7	6	see notes	5.0	restricted	TPO; Allit- on upper rock outcrops adj. to vehicular right-of-way; snapped main stem & vigorous regrowth/ some dead wood; listing subject to bdy. survey
Rembrandt Drive	residential	62 Rembrandt Dve-rear garden/ rock outcrops	12.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				5.0	restricted	significant s/s scarp & rock outcrops; exotic garden/ dom. weeds; remnant natives (incl. Allit (regen.) & Cyaaus X1/ old specimen)

Rembrandt Drive	public reserve	bushland reserve between Nos.62 & 64 Rembrandt Dve	12.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies					1.5	fragmented	significant s/s scarp & rock outcrops; high biodiversity/ varying level of weeds (see significant remnant native community below); mixed local & generic native planting (incl. <i>Corymbia citriodora</i> , <i>Eucalyptus saligna</i> , <i>Cissus antarctica</i> , <i>Hibbertia scandens</i> ); <i>Cyathea cooperi</i> - cultivated origin
Rembrandt Drive	public reserve	bushland reserve between Nos.62 & 64 Rembrandt Dve	12.12.14	tree group	10ag(i)	Euchae	1	50-60+	10	10	good	1.3	fragmented	TPO; Euchae- on lower rock outcrops adj. to road reserve; some dead wood; high biodiversity/ good regen.; part of significant remnant native tree group/ community	
Rembrandt Drive	public reserve	bushland reserve between Nos.62 & 64 Rembrandt Dve	12.12.14	tree group	10ag(i)	Anghis	1	?50-60+	0.5	4	fair	1.3	fragmented	TPO; Anghis- on lower rock outcrops adj. to road reserve; leaning/ dead wood & vigorous new growth; part of significant remnant native tree group/ community	
Rembrandt Drive	public reserve	bushland reserve between Nos.62 & 64 Rembrandt Dve	12.12.14	tree group	10ag(i)	Anghis	1	?50-60+	3	3	good	1.3	fragmented	TPO; Anghis- on lower rock outcrops adj. to road reserve; vigorous basal coppicing after lopping to base; part of significant remnant native tree group/ community	
Rembrandt Drive	public reserve	bushland reserve between Nos.62 & 64 Rembrandt Dve	12.12.14	remnant community	10ag(i)	Allit	n/a	varies				1.3	fragmented	TPO; Allit- significant remnant native understorey (dom.)/ up to 8-12m HT/ up to 30-40+yrs)	
Rembrandt Drive	public reserve	bushland reserve between Nos.62 & 64 Rembrandt Dve	12.12.14	remnant community	10ag(i)	see notes	n/a					1.3	fragmented	remnant native understorey/ shrubby regrowth (incl. Allit, Cergum, Banser, Hakdac, Elaret, Leptri, Perlev, Perpin, Notlon, Polsam/ up to 15-20+yrs) and remnant native shrubs/ ground layer & climbers (incl. Cyaaus (incl. old specimens), Gahery, Crosal, Lasfer, Caupen, Epalon, Xanarb, Woopun, Hiblin, Caldub, Hisinc, Gledic, Glerup, Lasdec, Linlin, Thetri, Lepvar, Lomlon, Lomgla, Lomcyl, Schmel, Empmin, Diacae, Entstr, Austen, Crysub, Cishyp, Smigly, Parstr, Bilsca); high biodiversity/ good regen.; area under bush regeneration strategy; Pitund (dom.) regrowth; minimal weeds in core area	

Rembrandt Drive	residential	63 Rembrandt Dve-rear garden/ lower slope	19.12.14	single tree	10ag(i)	Glofer	1	20-30+	14	6	good	4.5	fragmented	TPO; Glofer- on lower slope adj. to reserve bdy.; exotic garden/ dom. weeds; remnant natives (incl. Cyaaus, Caldub, Hymue, Cishyp); local & generic native planting (incl. <i>Eucalyptus saligna</i> , <i>E. robusta</i> ); Pitund regrowth
Rembrandt Drive	residential	64 Rembrandt Dve-front garden/ rock outcrops	12.12.14	tree group	10ag(i)	Cergum	1	60-80+	7	2	good	4.5	restricted	TPO; Cergum- adj. to vehicular right-of-way; Pitund regrowth; exotic garden/ dom. weeds; generic native planting (incl. <i>Eucalyptus saligna</i> ); listing subject to bdy. survey
Rembrandt Drive	residential	64 Rembrandt Dve-rear garden/ rock outcrops	12.12.14	tree group	10ag(i)	Angbak	1	?40-50+	4	3	v.poor	2.5	restricted	TPO; Angbak- on rock outcrops/ scarp; ext. dead wood/ crown die-back (90%)/ vigorous coppiced regrowth at base; exotic garden/ dom. weeds
Rembrandt Drive	residential	64 Rembrandt Dve-rear garden/ rock outcrops	12.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				2.5	restricted	significant s/s scarp & rock outcrops (see significant remnant native community below)
Rembrandt Drive	residential	64 Rembrandt Dve-rear garden/ rock outcrops	12.12.14	remnant community	10ag(i)	see notes	n/a					2.5	restricted	remnant native shrubby regrowth/ regen. assoc. w. s/s scarp & rock outcrops (incl. Angbak, Cergum, Allit, Hakdac, Leptri, Banspi/ up to 10-15+yrs) and remnant native shrubs/ ground layer regen. (incl. Crosal, Epalon, Caldub, Hisinc, Thetri, Diacae, Entstr, Diccri, Austen); high biodiversity/ good regen.; Pitund regrowth; dom. weeds
Rembrandt Drive	road reserve	road cutting/ scarp adj. to 64 Rembrandt Drive	12.12.14	tree group	10ag(i)	Angbak	1	?60-80+	6	5	v.poor	4.5	restricted	TPO; Angbak- on rock outcrops adj. to bdy. No.64 Rembrandt Drive; old growth specimen/ ext. dead wood/ crown die-back (80%)/ epicormic growth (remove <i>Philodendron</i> sp.); exotic garden/ dom. weeds; listing subject to bdy. survey
Rembrandt Drive	road reserve	road cutting/ scarp adj. to 64 Rembrandt Drive	12.12.14	tree group	10ag(i)	Ficrub	1	15-20+	4	4	good	4.5	restricted	TPO; Ficrub- on rock outcrops adj. to bdy. No.64 Rembrandt Drive; exotic garden/ dom. weeds; listing subject to bdy. survey
Rembrandt Drive	residential	road cutting/ scarp adj. to 64 Rembrandt Drive	12.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				4.5	restricted	significant s/s scarp & rock outcrops (see remnant community below)

Rembrandt Drive	road reserve	road cutting/ scarp adj. to 64 Rembrandt Drive	12.12.14	remnant community	10ag(i)	see notes	n/a						4.5	restricted	remnant native shrubby regrowth/ regen. (incl. Angbak, Cergum, Allit) and remnant native ground layer (incl. Caldub, Diacae, Entstr, Austen); Pitund regrowth; local & generic native planting (incl. <i>Eucalyptus saligna</i> ); dom. weeds; listings subject to boundary survey
Rembrandt Drive	residential	65 Rembrandt Dve-front garden/ upper slope	08.01.15	remnant community	10ag(i)	see notes	n/a						4.5	restricted	long-term bush regeneration & restoration strategy (owner of property since 1962); highly modified; owner confirmed all property boundaries; remnant native shrubby regrowth assoc. w. rock outcrops (incl. Myrvar, Allit, Perpin, Polsam, Acapar, Cyaaus) and remnant native ground layer (incl. Lomsil, Lepvar, Entstr, Lomlon, Diacae, Diarev, Hymue, Pteesc, Smigly) mixed w. local & generic native planting/ unknown provenance (incl. Anghis, Banint, <i>Corymbia</i> sp.); <i>Cyathea cooperi</i> - cultivated origin; largely modified/ weeds; owner stated "block originally covered [1960s] with <i>Angophora hispida</i> [Anghis] and <i>Pultenaea stipularis</i> [Pulsti])"/ no longer extant (Note: exiting Anghis- planted)
Rembrandt Drive	residential	65 Rembrandt Dve-front garden/ upper slope	08.01.15	tree group	10ag(i)	Eucpip	1	40-50+	18	12	fair	4.5	restricted	adj.SEPP19/ TPO; Eucpip- some dead wood (20%)/ vigorous new growth; owner confirmed planting as seedling; part of significant remnant native tree group on this property	
Rembrandt Drive	residential	65 Rembrandt Dve-front garden/ upper slope	08.01.15	tree group	10ag(i)	Eucrac	1	50-60+	10	7	poor	4.5	restricted	adj.SEPP19/ TPO; Eucrac- ext. dead wood/ crown die-back (40%)/ epicormic growth; part of significant remnant native tree group	
Rembrandt Drive	residential	65 Rembrandt Dve-front garden/ lower slope	08.01.15	tree group	10ag(i)	Eucpip	1	80-100+	14	16	fair	4.5	restricted	adj.SEPP19/ TPO; Eucpip- old growth specimen; ext. dead wood (20%)/ vigorous epicormic growth; part of significant remnant native tree group	

Rembrandt Drive	residential	65 Rembrandt Dve-front garden/ lower slope	08.01.15	tree group	10ag(i)	Cergum	1	50-60+	8	3	fair	4.5	restricted	adj.SEPP19/ TPO; Cergum- ext. dead wood (20%); part of significant remnant native tree group
Rembrandt Drive	residential	65 Rembrandt Dve-front garden/ lower slope	08.01.15	tree group	10ag(i)	Ficrub	1	15-20+	6	4	good	4.5	restricted	adj.SEPP19/ TPO; Ficrub- vigorous growth; on rock outcrops
Rembrandt Drive	residential	65 Rembrandt Dve-front garden/ lower slope	08.01.15	tree group	10ag(i)	Elaret	1	30-40+	6	3	good	4.5	restricted	adj.SEPP19/ TPO; Elaret- vigorous growth/ some dead wood; part of significant remnant native tree group
Rembrandt Drive	residential	65 Rembrandt Dve-front garden/ lower slope	08.01.15	tree group	10ag(i)	Angcos	1	10-15+	6	3	good	4.5	restricted	adj.SEPP19/ TPO; Angcos- sapling/ vigorous growth; part of significant remnant native tree group
Rembrandt Drive	residential	65 Rembrandt Dve-rear garden	08.01.15	tree group	10ag(i)	Banser	1	60-80+	9	6	good	4.5	restricted	adj.SEPP19/ TPO; Banser- multi-stemmed (2) at base; past pruning (owner confirmed- small tree in 1962); part of significant remnant native tree group; highly modified/ weeds; remnant native ferns (incl. Caldub, Hisinc); Pitund regrowth; local & generic native planting
Rembrandt Drive	residential	67 Rembrandt Dve-front garden/ upper slope	08.01.15	tree group	10ag(i)	Corgum	1	10-15+	3	3	good	4.5	restricted	adj.SEPP19/ TPO; Corgum- sapling/ lopped; vigorous growth; highly modified/ dom. weeds (see below)
Rembrandt Drive	residential	67 Rembrandt Dve-front garden/ upper slope	08.01.15	tree group	10ag(i)	Allit	1	40-50+	7	7	poor	4.5	restricted	adj.SEPP19/ TPO; Allit- leaning main stem; ext. dead wood/ die-back (40%)/ poor vigour
Rembrandt Drive	residential	67 Rembrandt Dve-front garden/ upper slope	08.01.15	tree group	10ag(i)	Banser	1	50-60+	5	4	good	4.5	restricted	adj.SEPP19/ TPO; Banser- vigorous growth; adj. to boundary No.69 Rembrandt Drive (see listing)



Rembrandt Drive	residential	67 Rembrandt Dve-front garden/ upper slope	08.01.15	remnant community	10ag(i)	see notes	n/a						4.5	restricted	remnant native shrubby regrowth assoc. w. rock outcrops (incl. Kunamb (up to 15-20+yrs/ up to 4m HT), Banobl, Dodtri, Acauli, Grelin, Xanarb, Smigly); remnant natives mixed w. local native planting/ unknown provenance (possibly all planted/ restoration strategy); also generic native planting (incl. <i>Corymbia citriodora</i> ); highly modified; block purchased at same time as No.65 Rembrandt Drive "block originally covered [1960s] with <i>Angophora hispida</i> [Anghis] and <i>Pultenaea stipularis</i> [Pulsti]" (see No.65 Rembrandt Drive listing); dom. weeds
Rembrandt Drive	residential	69 Rembrandt Dve-front garden	19.12.14	single tree	10ag(i)	Angcos	1		3	1	good	5.0	restricted	adj.SEPP19/ TPO; Angcos- sapling/ vigorous growth; exotic garden/ derelict (unoccupied) site; Note: rear garden- high biodiversity values (see below)	
Rembrandt Drive	residential	69 Rembrandt Dve-rear garden/ upper slope	19.12.14	tree group	10ag(i)	Euchae	1	?100-150+	12	15	good	4.5	fragmented	adj.SEPP19/ TPO; Euchae- old growth specimen/ multi-stemmed (2) at base; some dead wood in lower branches (20%)/ flowering; part of significant remnant native tree group/ community on this property; adj. to boundary No.67 Rembrandt Drive; exotic garden/ derelict (unoccupied) site; gently sloping/ rock outcrops; dom. weeds on upper slope; 1X dead standing Euchae (stag); grading to high biodiversity/ minimal weeds on mid-to lower slope (see below)	
Rembrandt Drive	residential	69 Rembrandt Dve-rear garden/ upper slope	19.12.14	tree group	10ag(i)	Euchae	1	60-80+	7	12	poor	4.5	fragmented	adj.SEPP19/ TPO; Euchae- ext. dead wood/ die-back (40%); large basal cavity & epicormic growth; part of significant remnant native tree group/ community on this property	
Rembrandt Drive	residential	69 Rembrandt Dve-rear garden/ upper slope	19.12.14	tree group	10ag(i)	Angcos	1	15-20+	9	4	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- vigorous growth; part of significant remnant native tree group/ community on this property	

Rembrandt Drive	residential	69 Rembrandt Dve-rear garden/ mid- to lower slope	19.12.14	remnant community	10ag(i)	see notes	n/a					1.4	fragmented	significant remnant native regrowth/ community assoc. w. mid-slope rock outcrops & lower rock shelf (incl. Allit (10+/- dom.)/ Elaret, Glofer- up to 15-20+yrs/ up to 4-7m HT; Kunamb, Grelin, Xanarb, Polsam) and remnant native ground layer/ climbers (incl. Crosal, Schmel, Diacae, Diarev, Arivag, Entstr, Lomlon, Lomcyl, Xanpil, Smigly, Cishyp); high biodiversity/ good native regen. (incl. Angcos, Allit, Elaret); community would respond to minimal disturbance bush regeneration strategy; Pitund/ Glofer regrowth; minimal weeds
Rembrandt Drive	residential	69 Rembrandt Dve-rear garden/ lower rock shelf	19.12.14	tree group	10ag(i)	Kunamb	1	?30-40+	4	6	good	1.4	fragmented	adj.SEPP19/ TPO; Kunamb- older specimen; on lower rock shelf; part of significant remnant native tree group/ community on this property
Rembrandt Drive	residential	69 Rembrandt Dve-rear garden/ lower rock shelf	19.12.14	tree group	10ag(i)	Angcos	1	15-20+	7	3	fair	1.4	fragmented	adj.SEPP19/ TPO; Angcos- some dead wood/ vigorous new growth; on lower rock shelf; part of significant remnant native tree group/ community on this property
Rembrandt Drive	residential	69 Rembrandt Dve-rear garden/ lower rock shelf	19.12.14	tree group	10ag(i)	Angcos	1	50-60+	16	14	good	1.4	fragmented	adj.SEPP19/ TPO; Angcos- some dead wood/ vigorous growth; on lower rock shelf adj. to boundary No.67 Rembrandt Drive; part of significant remnant native tree group/ community on this property
Rembrandt Drive	residential	69 Rembrandt Dve-rear garden/ lower rock shelf	19.12.14	tree group	10ag(i)	Euchae	1	60-80+	7	10	poor	1.4	fragmented	adj.SEPP19/ TPO; Euchae- ext. dead wood/ die-back (40%); vigorous new growth; on lower rock shelf adj. to reserve boundary; part of significant remnant native tree group/ community on this property; Note: reserve boundary confirmation- 1X Euces (40-50+yrs/ 16m HT) located in reserve

Rembrandt Drive	residential	75 Rembrandt Dve-rear garden	17.12.14	single tree	10ag(i)	Perlev	1	?80-100+	6	4	good	5.0	restricted	SREP23/ adj.SEPP19/ TPO; Perlev-possibly old growth specimen; on rock outcrops adj. to pool; exotic garden/ highly modified; no remnant native tree canopy present; generic native planting (incl. <i>Corymbia citriodora</i> )
Rembrandt Drive	residential	77 Rembrandt Dve-rear garden/ rock outcrops	17.12.14	scarp/ rock outcrops	10ag(i)	see notes	n/a	varies				4.5	fragmented	significant rock outcrops (incl. cave/ overhang); remnant native ferns assoc. w. rock outcrops (incl. <i>Caldub</i> ); Pitund regrowth; exotic garden/ highly modified; no access; dom. weeds (incl. <i>Cinnamomum camphora</i> )
Rembrandt Drive	residential	77 Rembrandt Dve-rear garden/ upper slope	19.12.14	tree group	10ag(i)	Corgum	1	60-80+	18	6	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Corgum-multi-stemmed (2) specimen; some dead wood/ vigorous growth; on steep upper slope/ rock outcrops; part of significant remnant native tree group on this property
Rembrandt Drive	residential	77 Rembrandt Dve-rear garden/ upper slope	19.12.14	tree group	10ag(i)	Angcos	1	50-60+	16	12	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos-damaged main trunk (old injury)/ vigorous new growth; on steep upper slope/ rock outcrops; part of significant remnant native tree group on this property
Rembrandt Drive	residential	77 Rembrandt Dve-rear garden/ upper slope	19.12.14	tree group	10ag(i)	Cergum	1	?40-50+	7	3	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Cergum-lopped/ multi-stemmed regrowth; possibly older specimen; on steep upper slope/ rock outcrops; part of significant remnant native tree group on this property
Rembrandt Drive	residential	77 Rembrandt Dve-rear garden/ upper slope	19.12.14	tree group	10ag(i)	Cergum	1	20-30+	9	2	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Cergum-vigorous growth; on steep upper slope/ rock outcrops; part of significant remnant native tree group on this property
Rembrandt Drive	residential	77 Rembrandt Dve-rear garden/ mid-slope	19.12.14	tree group	10ag(i)	Angcos	1	40-50+	18	7	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos-some dead wood/ vigorous growth; on steep mid-slope/ rock outcrops adj. to boundary No.79; part of significant remnant native tree group on this property

Rembrandt Drive	residential	77 Rembrandt Dve-rear garden/ lower slope	19.12.14	tree group	10ag(i)	Angcos	1	50-60+	18	10	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- some dead wood/ vigorous growth; on steep lower slope/ rock outcrops adj. to reserve boundary; part of significant remnant native tree group on this property; listing subject to boundary survey
Rembrandt Drive	residential	79 Rembrandt Dve-rear garden/ upper slope	03.11.14	tree group	10ag(i)	Eucpip	1	80-100+	4	2	see notes	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Eucpip- on upper slope/ exotic garden; old growth multi-stemmed (3) specimen/ lopped (@ 4m HT) vigorous epicormic growth; dom. weeds
Rembrandt Drive	residential	79 Rembrandt Dve-rear garden/ lower slope	03.11.14	tree group	10ag(i)	Corgum	1	60-80+	18	12	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Corgum- on steep lower slope/ exotic garden; dom. weeds
Rembrandt Drive	residential	79 Rembrandt Dve-rear garden/ lower slope	03.11.14	tree group	10ag(i)	Cergum	1	40-50+	7	6	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Cergum- on steep lower slope adj. to reserve boundary (subject to boundary survey)/ exotic garden; dom. weeds
Rembrandt Drive	residential	79 Rembrandt Dve-rear garden/ lower slope	03.11.14	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	remnant native regrowth (incl. Cergum (immature group), Caldub, Smigly); exotic garden
Rembrandt Drive	residential	81 Rembrandt Dve-rear garden/ upper slope	03.11.14	tree group	10ag(i)	Corgum	1	40-50+	16	5	see notes	5.0	restricted	SREP23/ adj.SEPP19/ TPO; Corgum- on upper slope & cleared site/ recent construction works/ ext. physical damage to main stem/ some dead wood/ vigorous new growth
Rembrandt Drive	residential	81 Rembrandt Dve-rear garden/ lower level	03.11.14	tree group	10ag(i)	Corgum	1	40-50+	18	4.5	see notes	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Corgum- in lower lawn/ recent construction works/ ext. physical damage to main stem/ ext. dead wood (30%)/ vigorous new growth; remnant ground layer on reserve boundary (incl. Caldub, Diacae)
Rembrandt Drive	residential	85 Rembrandt Dve-rear garden	03.11.14	tree group	10ag(i)	Angcor	1	30-40+	15	7	good	5.0	fragmented	adj.SEPP19/ TPO; Angcor- in lawn area adj. to boundary No.83 Rembrandt Dve (possibly cultivated); exotic garden; generic native planting (incl. Eucalypts); subject to boundary survey
Rembrandt Drive	residential	85 Rembrandt Dve-rear garden	03.11.14	tree group	10ag(i)	Angcor	1	60-80+	16	14	good	5.0	fragmented	adj.SEPP19/ TPO; Angcor- in lawn area adj. to boundary No.83 Rembrandt Dve; listing subject to boundary survey

Rembrandt Drive	residential	85 Rembrandt Dve-rear garden	03.11.14	tree group	10ag(i)	Eucp	1	30-40+	14	5	good	5.0	fragmented	adj.SEPP19/ TPO; Eucp- in lawn area adj. to boundary No.83 Rembrandt Dve; listing subject to boundary survey
Rembrandt Drive	residential	85 Rembrandt Dve-rear garden/ rock outcrops	03.11.14	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	remnant ground stratum/ ferns assoc. w. rock outcrops (incl. Hisinc, Lomlon); exotic garden
Rembrandt Drive	road reserve	road cutting adj. to 36 Highland Ridge	12.12.14	tree group	10ag(i)	Euchae	1	80-100+	9	12	fair	4.5	restricted	TPO; Euchae- on upper scarp/ road cutting (rear bdy. to No.36 Highland Ridge/ Rembrandt Drive frontage); old growth multi-stemmed specimen/ ext. dead wood; dom. weeds; listing subject to bdy. survey
Rembrandt Drive	road reserve	road cutting adj. to 36 Highland Ridge	12.12.14	tree group	10ag(i)	Allit	1	30-40+	7	6	good	4.5	restricted	TPO; Allit- on upper scarp/ road cutting (rear bdy. to No.36 Highland Ridge/ Rembrandt Drive frontage); dom. weeds; listing subject to bdy. survey
Rembrandt Drive	road reserve	road cutting adj. to 36 Highland Ridge	12.12.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native shrubby regrowth/ regen. (incl. Cergum, Allit) and remnant native ground layer (incl. Caldub, Gledic); Pitund regrowth; dom. weeds
Rembrandt Drive	road reserve	road cutting adj. to 38 Highland Ridge	12.12.14	single tree	10ag(i)	Allit	1	15-20+	7	6	good	4.5	restricted	TPO; Allit- on rock outcrops/ road cutting (rear bdy. to No.38 Highland Ridge/ Rembrandt Drive frontage); remnant native ground layer (incl. Pteesc, Diacae); highly modified/ local & generic native planting (incl. Calrho); dom. Weeds
Rembrandt Drive	road reserve	road cutting adj. to 38 Highland Ridge	11.11.14	rock outcrops	10ag(i)	see notes	n/a					4.5	restricted	significant rock outcrops/ road cutting; highly modified; area under restoration strategy (see remnant community)
Rembrandt Drive	road reserve	road cutting adj. to 38 Highland Ridge	11.11.14	remnant community	10ag(i)	see notes	n/a					4.5	restricted	remnant native shrubby regrowth/ immature (incl. Kunamb, Allit) and remnant native ground layer (incl. Pteesc); highly modified/ local & generic native planting ( <i>Banksia integrifolia</i> , <i>Eucalyptus saligna</i> ); current restoration strategy (incl. Allit, Hakdac, Baneri, Kunamb, Ozodio, Grebux, Acasua, Diacae, Diccri, Austen); Pitund regrowth; weeds

<b>Sugarloaf Crescent</b>	residential	2 Sugarloaf Cr- rear garden	10.10.14	single tree	10ag(i)	Eucpip	1	80-100+	20	20	good	5.0	restricted	TPO; tree removed after 8.8.14; old growth specimen
Sugarloaf Crescent	residential	43 Sugarloaf Cr- front garden	10.10.14	single tree	10ag(i)	Corgum	1	80-100+	12	9	good	5.0	restricted	TPO; Corgum- old growth tree adj. to bdy. No.45 Sugarloaf Cr/ some dead wood & vigorous epicormic growth; lawn/ exotic terraced garden
Sugarloaf Crescent	residential	53 Sugarloaf Cr- front garden	10.10.14	single tree	10ag(i)	Eucpip	1	80-100+	16	18	good	5.0	isolated	TPO; Eucpip- old growth tree adj. to bdy. No.51 Sugarloaf Cr/ some dead wood; exotic terraced garden
Sugarloaf Crescent	residential	54 Sugarloaf Cr- rear garden/ adj. reserve	12.10.14	tree group	10ag(i)	Angcos	1	15-20+	8	4	good	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- rock shelf adj. to rear bdy. to reserve; generic & native planting
Sugarloaf Crescent	residential	54 Sugarloaf Cr- rear garden/ adj. reserve	12.10.14	tree group	10ag(i)	Angcos	1	10-15+	3	2	good	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- rock shelf adj. to rear bdy. to reserve; generic & native planting
Sugarloaf Crescent	residential	54 Sugarloaf Cr- rear garden/ adj. reserve	12.10.14	tree group	10ag(i)	Allit	1	15-20+	7	5	good	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Allit- rock shelf adj. to rear bdy. to reserve; generic & native planting
Sugarloaf Crescent	residential	54 Sugarloaf Cr- rear garden/ adj. reserve	12.10.14	remnant community	10ag(i)	see notes	n/a	varies				3.5	contiguous	SREP23/ adj.SEPP19/ TPO; remnant native regrowth/ good regeneration on rock shelf adj. to rear bdy. to reserve (incl. Banser, Kunamb, Elaret, Allit, Hymue, Diacae); generic & native planting
Sugarloaf Crescent	residential	55 Sugarloaf Cr- front garden/ rock outcrops	10.10.14	remnant community	10ag(i)	see notes	n/a	varies				5.0	restricted	remnant ground stratum/ ferns on rock outcrops; exotic garden/ dom. weeds; Caldub, Stifla, Pitund regrowth
Sugarloaf Crescent	residential	55 Sugarloaf Cr- front garden/ rock outcrops	10.10.14	single tree	10ag(i)	Cergum	1	?30-40+	3	2	good	5.0	restricted	TPO; Cergum- on rock outcrops
Sugarloaf Crescent	residential	55 Sugarloaf Cr- rear garden	10.10.14	tree group	10ag(i)	Angcos	1	80-100+	20	12	good	5.0	restricted	TPO; Angcos- old growth associated with rock outcrops/ base of scarp; exotic garden
Sugarloaf Crescent	residential	55 Sugarloaf Cr- rear garden	10.10.14	tree group	10ag(i)	Corgum	1	50-60+	16	6	very poor	5.0	restricted	TPO; Corgum- extensive dead wood (70%)/ poor vigour; rock outcrops/ base of scarp
Sugarloaf Crescent	residential	55 Sugarloaf Cr- rear garden	10.10.14	remnant community	10ag(i)	see notes	n/a	varies				5.0	restricted	significant s/s scarp (on bdy.) & rock outcrops; Elaret, Pitund regrowth
Sugarloaf Crescent	residential	60 Sugarloaf Cr- rear garden/ adj. reserve	12.10.14	remnant community	10ag(iii)	see notes	n/a	varies				4.5	contiguous	SREP23/ adj.SEPP19/ TPO; steep slope/ rock outcrops adj. reserve; remnant native regrowth Pitund (dom.), Cerape, Calser, Elaret, Allit, Caldub, Hymue, Lomlon, Diacae; Cyathea cooperi (dom.)/ cultivated origin

Sugarloaf Crescent	residential	60 Sugarloaf Cr- rear garden/ adj. reserve	12.10.14	single tree	10ag(iii)	Cerape	1	80-100+	18	15	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Cerape- old growth tree on steep slope/ significant rock outcrops adj. to reserve; exotic garden/ dom. weeds; listing subject to boundary survey; no access
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ upper slope	12.10.14	remnant community	10ag(iii)	see notes	n/a	varies				4.0	contiguous	SREP23/ adj.SEPP19/ TPO; steep slope/ rock outcrops adj. reserve; exotic garden/ dom. weeds (incl. canopy trees); remnant native regrowth Pitund (dom. sub-canopy layer), Calser, Ficrub, Elaret, Notlon, Caldub, Hymue, Lomlon, Diacae (mesic shift/ 10ag(iii) community); listings subject to bdy. survey
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ upper slope	12.10.14	tree group	10ag(iii)	Ficrub	1	60-80+	16	14	good	4.0	contiguous	SREP23/ adj.SEPP19/ TPO; Ficrub- upper slope adj. to bdy. No.60 Sugarloaf Cr; exotic garden/ dom. weeds; listing subject to boundary survey
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ upper slope	12.10.14	tree group	10ag(iii)	Ficrub	1	60-80+	14	10	good	4.0	contiguous	SREP23/ adj.SEPP19/ TPO; Ficrub- lopped/ steep slope adj. to bdy. No.66 Sugarloaf Cr.
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ upper slope	12.10.14	tree group	10ag(iii)	Angcos	1	80-100+	25	22	good	4.0	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- old growth tree/ upper slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ upper slope	12.10.14	tree group	10ag(iii)	Angcos	1	50-60+	15	7	poor	4.0	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- extensive dead wood/ poor vigour; upper slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ upper slope	12.10.14	tree group	10ag(iii)	Glofer	1	60-80+	16	12	good	4.0	contiguous	SREP23/ adj.SEPP19/ TPO; Glofer- extensive dead wood/ poor vigour; upper slope
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ mid-lower slope	12.10.14	tree group	10ag(iii)	Angcos	1	80-100+	25	18	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- old growth tree/ mid-lower slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ mid-lower slope	12.10.14	tree group	10ag(iii)	Euces	1	?80-100+	25	16	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Euces- old growth tree/ mid-lower slope; part of significant remnant native tree group/ community

Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ lower slope	12.10.14	remnant community	10ag(iii)	Cyaaus	n/a	varies					2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Cyaaus (15+ individual specimens)- significant remnant native tree fern group/ varying age structure incl. old growth specimens (up to 5-6m HT) on lower slope
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ lower slope	12.10.14	remnant community	10ag(iii)	see notes	n/a	varies					2.5	contiguous	SREP23/ adj.SEPP19/ TPO; lower steep slope/ rock outcrops adj. reserve; Pitund dense regrowth (dom. sub-canopy layer); remnant native regrowth (incl. Glofer, Calser, Cergum, Ficrub, Elaret, Notlon) & ground layer (incl. Caldub, Hypmue, Gledic, Lomlon, Lomcyl, Empmin, Schmel, Diacae, Smigly, Panpan); listings subject to boundary survey
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ lower slope	12.10.14	tree group	10ag(iii)	Cergum	1	?80-100+	10	7	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Cergum- old growth tree/ lower slope; part of significant remnant native tree group/ community; listing subject to boundary survey	
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ lower slope	12.10.14	tree group	10ag(iii)	Angcos	1	50-60+	20	8	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- lower slope; part of significant remnant native tree group/ community; listing subject to boundary survey	
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ lower slope	12.10.14	tree group	10ag(iii)	Corgum	1	60-80+	18	8	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum- lower slope; part of significant remnant native tree group/ community; listing subject to boundary survey	
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ lower slope	12.10.14	tree group	10ag(iii)	Angcos	1	40-50+	18	8	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- lower slope; part of significant remnant native tree group/ community; listing subject to boundary survey	
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ lower slope	12.10.14	tree group	10ag(iii)	Angcos	1	30-40+	15	6	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- lower slope; part of significant remnant native tree group/ community; listing subject to boundary survey	



Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ lower slope	12.10.14	tree group	10ag(iii)	Allit	1	40-50+	12	8	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Allit- lower slope; part of significant remnant native tree group/ community; listing subject to boundary survey
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ lower bdy.	12.10.14	core community	10ag(iii)	see notes	n/a					1.3	contiguous	SREP23/ adj.SEPP19/ TPO; core bushland community assoc. w. significant scarp/ rock outcrops; high biodiversity values/ resilience (see species list above); listings subject to bdy survey
Sugarloaf Crescent	residential	64 Sugarloaf Cr- rear garden/ lower bdy.	12.10.14	scarp/ rock outcrops	10ag(iii)	see notes	n/a					1.3	contiguous	SREP23/ adj.SEPP19/ TPO; significant s/s scarp & rock outcrops; core bushland community (see species list above); listings subject to bdy survey
Sugarloaf Crescent	residential	66 Sugarloaf Cr- front garden/ upper street level	12.10.14	tree group	10ag(i)	Angcos	1	40-50+	9	8	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- adj. to bdy/ driveway No.64 Sugarloaf Cr; part of significant remnant native tree group/ community; listings subject to boundary survey
Sugarloaf Crescent	residential	66 Sugarloaf Cr- front garden/ upper street level	12.10.14	tree group	10ag(i)	Angcos	1	20-30+	8	3	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- adj. to bdy/ driveway No.64 Sugarloaf Cr; part of significant remnant native tree group/ community; listing subject to boundary survey
Sugarloaf Crescent	residential	66 Sugarloaf Cr- front garden/ upper street level	12.10.14	tree group	10ag(i)	Angcos	1	15-20+	7	2	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- adj. to bdy/ driveway No.64 Sugarloaf Cr; part of significant remnant native tree group/ community; listing subject to boundary survey
Sugarloaf Crescent	residential	66 Sugarloaf Cr- front garden/ upper slope	12.10.14	tree group	10ag(i)	Angcos	1	80-100+	9	12	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- adj. to steps/ old growth; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	66 Sugarloaf Cr- front garden/ upper slope	12.10.14	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	SREP23/ adj.SEPP19/ TPO; steep slope/ significant rock outcrops; remnant native regrowth Pitund (dom.), Glofer, Caldub, Hypmue, Lomlon, Diacae; local native planting/ restoration (incl. Calser, Elaret, Cergum, Allit, Baner, Baneri)

Sugarloaf Crescent	residential	66 Sugarloaf Cr- front garden/ upper slope	12.10.14	rock outcrops	10ag(i)	see notes	n/a	varies				4.5	fragmented	significant rock outcrops; remnant native ground layer assoc. w. rock outcrops (see above)
Sugarloaf Crescent	residential	66 Sugarloaf Cr- front garden/ lower slope	12.10.14	tree group	10ag(i)	Cergum	1	30-40+	6	3	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Cergum-lower slope adj. to house
Sugarloaf Crescent	residential	66 Sugarloaf Cr- rear garden/ upper slope	12.10.14	tree group	10ag(iii)	Eucre	1	50-60+	18	8	good	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Eucre- on upper steep slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	66 Sugarloaf Cr- rear garden/ steep slope	12.10.14	remnant community	10ag(iii)	Cyaaus	n/a	varies				2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Cyaaus-native tree fern group/ varying age structure incl. old growth specimens (up to 5-6m HT) on upper, mid- to lower slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	66 Sugarloaf Cr- rear garden/ mid-lower slope	12.10.14	remnant community	10ag(iii)	see notes	n/a	varies				2.5	contiguous	SREP23/ adj.SEPP19/ TPO; steep slope/ rock outcrops adj. reserve; dom. weeds; remnant native regrowth Pitund (dom. sub-canopy layer), Calser, Elaret, Acmsmi, Notlon, Gahery, Hibden, Caldub, Hypmue, Lomlon, Diacae, Empmin, Schmel (mesic shift/ 10ag(iii) community); incl. mixed generic & local native planting/ restoration; <i>Cyathea cooperi</i> (dom.)/ cultivated origin
Sugarloaf Crescent	residential	66 Sugarloaf Cr- rear garden/ lower slope	12.10.14	tree group	10ag(iii)	Eucpip	1	80-100+	22	15	fair	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Eucpip- old growth tree/ extensive dead wood; part of significant remnant native tree group/ community; owner confirmed lower boundary to No.70 (see listing)
Sugarloaf Crescent	residential	66 Sugarloaf Cr- rear garden/ lower slope	12.10.14	tree group	10ag(iii)	Banser	1	?40-50+	8	6	fair	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Banser-extensive dead wood; part of significant remnant native tree group/ community; owner confirmed lower boundary to No.70 (see listing)

Sugarloaf Crescent	residential	66 Sugarloaf Cr- rear garden/ lower scarp/ bdy.	12.10.14	core community	10ag(iii)	see notes	n/a						1.3	contiguous	SREP23/ adj.SEPP19/ TPO; core bushland community Allit/ Cishyp (dom.)/ up to 8-10m HTassoc. w. significant scarp/ rock outcrops; high biodiversity values/ resilience (see species list above - owner confirmed presence of <i>Styphelia</i> sp.); listings subject to lower bdy survey to reserve
Sugarloaf Crescent	residential	66 Sugarloaf Cr- rear garden/ lower scarp/ bdy.	12.10.14	scarp/ rock outcrops	10ag(iii)	see notes	n/a						1.3	contiguous	SREP23/ adj.SEPP19/ TPO; significant s/s scarp & rock outcrops; core bushland community (see species list above); listings subject to lower bdy survey to reserve
Sugarloaf Crescent	residential	67 Sugarloaf Cr- rear garden/ upper scarp	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a						5.0	restricted	significant s/s scarp & rock outcrops; exotic garden/ dom. weeds/ weed thicket; Pitund regrowth; no access
Sugarloaf Crescent	residential	67 Sugarloaf Cr- rear garden/ upper scarp	10.10.14	tree group	10ar(i)	Ficrub	1	80-100+	4	10	good	5.0	restricted	TPO; Ficrub- multi-stemmed/ old growth on upper scarp/ adj. to bdy. No.11 Lincoln Ave	
Sugarloaf Crescent	residential	67 Sugarloaf Cr- rear garden/ upper scarp	10.10.14	tree group	10ar(i)	Ficrub	1	30-40+	4	7	good	5.0	restricted	TPO; Ficrub- multi-stemmed on upper scarp	
Sugarloaf Crescent	residential	67 Sugarloaf Cr- rear garden/ upper scarp	10.10.14	tree group	10ar(i)	Corgum	1	80-100+	14	12	good	5.0	restricted	TPO; Corgum- old growth/ adj. to bdy. No.10 The Lee	
Sugarloaf Crescent	residential	67 Sugarloaf Cr- rear garden/ upper scarp	10.10.14	tree group	10ar(i)	Corgum	1	40-50+	8	7	good	5.0	restricted	TPO; Corgum- lower slope/ adj. to bdy. No.69 Sugarloaf Crescent	
Sugarloaf Crescent	residential	69 Sugarloaf Cr- front garden	10.10.14	tree group	10ag(i)	Eucrac	1	60-80+	12	12	good	5.0	restricted	TPO; Eucrac- some dead wood; upper lawn terrace/ exotic garden	
Sugarloaf Crescent	residential	69 Sugarloaf Cr- front garden	10.10.14	tree group	10ag(i)	Corgum	1	60-80+	10	8	good	5.0	restricted	TPO; Corgum- some dead wood; upper lawn terrace/ exotic garden	
Sugarloaf Crescent	residential	69 Sugarloaf Cr- rear garden/ rock outcrops	10.10.14	scarp/ rock outcrops	10ar(i)	see notes	n/a					4.5	restricted	remnant native ground stratum/ ferns (incl.Todbar) associated with significant rock outcrops & overhang formation; exotic garden/ dom. weeds; Pitund regrowth	
Sugarloaf Crescent	residential	70 Sugarloaf Cr- front garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	20-30+	8	7	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO (incl. 68 & 70/ very large double-block); Angcos- on upper steep slope/ rock outcrops; exotic garden; part of significant remnant native tree group/ community	

Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	80-100+	20	18	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- old growth/ on upper slope; part of significant remnant native tree group/ community; remnant native ground layer (incl. Pteesc, Hymue); Pitund regrowth; dom. weeds; listings subject to boundary survey
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	tree group	10ag(i)	Angcos	1	80-100+	22	15	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- old growth/ on mid-lower slope (portion No.68); part of significant remnant native tree group/ community; remnant native ground layer (incl. Pteesc, Hymue); Pitund regrowth; dom. weeds
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	tree group	10ag(i)	Angcos	1	30-40+	15	7	fair	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- ext. dead wood/ epicormic growth/ on mid-lower slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	tree group	10ag(i)	Angcos	1	30-40+	10	6	fair	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- ext. dead wood/ epicormic growth/ on mid-lower slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	tree group	10ag(i)	Angcos	1	30-40+	14	3	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on mid-lower slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	tree group	10ag(i)	Eucpip	1	50-60+	14	9	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Eucpip- on mid-lower slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	tree group	10ag(i)	Angcos	1	40-50+	16	8	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on mid-lower slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	tree group	10ag(i)	Angcos	1	60-80+	18	12	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on mid-lower slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	tree group	10ag(i)	Cergum	1	60-80+	7	8	fair	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Cergum- storm damaged/ multi-stemmed understorey/ on mid-lower slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	tree group	10ag(i)	Cergum	1	60-80+	8	8	fair	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Cergum- storm damaged/ multi-stemmed understorey/ on mid-lower slope; part of significant remnant native tree group/ community

Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	remnant community	10ag(i)	Cergum	n/a	varies					2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Cergum (2+ individual trees) significant remnant native understorey/ varying age structure (up to 4-9m HT/ up to 40-60yrs)
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	remnant community	10ag(i)	Allit	n/a	varies					2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Allit (10+ individual trees/ some storm damaged)-significant remnant native understorey (dom.)/ varying age structure (up to 8-12m HT/ up to 30-40yrs)
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	remnant community	10ag(i)	see notes	n/a	varies					2.5	contiguous	SREP23/ adj.SEPP19/ TPO; varying level of disturbance/ weeds > upslope; many dead standing trees (incl. Corgum, Allit); remnant native regrowth Pitund (dom. sub-canopy layer), Elaret, Cergum, Allit, Notlon, Gahery, Lepvar, Lomlon, Lomcyl, Caldub, Hymue, Diacae, Entstr, Empmin, Schmel, Smigly (mesic shift/ 10ag(iii) community)
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	tree group	10ag(i)	Corgum	1	60-80+	18	15	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum- on lower slope/ top of scarp; part of significant native tree group/ community	
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	tree group	10ag(i)	Corgum	1	60-80+	14	10	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum- on lower slope/ top of scarp; part of significant native tree group/ community	
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	tree group	10ag(i)	Angcos	1	50-60+	18	18	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower slope/ top of scarp; part of significant native tree group/ community	
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	core community	10ag(i)	Allit	n/a	varies					1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Allit (20+ individual trees/ some storm damaged)-significant native understorey (dom.)/ varying age structure (up to 8-12m HT/ up to 40-50yrs); Pitund

Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	core community	10ag(i)	see notes	n/a	varies					1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Pitund (dom. sub-canopy layer), Elaret, Cergum, Allit, Notlon, Gahery, Lomsil, Lepvar, Lomlon, Lomobl, Lomcyl, Caldub, Hypmue, Glemic, Linlin, Drasec, Diacae, Entstr, Empmin, Schmel, Parstr, Smigly, Cishyp (mesic shift/ 10ag(iii) community); minimal weeds
Sugarloaf Crescent	residential	70 (68) Sugarloaf Cr-rear garden/ lower scarp	14.11.14	core community	10ag(i)	see notes	n/a	varies					1.2	contiguous	SREP23/ adj.SEPP19/ TPO; core bushland community assoc. w. significant scarp/ rock outcrops; high biodiversity values/ resilience; canopy trees/ incl. old growth specimens (Angcor, Corgum, Eucpip); understorey/ regrowth (incl. Pitund (dom.), Cergum, Elaret, Banser, Allit, Notlon); vines/ climbers (incl. Cishyp (dom.), Smigly, Parstr); ground layer (incl. Gahery, Lomsil, Lepvar, Lomlon, Lomcyl, Caldub, Hypmue, Glemic, Glerup, Drasec, Diacae, Entstr, Empmin, Schmel (mesic shift/ 10ag(iii) community); minimal weeds; listings subject to boundary survey
Sugarloaf Crescent	residential	70 (70) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	tree group	10ag(i)	Angcos	1	80-100+	18	15	fair	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- old growth specimen/ ext. dead wood (20%)/ epicormic regrowth/ on mid-lower slope (portion No.70); part of significant remnant native tree group/ community; remnant native ground layer (incl. Pteesc, Hypmue, Lomlon); Pitund regrowth; dom. weeds; listings subject to boundary survey	
Sugarloaf Crescent	residential	70 (70) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	tree group	10ag(i)	Corgum	1	60-80+	16	8	good	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum- on mid-lower slope; part of significant remnant native tree group/ community; remnant native ground layer (incl. Pteesc, Hypmue, Lomlon); Pitund regrowth; dom. weeds	

Sugarloaf Crescent	residential	70 (70) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	tree group	10ag(i)	Angcos	1	50-60+	20	7	good	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on mid-lower slope; part of significant remnant native tree group/ community; remnant native ground layer (incl. Pteesc, Hypmue, Lomlon); Pitund regrowth; dom. weeds
Sugarloaf Crescent	residential	70 (70) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	tree group	10ag(i)	Angcos	1	60-80+	22	16	good	3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on mid-lower slope; part of significant remnant native tree group/ community; remnant native ground layer (incl. Pteesc, Hypmue, Lomlon); Pitund regrowth; dom. weeds
Sugarloaf Crescent	residential	70 (70) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	remnant community	10ag(i)	see notes	n/a	varies				3.5	contiguous	SREP23/ adj.SEPP19/ TPO; dom. weeds; many dead standing trees (incl. Corgum, Allit, Pitund); remnant native regrowth Pitund (dom. sub-canopy layer), Elaret, Cergum, Allit, Kunamb, Notlon, Lomlon, Hypmue, Diacae, Smigly (mesic shift/ 10ag(iii) community)
Sugarloaf Crescent	residential	70 (70) Sugarloaf Cr-rear garden/ mid-lower slope	14.11.14	remnant community	10ag(i)	Allit	n/a	varies				3.5	contiguous	SREP23/ adj.SEPP19/ TPO; Allit- varying age structure & storm damaged (up to 8-12m HT/ up to 30-40yrs)
Sugarloaf Crescent	residential	70 (70) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	tree group	10ag(i)	Angcos	1	80-100+	20	18	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower slope/ top of scarp; part of significant native tree group/ community
Sugarloaf Crescent	residential	70 (70) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	tree group	10ag(i)	Eucpip	1	100-150+	20	25	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower slope/ top of scarp; part of significant native tree group/ community
Sugarloaf Crescent	residential	70 (70) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	core community	10ag(i)	see notes	n/a	varies				1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Pitund (dom. sub-canopy layer), Banser, Elaret, Cergum, Allit, Notlon, Gahery, Lomsil, Lepvar, Lomlon, Lomobl, Lomcyl, Caldub, Hypmue, Glemic, Linlin, Drasec, Diacae, Entstr, Empmin, Schmel, Parstr, Smigly, Cishyp (mesic shift/ 10ag(i) community); minimal weeds

Sugarloaf Crescent	residential	70 (70) Sugarloaf Cr-rear garden/ lower scarp	14.11.14	core community	10ag(i)	see notes	n/a	varies					1.2	contiguous	SREP23/ adj.SEPP19/ TPO; core bushland community assoc. w. significant scarp/ rock outcrops; high biodiversity values/ resilience; canopy trees/ incl. old growth specimens (Angcos, Corgum, Eucpip); understorey/ regrowth (incl. Pitund (dom.), Cergum, Elaret, Banser, Allit, Notlon); vines/ climbers (incl. Cishyp (dom.), Smigly, Parstr); ground layer (incl. Gahery, Lomsil, Lepvar, Lomlon, Lomcyl, Caldub, Hypmue, Glemic, Glerup, Drasec, Diacae, Entstr, Empmin, Schmel (mesic shift/ 10ag(iii) community); minimal weeds; listings subject to boundary survey
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper slope	14.11.14	remnant community	10ag(i)	see notes	n/a	varies					4.5	fragmented	SREP23/ adj.SEPP19/ TPO; ext. clearing/ highly modified; dom. weeds; many dead standing trees (incl. Corgum, Allit, Pitund); remnant native regrowth- Pitund (dom. sub-canopy layer), Elaret, Cergum, Allit/ up to 15-20+yrs (mesic shift/ 10ag(i) community); remnant native ground layer (incl. Caldub, Hypmue); Angcos regen.; local & generic native planting (incl. <i>Eucalyptus microcorys</i> , <i>Livistona australis</i> ); listings subject to boundary survey
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Cergum	1	50-60+	3	3	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Cergum-lopped/ multi-stemmed; part of significant remnant native tree group/ community	
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Cergum	1	40-50+	5	2	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Cergum-part of significant remnant native tree group/ community	
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	100-150+	25	20	see notes	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- old growth multi-stemmed/ ext. dead wood (30%)/ vigorous epicormic regrowth- on upper mid-slope; part of significant native tree group/ community	



Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	30-40+	16	7	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on upper mid-slope; part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	20-30+	9	5	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on upper mid-slope; part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	60-80+	20	15	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on upper mid-slope; part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper mid-slope	14.11.14	tree group	10ag(i)	Eucpip	1	60-80+	18	10	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Eucpip- multi-stemmed at base (2)/ on upper mid-slope; part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper mid-slope	14.11.14	tree group	10ag(i)	Corgum	1	50-60+	18	5	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum- on upper mid-slope; part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	30-40+	14	6	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on upper mid-slope; part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper mid-slope	14.11.14	tree group	10ag(i)	Corgum	1	60-80+	20	12	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum- on upper mid-slope; part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper mid-slope	14.11.14	tree group	10ag(i)	Corgum	1	60-80+	20	15	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum- on upper mid-slope; part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper mid-slope	14.11.14	remnant community	10ag(i)	Allit	n/a	varies				2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Allit- dominant understorey/ varying age structure & storm damaged (up to 8-12m HT/ up to 30-40yrs)
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ upper mid-slope	14.11.14	remnant community	10ag(i)	see notes	n/a	varies				2.5	contiguous	SREP23/ adj.SEPP19/ TPO; varying level of disturbance/ weeds > upslope; many dead standing trees (incl. Corgum, Allit, Pitund); native sapling/ seedling regen. (incl. Angcos, Corgum); remnant native regrowth Pitund (dom. sub-canopy layer), Elaret, Cergum, Hakdac, Allit, Perpin, Notlon, Grelin, Pulsti, Lomlon, Hypmue, Diacae, Smigly, Cishyp (mesic shift/ 10ag(iii) community)
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Corgum	1	60-80+	16	12	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum- on lower mid-slope; part of significant native tree group/ community

Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Corgum	1	60-80+	12	8	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum-multi-stemmed on lower mid-slope/ rock-shelf; part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	60-80+	18	12	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	50-60+	16	10	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	50-60+	16	12	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	50-60+	15	8	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	30-40+	10	5	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Eucpip	1	80-100+	16	22	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Eucpip- old growth specimen/ part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Eucpip	1	60-80+	16	16	good	1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Eucpip- old growth specimen/ part of significant native tree group/ community
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	core community	10ag(i)	Allit	n/a	varies				1.2	contiguous	SREP23/ adj.SEPP19/ TPO; Allit-dominant understorey/ varying age structure & storm damaged (up to 8-12m HT/ up to 30-40yrs)
Sugarloaf Crescent	residential	72-76 Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	core community	10ag(i)	see notes	n/a	varies				1.2	contiguous	SREP23/ adj.SEPP19/ TPO; minimal weeds; native sapling/ seedling regen. (incl. Angcos, Corgum, Eucpip); native understorey/ high biodiversity (incl. Banser, Elaret, Cergum, Allit, Acmsmi, Notlon, Gahery, Lomsil, Lepvar, Lomlon, Lomobl, Lomcyl, Caldub, Hypmue, Glemic, Linlin, Actmin, Aniave, Drasec, Ausram, Diacae, Entstr, Empmin, Schmel, Parstr, Smigly)

Sugarloaf Crescent	residential	73 Sugarloaf Cr-embankment	12.10.14	tree group	10ag(i)	Angcos	1	40-50+	18	7	good	4.5	fragmented	TPO; Angcos- some dead wood; embankment/ portion of shared private right-of-way; listing subject to boundary survey
Sugarloaf Crescent	residential	73 Sugarloaf Cr-embankment	12.10.14	tree group	10ag(i)	Angcos	1	30-40+	15	5	fair	4.5	fragmented	TPO; Angcos- extensive dead wood/ vigorous epicormic growth; embankment/ portion of shared private right-of-way
Sugarloaf Crescent	residential	73 Sugarloaf Cr-embankment	12.10.14	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO; steep slope/ rock outcrops (old terracing); dom. weeds; remnant native regrowth Pitund, Glofer, Cergum, Pteesc, Caldub; generic & local native planting/ restoration
Sugarloaf Crescent	residential	73 Sugarloaf Cr- rear garden/ upper slope	12.10.14	tree group	10ag(i)	see notes	n/a	varies				5.0	restricted	TPO; 3 X Glofer (group/ immature up to 5-7m HT), Elaret; exotic garden/ dom.weeds; generic native planting (dom. <i>Eucalyptus/ Corymbia</i> spp.)
Sugarloaf Crescent	residential	75 Sugarloaf Cr-embankment	12.10.14	tree group	10ag(i)	Eucpip	1	80-100+	22	12	fair	5.0	fragmented	TPO; Eucpip- old growth/ extensive dead wood & epicormic growth; embankment/ portion of shared private right-of-way; listing subject to boundary survey
Sugarloaf Crescent	residential	75 Sugarloaf Cr-embankment	12.10.14	tree group	10ag(i)	Eucpip	1	80-100+	16	15	fair	5.0	fragmented	TPO; Eucpip- old growth/ extensive dead wood & epicormic growth; embankment/ portion of shared private right-of-way; listing subject to boundary survey
Sugarloaf Crescent	residential	75 Sugarloaf Cr-embankment	12.10.14	remnant community	10ag(i)	see notes	n/a	varies				5.0	fragmented	TPO; steep slope/ rock outcrops (old terracing); dom. weeds; generic & local native planting/ restoration
Sugarloaf Crescent	residential	75 Sugarloaf Cr- front garden	12.10.14	tree group	10ag(i)	Corgum	1	50-60+	15	10	good	5.0	restricted	TPO; Corgum- adj. to private road; exotic garden/ generic & local native planting (incl. <i>Euchae/</i> immature); Pitund regrowth
Sugarloaf Crescent	residential	75 Sugarloaf Cr- front garden	12.10.14	tree group	10ag(i)	Cergum	1	50-60+	6	5	good	5.0	restricted	TPO; Cergum- upper terrace/ rock outcrops; exotic garden/ generic & local native planting
Sugarloaf Crescent	residential	75 Sugarloaf Cr- rear garden/ upper slope	12.10.14	tree group	10ag(i)	Corgum	1	60-80+	16	10	good	5.0	restricted	TPO; Corgum- upper slope/ rock outcrops; exotic garden/ dom. weeds; generic & local native planting; Pitund regrowth
Sugarloaf Crescent	residential	75 Sugarloaf Cr- rear garden/ upper slope	12.10.14	tree group	10ag(i)	Corgum	1	50-60+	16	6	good	5.0	restricted	TPO; Corgum- upper slope/ rock outcrops; exotic garden/ dom. weeds; generic & local native planting; Pitund regrowth

Sugarloaf Crescent	residential	77 Sugarloaf Cr-embankment	12.10.14	remnant community	10ag(i)	see notes	n/a	varies					5.0	fragmented	TPO; embankment/ portion of shared private right-of-way; Allit, Elaret (up to 5-7m HT); dom. weeds; generic & local native planting; listing subject to boundary survey
Sugarloaf Crescent	residential	79 Sugarloaf Cr-embankment/ rock outcrops	12.10.14	remnant community	10ag(i)	see notes	n/a	varies					5.0	fragmented	TPO; steep slope/ rock outcrops; mixed remnant natives/ generic & local native planting (incl.Angcos, Euchae, Cergum, Elaret, Allit, Kunamb, Dodtri, Ficrub- all immature/ up to 4-9m HT); listings subject to boundary survey
Sugarloaf Crescent	residential	79 Sugarloaf Cr-embankment/ rock outcrops	12.10.14	remnant community	10ag(i)	see notes	n/a	varies					3.5	fragmented	TPO; lower steep slope/ significant rock outcrops; remnant native shrubs & ground layer- Lamfor, Diacae, Pormic, Pteesc, Caldub, Smigly; varying level of weeds; listings subject to boundary survey
Sugarloaf Crescent	residential	79 Sugarloaf Cr- front garden/ upper level	12.10.14	tree group	10ag(i)	Allit	1	10-15+	7	3	good	5.0	restricted	TPO; Allit- upper terrace/ rock outcrops adj. to No.81 Sugarloaf Cr; exotic garden/ generic & local native planting (possibly planted)	
Sugarloaf Crescent	residential	79 Sugarloaf Cr- front garden/ upper level	12.10.14	tree group	10ag(i)	Allit	1	10-15+	7	2	good	5.0	restricted	TPO; Allit- upper terrace/ rock outcrops; exotic garden/ generic & local native planting (possibly planted)	
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	100-150+	25	25	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO (incl. 78 & 80/ very large double-block w. tennis court); Angcos- old growth specimen on upper slope/ rock outcrops adj. to bdy. No.76; exotic garden/ highly modified; part of significant remnant native tree group/ community	
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	30-40+	20	6	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos-damaged lower trunk/ on upper slope; part of significant remnant native tree group/ community	
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	60-80+	20	16	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- on upper slope; part of significant remnant native tree group/ community	

Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ upper slope	14.11.14	remnant community	10ag(i)	see notes	n/a	varies					4.5	fragmented	SREP23/ adj.SEPP19/ TPO; upper slope/ rock outcrops; remnant native regrowth (incl. Cergum, Elaret/ up to 20-30+) & native ground ferns (incl. Caldub); local & generic native planting (incl. Angcos, Banser & <i>Corymbia maculata</i> ); Pitund regrowth
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Corgum	1	50-60+	16	7	good		4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Corgum-lawn area adj. to tennis court; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Eucpip	1	80-100+	16	14	good		4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Eucpip- old growth multi-stemmed (2) adj. to tennis court/ upper slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Eucpip	1	80-100+	16	14	good		4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Eucpip- old growth multi-stemmed (2) adj. to tennis court/ upper slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ mid-slope	14.11.14	remnant community	10ag(i)	Cergum	n/a	varies					4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Cergum (3+)- adj. to tennis court & bdy. No.76; remnant native understorey/ regrowth (up to 6-7m HT/ up to 20-30yrs; Pitund regrowth; listings subject to bdy. survey
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	tree group	10ag(i)	Angcos	1	60-80+	18	10	good		1.3	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- part of significant native tree group/ community; varying level of weeds > adj. to tennis court
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	tree group	10ag(i)	Corgum	1	40-50+	16	5	good		1.3	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum- part of significant native tree group/ community
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	tree group	10ag(i)	Corgum	1	40-50+	12	7	fair		1.3	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum- ext. dead wood/ epicormic regrowth; part of significant native tree group/ community
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	tree group	10ag(i)	Banser	1	60-80+	7	12	good		1.3	contiguous	SREP23/ adj.SEPP19/ TPO; Banser- part of significant native tree group/ community

Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	tree group	10ag(i)	Banser	1	40-50+	5	7	good	1.3	contiguous	SREP23/ adj.SEPP19/ TPO; Banser-leaning/ damaged stem & vigorous new growth; part of significant native tree group/ community
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	remnant community	10ag(i)	Allit	n/a	varies				1.3	contiguous	SREP23/ adj.SEPP19/ TPO; Allit (50+ trees & saplings/ some storm damaged)-significant native understorey (dom.)/ varying age structure (up to 8-12m HT/ up to 40-50yrs)
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ lower slope (top of scarp)	14.11.14	core community	10ag(i)	see notes	n/a	varies				1.3	contiguous	SREP23/ adj.SEPP19/ TPO; minimal weeds; native sapling/ seedling regen. (incl. Angcos, Corgum, Eucpip); native understorey/ high biodiversity (incl. Banser, Perlev, Perpin, Elaret, Cergum, Allit, Leiden, Leptri, Notlon, Acauli, Callin, Gahery, Plalin, Grelin, Crosal, Woopun, Lomsil, Lepvar, Lomlon (dom.), Lomgla, Caldub, Pteesc, Glemic, Linlin, Actmin, Aniave, Drasec, Ausram, Diacae, Entstr, Empmin, Xanpil, Schmel, Parstr, Smigly)
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ top of scarp	14.11.14	tree group	10ag(i)	Angcos	1	80-100+	16	16	good	1.3	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos-old growth specimen/ part of significant native tree group/ community; significant rock outcrops/ scarp; Pitund regrowth
Sugarloaf Crescent	residential	80 (78-80) Sugarloaf Cr-rear garden/ top of scarp	14.11.14	tree group	10ag(i)	Eucpip	1	60-80+	18	12	good	1.3	contiguous	SREP23/ adj.SEPP19/ TPO; Eucpip- part of significant native tree group/ community; significant rock outcrops/ scarp; Pitund regrowth
Sugarloaf Crescent	residential	81 Sugarloaf Cr-embankment/ rock outcrops	12.10.14	single tree	10ag(i)	Corgum	1	80-100+	22	16	good	5.0	fragmented	TPO; Corgum- old growth tree; embankment/ portion of shared private right-of-way; dom. weeds; listing subject to boundary survey
Sugarloaf Crescent	residential	81 Sugarloaf Cr- front garden	12.10.14	tree group	10ag(i)	Angcos	1	50-60+	9	9	good	5.0	restricted	TPO; Angcos- some dead wood; construction site; mixed generic & local native planting
Sugarloaf Crescent	residential	81 Sugarloaf Cr- front garden/ upper slope	12.10.14	remnant community	10ag(i)	see notes	n/a	varies				5.0	restricted	TPO; steep slope/ rock outcrops adj. to No.78 Sugarloaf Cr.; remnant native regrowth Pitund, Elaret, Allit (immature/ up to 5-7m HT); dom. mixed generic native planting ( <i>Eucalyptus</i> spp.)

Sugarloaf Crescent	residential	81 Sugarloaf Cr- rear garden/ upper slope	12.10.14	single tree	10ag(i)	Angcos	1	60-80+	16	16	good	5.0	restricted	TPO; Angcos- some dead wood/ adj. to bdy. No.83 Sugarloaf Cr; construction site/ exotic garden; mixed generic & local native planting
Sugarloaf Crescent	residential	83A Sugarloaf Cr- south garden/ entry	12.10.14	tree group	10ag(i)	Angcos	1	60-80+	16	12	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- some dead wood/ adj. to raised walkway; part of significant remnant native tree group adj. to reserve; exotic garden
Sugarloaf Crescent	residential	83A Sugarloaf Cr- south garden/ entry	12.10.14	tree group	10ag(i)	Eucpip	1	10-15+	7	4	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Eucpip- immature; part of significant remnant native tree group adj. to reserve; exotic garden
Sugarloaf Crescent	residential	83A Sugarloaf Cr- south garden/ entry	12.10.14	remnant community	10ag(i)	see notes	n/a	varies				5.0	fragmented	SREP23/ adj.SEPP19/ TPO; steep slope/ rock outcrops adj. to right-of-way; remnant native regrowth Pitund (dom.), Cergum, Elaret (up to 4-7m HT); mixed local & generic native planting; dom. weeds
Sugarloaf Crescent	residential	83A Sugarloaf Cr- east garden/ lower level	12.10.14	tree group	10ag(i)	Angcos	1	50-60+	22	16	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- lower east terrace garden; part of significant remnant native tree group adj. to reserve
Sugarloaf Crescent	residential	83A Sugarloaf Cr- east garden/ lower level	12.10.14	tree group	10ag(i)	Angcos	1	40-50+	9	6	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- lower east terrace garden; part of significant remnant native tree group adj. to reserve
Sugarloaf Crescent	residential	83A Sugarloaf Cr- east garden/ lower level	12.10.14	tree group	10ag(i)	Corgum	1	40-50+	16	6	fair	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Corgum- lower east terrace garden/ extensive dead wood in crown/ epicormic growth; part of significant remnant native tree group adj. to reserve
Sugarloaf Crescent	residential	83A Sugarloaf Cr- west garden/ upper level	12.10.14	tree group	10ag(i)	Corgum	1	60-80+	14	9	fair	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Corgum- adj. to garage/ extensive dead wood in crown/ epicormic growth; part of significant remnant native tree group [no access to northern boundary]

Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-front garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	80-100+	18	16	see notes	5.0	fragmented	SREP23/ adj.SEPP19/ TPO (incl. 82, 84, 86 & 88/ very large four-blocks); Angcos- old growth/ ext. insect damage & dead wood (40%)/ new epicormic growth- on upper steep slope/ rock outcrops; exotic garden/ highly modified; part of significant remnant native tree group/ community; Pitund regrowth; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-front garden/ upper slope	14.11.14	tree group	10ag(i)	Eucsie	1	80-100+	10	14	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Eucsie- old growth multi-stemmed X2/ 1 X dead/ ext. dead wood & vigorous epicormic growth- on upper steep slope/ rock outcrops; exotic garden/ highly modified; part of significant remnant native tree group/ community; Pitund regrowth; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-front garden/ upper slope	14.11.14	tree group	10ag(i)	Banser	1	50-60+	7	7	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Banser- on upper steep slope/ rock outcrops; exotic garden/ highly modified; part of significant remnant native tree group/ community; Pitund regrowth; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-front garden/ upper slope	14.11.14	tree group	10ag(i)	Banser	1	50-60+	6	6	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Banser- on upper steep slope/ rock outcrops; exotic garden/ highly modified; part of significant remnant native tree group/ community; Pitund regrowth; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-front garden/ upper slope	14.11.14	tree group	10ag(i)	Cergum	1	80-100+	8	4	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Cergum- old growth multi-stemmed X2- on upper steep slope/ rock outcrops; exotic garden/ highly modified; part of significant remnant native tree group/ community; Pitund regrowth; dom. weeds



Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-front garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	80-100+	12	14	see notes	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- old growth multi-stemmed/ lopped ext. dead wood & vigorous epicormic growth- on upper rock outcrops adj. to carport; exotic garden/ highly modified; part of significant remnant native tree group/ community; Pitund regrowth; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-front garden/ upper slope	14.11.14	remnant community	10ag(i)	see notes	n/a	varies				5.0	fragmented	SREP23/ adj.SEPP19/ TPO; steep slope/ rock outcrops; remnant native regrowth Pitund (dom.), Elaret (up to 8m HT/ up to 20-30+yrs); dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	80-100+	18	20	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- old growth specimen- on upper slope above pool deck/ adj. to bdy. No.80; exotic terraced garden/ highly modified; part of significant remnant native tree group (Angcos); remnant native ground layer (incl. Caldub); Pitund regrowth; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	80-100+	18	18	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- old growth specimen- on upper slope above pool deck/ adj. to bdy. No.80; exotic terraced garden/ highly modified; part of significant remnant native tree group (Angcos); dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	50-60+	16	12	fair	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- ext. dead wood/ vigorous new growth- on upper slope above pool deck/ adj. to bdy. No.80; exotic terraced garden/ highly modified; part of significant remnant native tree group (Angcos); dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	40-50+	14	6	fair	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- ext. dead wood/ vigorous new growth- on upper slope above pool deck/ adj. to bdy. No.80; exotic terraced garden/ highly modified; part of significant remnant native tree group (Angcos); dom. weeds

Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	40-50+	12	5	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- on upper slope; exotic garden/ highly modified; part of significant remnant native tree group (Angcos); remnant native ground layer (incl. Caldub); Pitund regrowth; generic native planting (incl. <i>Ficus microcarpa</i> var. <i>hillii</i> ); dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	50-60+	18	9	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- on upper slope; exotic garden/ highly modified; part of significant remnant native tree group (Angcos); dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Angcos	1	80-100+	25	20	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- old growth specimen on upper slope/ adj. to bdy. No.90; exotic garden/ highly modified; part of significant remnant native tree group (Angcos); dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ upper slope	14.11.14	tree group	10ag(i)	Ficrub	1	60-80+	14	16	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Ficrub- multi-stemmed specimen on upper slope/ adj. to bdy. No.90; exotic garden/ highly modified; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	60-80+	20	12	fair	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- ext. dead wood/ epicormic growth- on steep slope below pool deck; exotic garden/ highly modified; part of significant remnant native tree group/ community; generic native planting (incl. <i>Lophostemon confertus</i> , <i>Corymbia citriodora</i> ); Pitund regrowth; dom. weeds; listings subject to boundary survey
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	60-80+	25	16	fair	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on steep slope below pool deck; exotic garden/ highly modified; part of significant remnant native tree group/ community; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	20-30+	12	4	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on steep slope below pool deck; exotic garden/ highly modified; part of significant remnant native tree group/ community; dom. weeds

Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ mid-slope	14.11.14	tree group	10ag(i)	Corgum	1	80-100+	25	8	fair	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum- old growth/ ext. dead wood (30%) & vigorous new growth- on steep slope below pool deck; exotic garden/ highly modified; part of significant remnant native tree group/ community; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ mid-slope	14.11.14	tree group	10ag(i)	Corgum	1	50-60+	17	7	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum- on steep slope below pool deck; exotic garden/ highly modified; part of significant remnant native tree group/ community; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	60-80+	18	12	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on steep slope below pool deck; exotic garden/ highly modified; part of significant remnant native tree group/ community; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	30-40+	18	8	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on steep slope below pool deck/ adj. to bdy. No.80; exotic garden/ highly modified; part of significant remnant native tree group/ community; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	20-30+	12	3	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on steep slope below pool deck; exotic garden/ highly modified; part of significant remnant native tree group/ community; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ mid-slope	14.11.14	tree group	10ag(i)	Eucpip	1	60-80+	25	12	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Eucpip- on steep slope below pool deck; exotic garden/ highly modified; part of significant remnant native tree group/ community; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ mid-slope	14.11.14	remnant community	10ag(i)	see notes	n/a	varies				4.5	contiguous	SREP23/ adj.SEPP19/ TPO; highly modified/ dom. weeds; remnant native regrowth- Pitund (dom. sub-canopy layer/ mesic shift), Allit, Elaret, Notlon/ up to 20-30+yrs; remnant native ground layer/ vines (incl. Pteesc, Caldub, Lomlon, Cishyp, Smigly); listings subject to boundary survey

Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Eucpip	1	80-100+	16	20	fair	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Eucpip- old growth multi-stemmed X2/ ext. epicormic growth- on lower mid-slope (level w. adj. tennis court in No.80); part of significant remnant native tree group/ community; varying level of weeds > upslope; <i>Alectura lathamii</i> nesting mound
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	30-40+	18	3	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower mid-slope (level w. adj. tennis court in No.80); part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	40-50+	9	3	poor	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- ext. dead wood/ epicormic growth- on lower mid-slope (level w. adj. tennis court in No.80); part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	60-80+	25	12	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower mid-slope (level w. adj. tennis court in No.80); part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	50-60+	16	12	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower mid-slope (level w. adj. tennis court in No.80); part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	40-50+	14	8	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower mid-slope (level w. adj. tennis court in No.80); part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	remnant community	10ag(i)	Allit	n/a	varies				2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Allit- on lower mid-slope (level w. adj. tennis court in No.80); significant native understorey (dom.)/ varying age structure (up to 8-12m HT/ up to 30-40yrs)

Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	remnant community	10ag(i)	see notes	n/a	varies					2.5	contiguous	SREP23/ adj.SEPP19/ TPO; remnant native understorey/ regrowth on lower mid-slope (level w. adj. tennis court in No.80) incl. Allit, Elaret, Kunamb, Notlon, Pitund/ up to 20-30+yrs; remnant native shrubs & ground layer- Lamfor, Grelin, Caufle, Lomlon, Diacae, Drasec, Aniave Ausram, Pteesc, Caldub, Cishyp, Smigly; varying level of weeds; listings subject to boundary survey
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	50-60+	18	15	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower mid-slope (north of pool deck)/ part of significant remnant native tree group (Angcos)/ community; exotic garden/ highly modified; dom. weeds	
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	40-50+	18	12	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower mid-slope (north of pool deck)/ part of significant remnant native tree group (Angcos)/ community; exotic garden/ highly modified; dom. weeds	
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	50-60+	18	15	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower mid-slope (north of pool deck)/ part of significant remnant native tree group (Angcos)/ community; exotic garden/ highly modified; dom. weeds	
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	60-80+	22	16	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower mid-slope (north of pool deck)/ part of significant remnant native tree group (Angcos)/ community; exotic garden/ highly modified; dom. weeds	
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr-rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	50-60+	22	14	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower mid-slope (north of pool deck)/ part of significant remnant native tree group (Angcos)/ community; exotic garden/ highly modified; dom. weeds	

Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr- rear garden/ lower mid-slope	14.11.14	tree group	10ag(i)	Angcos	1	60-80+	22	16	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower mid-slope (north of pool deck)/ part of significant remnant native tree group (Angcos)/ community; exotic garden/ highly modified; dom. weeds
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr- rear garden/ lower mid-slope	14.11.14	remnant community	10ag(i)	see notes	n/a	varies				4.5	contiguous	SREP23/ adj.SEPP19/ TPO; remnant native understorey/ regrowth on lower mid-slope (north of pool deck)/ incl. Allit, Elaret, Cergum, Glofer, Pitund/ up to 20-30+yrs; remnant native ground layer/ vines- Caldub, Cishyp, Smigly; dom. weeds; listings subject to boundary survey
Sugarloaf Crescent	residential	84 (82-88) Sugarloaf Cr- rear garden/ lower steep slope	14.11.14	remnant community	10ag(i)	see notes	n/a	varies				2.5	contiguous	SREP23/ adj.SEPP19/ TPO; remnant native tree group/ community on lower steep slope/ rock outcrops; varying level of disturbance/ weeds; canopy trees/ incl. old growth specimens (Angcos (dom.), Corgum, Eucpip); understorey/ regrowth (incl. Pitund (dom.), Cergum, Elaret, Banser, Allit, Notlon); vines/ climbers (incl. Cishyp (dom.), Smigly); native ground layer (incl. Gahery, Lepvar, Lomlon, Caldub, Drasec, Diacae, Empmin, Schmel (mesic shift/ 10ag(iii) community); listings subject to boundary survey
Sugarloaf Crescent	residential	90 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Cergum	1	80-100+	9	7	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Cergum- old growth multi-stemmed specimen- on upper slope below pool deck; exotic garden/ highly modified; no remnant native canopy trees; dom. weeds
Sugarloaf Crescent	residential	90 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Banser	1	?40-50+	8	5	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Banser- regrowth from old base- on upper slope below pool deck; exotic garden/ highly modified; dom. weeds

Sugarloaf Crescent	residential	90 Sugarloaf Cr- rear garden/ upper slope	17.11.14	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	SREP23/ adj.SEPP19/ TPO; remnant native understorey/ regrowth on upper slope (below pool deck)/ incl. Glofer, Ficrub, Elaret, Pitund (dom.)/ up to 20-30+yrs; remnant native ground layer- Pteesc, Smigly; dom. weeds; listings subject to boundary survey
Sugarloaf Crescent	residential	90 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Allit	1	40-50+	9	7	fair	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Allit- on lower slope; exotic garden/ highly modified; generic native planting (incl. <i>Eucalyptus saligna</i> ); varying level of weeds
Sugarloaf Crescent	residential	90 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Cergum	1	40-50+	7	5	good	2.5	contiguous	SREP23/ adj.SEPP19/ TPO; Cergum- on lower slope; exotic garden/ highly modified; varying level of weeds
Sugarloaf Crescent	residential	90 Sugarloaf Cr- rear garden/ lower slope	17.11.14	remnant community	10ag(i)	see notes	n/a	varies				2.5	contiguous	SREP23/ adj.SEPP19/ TPO; remnant native understorey/ regrowth on lower slope incl. Gergum (4+), Allit (2+), Elaret (4+), Pitund (dom.)/ up to 15-20+yrs; remnant native shrubs & ground layer- Leiden, Grelin, Lomlon, Diacae, Entstr, Schmel, Empmin, Pteesc, Caldub, Euslat, Cishyp, Smigly (mesic shift); varying level of weeds; listings subject to boundary survey
Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Angcos	1	100-150+	25	25	see notes	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- old growth specimen/ ext. damage to mid-stem, cavities & dead wood/ vigorous new growth- on upper steep slope below scarp & deck; part of significant remnant native tree group/ community; exotic garden/ highly modified; Pitund regrowth; dom. weeds; listings subject to boundary survey
Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Angcos	1	50-60+	16	10	see notes	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- leaning/ some dead wood & vigorous new growth- on upper steep slope below scarp & deck; part of significant remnant native tree group/ community; dom. weeds

Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Angcos	1	80-100+	16	16	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- old growth multi-stemmed/ 1 X dead stem/ vigorous new growth in upper crown- on upper steep slope below scarp & deck; part of significant remnant native tree group/ community; dom. weeds
Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Eucpip	1	80-100+	25	15	see notes	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Eucpip- old growth specimen ext. insect (termite) damage/ 1 X dead stem/ vigorous new growth- on upper steep slope below scarp & deck; part of significant remnant native tree group/ community; dom. weeds
Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Glofer	1	30-40+	12	7	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Glofer- on upper steep slope below scarp & deck; dom. weeds
Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Glofer	1	40-50+	12	10	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Glofer- on upper steep slope below scarp & deck; dom. weeds
Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Glofer	1	30-40+	8	8	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Glofer- on upper steep slope below scarp & deck; dom. weeds
Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Glofer	1	30-40+	7	7	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Glofer- on upper steep slope below scarp & deck; dom. weeds
Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ upper slope	17.11.14	scarp/ rock outcrops	10ag(i)	see notes	n/a					5.0	fragmented	significant rock outcrops/ scarp; exotic garden/ dom. weeds
Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Angcos	1	80-100+	22	16	good	1.4	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- old growth specimen/ some dead wood & vigorous new growth- on lower slope; part of significant remnant native tree group/ community; varying level of weeds; listings subject to boundary survey
Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Angcos	1	60-80+	20	14	good	1.4	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower slope; part of significant remnant native tree group/ community; varying level of weeds
Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Angcos	1	40-50+	16	8	good	1.4	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- on lower slope; part of significant remnant native tree group/ community; varying level of weeds



Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Corgum	1	40-50+	15	5	good	1.4	contiguous	SREP23/ adj.SEPP19/ TPO; Corgum- on lower slope; part of significant remnant native tree group/ community; varying level of weeds
Sugarloaf Crescent	residential	92 Sugarloaf Cr- rear garden/ lower slope	17.11.14	core community	10ag(i)	see notes	n/a	varies				1.4	contiguous	SREP23/ adj.SEPP19/ TPO; varying level of weeds; native understorey/ regrowth (incl. Leiden (dom.), Allit, Elaret, Cergum, Notlon, Grelin) & native ground layer (incl. Lomlon, Lomobl, Caldub, Pteesc, Linlin, Diacae, Entstr, Empmin, Schmel, Cishyp, Smigly)
Sugarloaf Crescent	residential	94 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Eucpip	1	80-100+	20	12	v.poor	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Eucpip- old growth specimen/ ext. dead wood & crown die-back (70%)/ epicormic growth/ single large dead branch- on upper steep slope; part of significant remnant native tree group/ community; construction site/ exotic garden; cleared understorey/ dom. weeds; Pitund regrowth; listings subject to boundary survey
Sugarloaf Crescent	residential	94 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Cergum	1	50-60+	6	2	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Cergum- multi-stemmed X2/ 1X damaged stem & regrowth- on upper steep slope; part of significant remnant native tree group/ community; dom. weeds
Sugarloaf Crescent	residential	94 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Angcos	1	50-60+	22	9	see notes	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- large cavity mid-stem; on upper steep slope adj. to bdy. No.96; part of significant remnant native tree group/ community; dom. weeds
Sugarloaf Crescent	residential	94 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Angcos	1	100-150+	25	30	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- old growth massive specimen/ some dead wood (950mm dbh)- on upper steep slope; part of significant remnant native tree group/ community; dom. weeds
Sugarloaf Crescent	residential	94 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Glofer	1	40-50+	12	10	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Glofer- multi-stemmed X2; on upper steep slope; also lopped Glofer regrowth/ saplings; dom. weeds

Sugarloaf Crescent	residential	94 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Eucpip	1	60-80+	18	8	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Eucpip- some dead wood; on lower slope; highly modified (largely cleared understorey/ bird aviaries); Pitund regrowth; dom. weeds
Sugarloaf Crescent	residential	94 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Angcos	1	100-150+	25	25	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- old growth specimen/ some dead wood; on lower slope adj. to rear boundary (subject to bdy. survey); Pitund regrowth; dom. weeds
Sugarloaf Crescent	residential	94 Sugarloaf Cr- rear garden/ lower slope	17.11.14	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	SREP23/ adj.SEPP19/ TPO; remnant native understorey/ regrowth on lower slope (incl. Glofer, Elaret, Pitund (dom.)/ up to 20-30+yrs); remnant native ground layer (incl. Pteesc, Diacae, Caldub, Lomlon, Cishyp, Smigly); dom. weeds; listings subject to boundary survey
Sugarloaf Crescent	residential	96 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Glofer	1	80-100+	15	20	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Glofer- old growth specimen on upper terraced slope; part of significant remnant native tree group/ community; exotic garden/ largely cleared understorey; remnant native ground layer (incl. Caldub, Diacae); Pitund regrowth; dom. weeds; listings subject to bdy. survey
Sugarloaf Crescent	residential	96 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Angcos	1	80-100+	22	15	fair	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- old growth specimen/ ext. dead wood & vigorous epicormic growth- on upper terraced slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	96 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Ficrub	1	60-80+	18	12	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Ficrub- on lower slope; part of significant remnant native tree group/ community; exotic garden/ largely cleared understorey; dom. weeds; listings subject to bdy. survey
Sugarloaf Crescent	residential	96 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Acmsmi	1	30-40+	10	7	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Acmsmi- possibly cultivated/ on lower slope; exotic garden/ largely cleared understorey; dom. weeds

Sugarloaf Crescent	residential	96 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Glofer	1	60-80+	15	12	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Glofer- on lower slope adj. to reserve; exotic garden/ largely cleared understorey; Pitund (dom.) regrowth; dom. weeds; listings subject to bdy. survey
Sugarloaf Crescent	residential	96 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Glofer	1	60-80+	16	12	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Glofer- on lower slope adj. to reserve; exotic garden/ largely cleared understorey; Pitund (dom.) regrowth; dom. weeds; listings subject to bdy. survey
Sugarloaf Crescent	residential	96 Sugarloaf Cr- rear garden/ lower slope	17.11.14	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	SREP23/ adj.SEPP19/ TPO; remnant native understorey/ regrowth on lower slope (incl. Glofer, Elaret, Calser, Pitund (dom.)/ up to 20-30+yrs); remnant native ground layer (incl. Stifla, Diacae, Caldub, Smigly); dom. weeds; listings subject to boundary survey
Sugarloaf Crescent	residential	98 Sugarloaf Cr- rear garden/ mid-upper slope	17.11.14	tree group	10ag(i)	Angcos	1	80-100+	18	22	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- old growth specimen/ leaning & some dead wood; part of significant remnant native tree group/ community; exotic garden (terraced upper slope)/ largely cleared understorey; remnant native ground layer (incl. Stifla); dom. weeds; listings subject to bdy. survey
Sugarloaf Crescent	residential	98 Sugarloaf Cr- rear garden/ mid-upper slope	17.11.14	tree group	10ag(i)	Angcos	1	100-150+	25	25	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- old growth massive specimen (950mm dbh)/ some dead wood; part of significant remnant native tree group/ community; exotic garden (terraced upper slope)/ highly modified
Sugarloaf Crescent	residential	98 Sugarloaf Cr- rear garden/ mid-upper slope	17.11.14	tree group	10ag(i)	Ficrub	1	10-15+	3	3	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Ficrub- on rock outcrops; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	98 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Glofer	1	30-40+	10	6	good	4.5	fragmented	SREP23/ adj.SEPP19/ TPO; Glofer- on lower slope adj. to reserve; Pitund regrowth; generic & local native planting; exotic garden/ largely cleared understorey; Pitund regrowth; dom. weeds; listings subject to bdy. survey

Sugarloaf Crescent	residential	100 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Angcos	1	60-80+	20	12	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Angcos- lower bdy. to reserve/ steep slope; listing subject to bdy. survey; part of significant remnant native tree group/ community; exotic garden/ highly modified; Pitund (dom.) regrowth; dom. weeds
Sugarloaf Crescent	residential	100 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Cergum	1	50-60+	9	4	good	4.5	contiguous	SREP23/ adj.SEPP19/ TPO; Cergum- on lower slope adj. to reserve; highly modified/ dom. weeds; listing subject to bdy. survey
Sugarloaf Crescent	residential	100 Sugarloaf Cr- rear garden/ lower slope	17.11.14	rock outcrops	10ag(i)	see notes	n/a	varies				4.5	contiguous	significant rock outcrops; remnant native ground layer assoc. w. rock outcrops (incl. Cishyp/ large vine, Pteesc); dom. weeds
Sugarloaf Crescent	residential	102 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Angcos	1	60-80+	16	12	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- on upper slope/ significant rock outcrops adj. to bdy. No.100; part of significant remnant native tree group/ community; exotic garden/ highly modified; Pitund (dom.) regrowth; generic native planting (incl. <i>Eucalyptus elata</i> ); dom. weeds
Sugarloaf Crescent	residential	102 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Corgum	1	50-60+	16	7	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Corgum- on lower slope adj. to reserve; part of significant remnant native tree group/ community; exotic garden/ highly modified; Pitund (dom.) regrowth; generic native planting; dom. weeds; <i>Alectura lathamii</i> nesting mound
Sugarloaf Crescent	residential	102 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Angcos	1	100-150+	22	25	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Angcos- old growth/ multi-stemmed massive specimen (950mm dbh)- on lower steep slope; part of significant remnant native tree group/ community
Sugarloaf Crescent	residential	102 Sugarloaf Cr- rear garden/ upper slope	17.11.14	rock outcrops	10ag(i)	see notes	n/a	varies				5.0	fragmented	significant rock outcrops; dom. weeds

Sugarloaf Crescent	residential	108 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Eucpip	1	100-150+	20	18	good	5.0	restricted	SREP23/ adj.SEPP19/ TPO; Eucpip- old growth specimen (1200 dbh)/ some dead wood & vigorous epicormic growth w. large habitat hollows- on steep upper slope/ rock outcrops adj. to house & bdy. No.110; currently threatened/ proposed removal under RFS 10/50 Code; part of significant remnant native tree group/ community; exotic garden/ highly modified
Sugarloaf Crescent	residential	108 Sugarloaf Cr- rear garden/ upper slope	17.11.14	tree group	10ag(i)	Elaret	1	50-60+	6	3	good	5.0	restricted	SREP23/ adj.SEPP19/ TPO; Elaret- old specimen- on steep upper slope/ rock outcrops adj. to bdy. No.110; currently threatened/ proposed removal under RFS 10/50 Code; exotic garden/ highly modified
Sugarloaf Crescent	residential	108 Sugarloaf Cr- rear garden/ upper & lower slope	17.11.14	rock outcrops	10ar(i)	see notes	n/a	varies				5.0	restricted	significant rock outcrops; exotic garden/ highly modified; Pitund (dom.) regrowth; remnant native ground ferns (incl. Caldub); dom. weeds
Sugarloaf Crescent	residential	114 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Ficrub	1	50-60+	16	12	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Ficrub- on steep slope adj. to bdy. No.112; exotic garden/ highly modified; remnant natives (incl. Cishyp); generic native planting (incl. <i>Corymbia citriodora</i> ); dom. weeds; listing subject to bdy. survey
Sugarloaf Crescent	residential	114 Sugarloaf Cr- rear garden/ lower slope	17.11.14	tree group	10ag(i)	Eucpip	1	40-50+	16	12	good	5.0	fragmented	SREP23/ adj.SEPP19/ TPO; Eucpip- adj. to reserve bdy. (possibly in reserve); exotic garden/ highly modified; listing subject to bdy. survey
The Lee	road reserve	adj. to 5 The Lee/ grass verge	12.10.14	single tree	10ar(i)	Corgum	1	80-100+	10	12	good	5.0	isolated	TPO; Corgum- old growth tree/ adj. to bdy. No.5 The Lee
The Lee	road reserve	bdy. to 5 The Lee/ rock outcrop	12.10.14	rock outcrops	10ar(i)	see notes	n/a	varies				4.5	isolated	significant rock outcrops; current building site; dom. weeds; remnant natives- Diacae
The Lee	residential	5 The Lee- front garden/ on rock outcrop	12.10.14	single tree	10ar(i)	Angcos	1	?40-50+	9	9	good	5.0	isolated	TPO; Angcos- in front lawn/ upper level; exotic garden
The Lee	residential	10 The Lee- front garden	12.10.14	single tree	10ar(i)	Corgum	1	?80-100+	8	10	good	5.0	isolated	TPO; Corgum- old growth/ in front lawn; exotic garden

The Quarterdeck	residential	1 The Quarterdeck-front garden/ upper level	18.08.15	tree group	10ag(i)	Eucpun	1	80-100+	16	18	good	4.5	restricted	adj.SEPP19/ TPO; Eucpun- old growth specimen on upper lawn level adj. to house; some dead wood/ vigorous new growth; exotic garden/ highly modified; local & generic native planting (Banint, <i>Corymbia citriodora</i> )
The Quarterdeck	residential	1 The Quarterdeck-front garden/ upper level	18.08.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	restricted	adj.SEPP19/ TPO; remnant native regrowth adj. to upper front boundary to street verge (incl. Allit (4)/ up to 20-30yrs+/ up to 6-12m HT)/ Breobl (old specimen) & immature Banser/ Perlev-likely planted)
The Quarterdeck	residential	1 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Eucpun	1	30-40+	15	10	good	4.5	fragmented	adj.SEPP19/ TPO; Eucpun- on upper terraced slope & rock outcrops adj. to boundary No.15 North Arm Rd; some dead wood/ vigorous new growth; exotic garden/ highly modified; some remnant native ground layer (incl. Pteesc); Pitund regrowth; local & generic native planting ( <i>Syzygium</i> sp.)/ <i>Cyathea cooperi</i> - cultivated origin
The Quarterdeck	residential	1 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Angcos	1	80-100+	15	12	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- old growth specimen on upper terraced slope & rock outcrops; some dead wood/ vigorous growth
The Quarterdeck	residential	1 The Quarterdeck- rear garden/ mid-slope	18.08.15	tree group	10ag(i)	Banser	1	60-80+	6	7	good	1.2	contiguous	adj.SEPP19/ TPO; Banser- on mid-slope/ rock outcrops adj. to No.3 The Quarterdeck; vigorous growth; part of significant remnant native tree group/ community adj. to reserve
The Quarterdeck	residential	1 The Quarterdeck- rear garden/ mid-slope	18.08.15	tree group	10ag(i)	Elaret	1	20-30+	7	4	good	1.2	contiguous	adj.SEPP19/ TPO; Elaret- on mid-slope/ rock outcrops adj. to No.3 The Quarterdeck; vigorous growth
The Quarterdeck	residential	1 The Quarterdeck- rear garden/ lower-slope	18.08.15	tree group	10ag(i)	Angcos	1	80-100+	16	16	good	1.2	contiguous	adj.SEPP19/ TPO; Angcos- old growth specimen on lower-slope (NE corner)/ rock outcrops adj. to No.3 The Quarterdeck; vigorous growth; part of significant remnant native tree group/ community adj. to reserve

The Quarterdeck	residential	1 The Quarterdeck- rear garden/ lower-slope	18.08.15	tree group	10ag(i)	Cergum	1	60-80+	6	12	good	1.2	contiguous	adj.SEPP19/ TPO; Cergum- possibly old growth specimen on lower-slope (NE corner)/ rock outcrops adj. to No.3 The Quarterdeck; multi-stemmed (9+) at base/ lignotuber regrowth (12m canopy diam./ combined stems); vigorous growth; part of significant remnant native tree group/ community adj. to reserve
The Quarterdeck	residential	1 The Quarterdeck- rear garden/ lower-slope	18.08.15	remnant community	10ag(i)	see notes	n/a	varies				1.2	contiguous	adj.SEPP19/ TPO; remnant native regrowth on lower-slope (NE corner)/ rock outcrops adj. to No.3 The Quarterdeck & reserve boundary; (incl. Allit (6+)/ up to 10-15yrs+/ up to 7-10m HT & Cergum (dom./ 9+), Elaret (4+), Hakdac (1)/ up to 10-15yrs+/ up to 3-6m HT) + high biodiversity in low shrub/ ground layer (incl. Lamfor (incl. old specimen), Perlev, Polsam, Dodtri, Lomsil, Patser, Lomglau, Leplat, Diacae, Micsti, Entstr, Smigly, <i>Cryptostylis</i> sp.); good native regen./ incl. saplings (Eucpip, Angcos); minimal weeds
The Quarterdeck	residential	1 The Quarterdeck- rear garden/ lower-slope	18.08.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	adj.SEPP19/ TPO; remnant native regrowth on lower-slope (NW corner) adj. to No.15 North Arm Rd & reserve boundary; highly modified; Corgum X1 dead standing tree (stag); Pitund regrowth; local & generic native planting (incl. Banint, <i>Hakea</i> sp.); dom. weeds
The Quarterdeck	residential	3 The Quarterdeck- front garden/ upper level	18.08.15	tree group	10ag(i)	Eucpun	1	40-50+	18	12	good	5.0	restricted	adj.SEPP19/ TPO; Eucpun- adj. to front boundary wall; some dead wood/ vigorous new growth; exotic garden/ highly modified; owner (since 1968) confirmed boundaries (rear garden)
The Quarterdeck	residential	3 The Quarterdeck- front garden/ upper level	18.08.15	tree group	10ag(i)	Cergum	1	?40-50+	3	3	good	5.0	restricted	adj.SEPP19/ TPO; Cergum- multi-stemmed (2)/ vigorous new growth; also Cergum sapling/ lignotuber regrowth

The Quarterdeck	residential	3 The Quarterdeck- front garden/ upper level	18.08.15	tree group	10ag(i)	Cergum	1	?40-50+	7	4	good	5.0	restricted	adj.SEPP19/ TPO; Cergum- vigorous new growth
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Cergum	1	50-60+	9	4	good	2.5	fragmented	adj.SEPP19/ TPO; Cergum- on upper lawn area adj. to boundary No.1 The Quarterdeck; vigorous growth; part of significant remnant native contiguous Cergum group (see listing: 1 The Quarterdeck)
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Cergum	1	?80-100+	3	5	fair	2.5	fragmented	adj.SEPP19/ TPO; Cergum- old growth specimen on upper lawn area adj. to pool deck & boundary No.1 The Quarterdeck; lopped/ ext. dead wood; multi-stemmed (6) at base/ lignotuber regrowth (5m canopy diam./ combined stems); part of significant remnant native Cergum group
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Perlev	1	?60-80+	4	6	good	2.5	fragmented	adj.SEPP19/ TPO; Cergum- old specimen (possibly older) on upper lawn area adj. to boundary No.5 The Quarterdeck; part of significant remnant native community on this property
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Angcos	1	?80-100+	0.5		lopped	2.5	fragmented	adj.SEPP19/ TPO; Angcos- likely old growth specimen (950mm DBH) on upper lawn area adj. to boundary No.5 The Quarterdeck; lopped to base/ resprouting (epicormic growth); part of significant remnant native tree group/ community; good native regen./ high biodiversity at base (see below)
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Cergum	1	?40-50+	6	4	good	2.5	fragmented	adj.SEPP19/ TPO; Cergum- remnant native regrowth (possibly older) on upper to mid-slope/ rock outcrops; vigorous growth; part of significant Cergum group/ lignotuber regrowth
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Cergum	1	?40-50+	6	3	good	2.5	fragmented	adj.SEPP19/ TPO; Cergum- remnant native regrowth on upper to mid-slope/ rock outcrops; vigorous growth; part of significant Cergum group/ lignotuber regrowth



The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Cergum	1	?30-40+	6	3	good	2.5	fragmented	adj.SEPP19/ TPO; Cergum- remnant native regrowth on upper to mid-slope/ rock outcrops; vigorous growth; part of significant Cergum group/ lignotuber regrowth
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Cergum	1	?30-40+	5	3	good	2.5	fragmented	adj.SEPP19/ TPO; Cergum- remnant native regrowth on upper to mid-slope/ rock outcrops; vigorous growth; part of significant Cergum group/ lignotuber regrowth
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Cergum	1	?30-40+	5	3	good	2.5	fragmented	adj.SEPP19/ TPO; Cergum- remnant native regrowth on upper to mid-slope/ rock outcrops; vigorous growth; part of significant Cergum group/ lignotuber regrowth
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Cergum	1	?20-30+	5	2	good	2.5	fragmented	adj.SEPP19/ TPO; Cergum- remnant native regrowth on upper to mid-slope/ rock outcrops; vigorous growth; part of significant Cergum group/ lignotuber regrowth
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Cergum	1	?20-30+	4	2	good	2.5	fragmented	adj.SEPP19/ TPO; Cergum- remnant native regrowth on upper to mid-slope/ rock outcrops; vigorous growth; part of significant Cergum group/ lignotuber regrowth
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	tree group	10ag(i)	Cergum	1	?20-30+	4	2	good	2.5	fragmented	adj.SEPP19/ TPO; Cergum- remnant native regrowth on upper to mid-slope/ rock outcrops; vigorous growth; part of significant Cergum group/ lignotuber regrowth
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	remnant community	10ag(i)	see notes	n/a	varies				2.5	fragmented	adj.SEPP19/ TPO; remnant native regrowth on upper to mid-slope/ rock outcrops; high biodiversity (incl. Allit, Cergum- up to 10-15yrs+/ up to 3-4m HT) + low shrub/ ground layer (Lamfor (significant cluster (6+) incl. old specimens), Banobl, Schmel, Chodim, Diarev, Micsti, Entstr, Prapur, Smigly); good native regen./ incl. saplings (Angcos); varying level of exotics/ weeds

The Quarterdeck	residential	3 The Quarterdeck- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	?80-100+	7	6	good	2.3	contiguous	adj.SEPP19/ TPO; Cergum- old growth specimen on lower slope; multi-stemmed (10+) at base/ lignotuber regrowth (6m canopy diam./ combined stems); vigorous growth; part of significant remnant native Cergum group
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	?50-60+	7	3	good	2.3	contiguous	adj.SEPP19/ TPO; Cergum- on lower slope; multi-stemmed (2) at base/ lignotuber regrowth; vigorous growth; part of significant remnant native Cergum group
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ lower slope	18.08.15	remnant community	10ag(i)	Cergum	n/a	varies				2.3	contiguous	adj.SEPP19/ TPO; Cergum- remnant native regrowth group (15+)/ up to 20-30yrs+/ up to 5-7m HT on lower slope; significant remnant native Cergum group
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Elaret	1	20-30+	7	3	good	2.3	contiguous	adj.SEPP19/ TPO; Elaret- on lower slope; vigorous growth
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Perlev	1	15-20+	3	3	good	2.3	contiguous	adj.SEPP19/ TPO; Perlev- on lower slope; vigorous growth
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Kunamb	1	20-30+	6	5	good	2.3	contiguous	adj.SEPP19/ TPO; Kunamb- on lower slope (possibly older); vigorous growth
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ upper slope	18.08.15	remnant community	10ag(i)	see notes	n/a	varies				2.3	contiguous	adj.SEPP19/ TPO; remnant native regrowth on lower slope adj. to reserve/ high biodiversity (incl. Cergum- up to 5-10yrs+/ multiple resprouting up to 1-3m HT, Elaret, Allit) + low shrub/ ground layer (Lamfor/ incl. 1 X old specimen on lower boundary), Banobl (incl. 1 X old specimen), Perlev (up to 5-10yrs+/ 1.5m HT), Xanarb, Ozodio, Grelin, Lasfer, Pteesc, Gahery, Schmel, Chodim, Lomobl, Diarev, Diacae, Impsil, Micsti, Poaaff, Entstr, Smigly); good native regen./ incl. saplings (Angcos); Pitund regrowth; 1 X old standing dead tree (stag) & 1 X stump (unknown spp.); minimal weeds

The Quarterdeck	residential	3 The Quarterdeck- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Cergum	1	?50-60+	9	3	good	2.3	contiguous	adj.SEPP19/ TPO; Cergum- adj. to lower boundary to reserve; vigorous growth; part of significant remnant native Cergum group
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ lower slope	18.08.15	tree group	10ag(i)	Corgum	1	15-20+	12	4	good	2.3	contiguous	adj.SEPP19/ TPO; Corgum- on lower boundary to reserve; vigorous growth
The Quarterdeck	residential	3 The Quarterdeck- rear garden/ lower (NE) slope	18.08.15	tree group	10ag(i)	Allit	1	15-20+	8	5	good	4.5	fragmented	adj.SEPP19/ TPO; Corgum- adj. to lower NE boundary wall to No.5 The Quarterdeck (tennis court) & reserve boundary; Pitund (dom.)/ Elaret, Gahery regrowth; weeds
The Quarterdeck	residential	5 The Quarterdeck- front garden/ upper level	18.08.15	tree group	10ag(i)	Euchae	1	60-80+	16	10	good	5.0	restricted	adj.SEPP19/ TPO; Euchae- on lawn adj. to front boundary; cavity on lower trunk/ some dead wood & vigorous growth; exotic garden/ highly modified; no remnant natives in rear garden (tennis court)
The Quarterdeck	residential	5 The Quarterdeck- front garden/ upper level	18.08.15	tree group	10ag(i)	Angcos	1	50-60+	15	12	good	5.0	restricted	adj.SEPP19/ TPO; Angcos- on lawn adj. to front boundary; cavity on lower trunk/ some dead wood & epicormic growth
The Quarterdeck	residential	5 The Quarterdeck- front garden/ upper level	18.08.15	tree group	10ag(i)	Cergum	1	?80-100+	6	6	good	5.0	restricted	adj.SEPP19/ TPO; Cergum- old growth specimen in front courtyard/ paved entry adj. to boundary No.3 The Quarterdeck; multi-stemmed (2) at base; vigorous growth
The Quarterdeck	residential	7 The Quarterdeck- front garden/ upper slope	18.09.15	tree group	10ag(i)	Eucsie	1	30-40+	16	16	good	5.0	restricted	adj.SEPP19/ TPO; Eucsie- on upper slope/ rock outcrops adj. to driveway; some dead wood/ vigorous growth; exotic garden/ highly modified
The Quarterdeck	residential	7 The Quarterdeck- front garden/ upper slope	18.09.15	tree group	10ag(i)	Cergum	1	?60-80+	9	4	fair	5.0	restricted	adj.SEPP19/ TPO; Cergum- on upper slope/ rock outcrops adj. to boundary No.5 The Quarterdeck; multi-stemmed (2) specimen/ ext. dead wood in upper crown
The Quarterdeck	residential	7 The Quarterdeck- rear garden	18.09.15	tree group	10ag(i)	Angcos	1	?60-80+	15	12	good	4.5	fragmented	adj.SEPP19/ TPO; Angcos- adj. to house; possibly old growth specimen; some pruning/ vigorous growth; exotic garden/ highly modified; remnant natives (Pteesc, Hypmue); dom. weeds
The Quarterdeck	residential	7 The Quarterdeck- rear garden	18.09.15	tree group	10ag(i)	Eucpun	1	60-80+	16	16	good	4.5	fragmented	adj.SEPP19/ TPO; Eucpun- adj. to rear boundary to reserve; some dead wood/ vigorous growth

The Quarterdeck	residential	7 The Quarterdeck- rear garden	18.09.15	tree group	10ag(i)	Cyaaus	1	?60-80+	5	4	good	4.5	fragmented	adj.SEPP19/ TPO; Cyaaus- adj. to rear boundary to reserve; old specimen
The Quarterdeck	residential	11 The Quarterdeck- rear garden/ upper slope	18.09.15	tree group	10ag(i)	Angcos	1	60-80+	22	14	good	5.0	fragmented	adj.SEPP19/ TPO; Angcos- on upper western slope adj. to boundary No.7 The Quarterdeck; multi-stemmed (2) specimen/ some dead wood & vigorous growth; exotic garden/ highly modified; largely cleared block/ lawns; Pitund regrowth; generic native planting (incl. <i>Melaleuca</i> sp.)
The Quarterdeck	residential	11 The Quarterdeck- rear garden/ upper slope	18.09.15	tree group	10ag(i)	Angcos	1	60-80+	22	18	good	5.0	fragmented	adj.SEPP19/ TPO; Angcos- lower western garden adj. to boundary No.7 The Quarterdeck; open crown/ some dead wood
The Quarterdeck	residential	11 The Quarterdeck- rear garden/ upper slope	18.09.15	tree group	10ag(i)	Angcos	1	40-50+	16	14	good	5.0	fragmented	adj.SEPP19/ TPO; Angcos- lower garden adj. to rear boundary (mown lawn area on reserve); some dead wood & vigorous growth
The Quarterdeck	residential	13 The Quarterdeck- front garden/ upper slope	18.09.15	tree group	10ag(i)	Cergum	1	80-100+	3	3	good	5.0	fragmented	adj.SEPP19/ TPO; Cergum- old growth specimen on upper slope adj. to front boundary & driveway; lopped/ vigorous new growth; exotic garden/ highly modified; largely cleared block/ lawns
The Quarterdeck	residential	13 The Quarterdeck- front garden/ upper slope	18.09.15	tree group	10ag(i)	Angcos	1	80-100+	25	15	good	5.0	fragmented	adj.SEPP19/ TPO; Angcos- old growth multi-stemmed (2) specimen on upper steep slope; 1 X lower main branch lopped/ vigorous growth
The Quarterdeck	residential	13 The Quarterdeck- front garden/ upper slope	18.09.15	tree group	10ag(i)	Corgum	1	60-80+	10	10	good	5.0	fragmented	adj.SEPP19/ TPO; Corgum- on upper steep slope; some dead wood/ vigorous growth
The Quarterdeck	residential	13 The Quarterdeck- front garden/ upper slope	18.09.15	tree group	10ag(i)	Angcos	1	60-80+	25	14	fair	5.0	fragmented	adj.SEPP19/ TPO; Angcos- on upper steep slope; sparse crown/ some dead wood & epicormic growth
The Quarterdeck	residential	13 The Quarterdeck- rear garden/ mid-slope	18.09.15	tree group	10ag(i)	Eucpip	1	60-80+	22	20	good	5.0	fragmented	adj.SEPP19/ TPO; Eucpip- on mid-slope/ rock outcrops; some dead wood/ vigorous growth; exotic terraced garden; generic native planting/ <i>Cyathea cooperi</i> - cultivated origin

The Quarterdeck	residential	15 The Quarterdeck-front garden/ northern lawn	18.09.15	tree group	10ag(i)	Angcos	1	80-100+	25	16	good	5.0	fragmented	adj.SEPP19/ TPO; Angcos- old growth specimen on northern lawn; some dead wood/ vigorous new growth; exotic garden/ highly modified; part of significant remnant native Angcos group (varying age structure incl. old growth specimens); Pitund regrowth; generic native planting
The Quarterdeck	residential	15 The Quarterdeck-front garden/ northern slope	18.09.15	tree group	10ag(i)	Angcos	1	10-15+	2	1	fair	5.0	fragmented	adj.SEPP19/ TPO; Angcos- on northern slope adj. to boundary No.13 The Quarterdeck; lopped/ regrowth
The Quarterdeck	residential	15 The Quarterdeck-front garden/ upper slope	18.09.15	tree group	10ag(i)	Angcos	1	80-100+	22	18	see notes	5.0	fragmented	adj.SEPP19/ TPO; Angcos- old growth specimen on upper slope adj. to driveway; ext. insect damage to lower trunk/ dead wood & vigorous new growth; part of significant remnant native Angcos group
The Quarterdeck	residential	15 The Quarterdeck-front garden/ upper slope	18.09.15	tree group	10ag(i)	Angcos	1	50-60+	12	15	good	5.0	fragmented	adj.SEPP19/ TPO; Angcos- on upper slope adj. to driveway; multi-stemmed (2) at base/ vigorous growth; part of significant remnant native Angcos group
The Quarterdeck	residential	15 The Quarterdeck-front garden/ upper slope	18.09.15	tree group	10ag(i)	Angcos	1	20-30+	14	3	good	5.0	fragmented	adj.SEPP19/ TPO; Angcos- on upper slope adj. to driveway; vigorous growth; part of significant remnant native Angcos group
The Quarterdeck	residential	15 The Quarterdeck-front garden/ upper slope	18.09.15	tree group	10ag(i)	Angcos	1	80-100+	22	20	good	5.0	fragmented	adj.SEPP19/ TPO; Angcos- old growth specimen on upper slope adj. to driveway; multi-stemmed (3) at base/ some dead wood & vigorous growth; part of significant remnant native Angcos group
The Quarterdeck	residential	15 The Quarterdeck-front garden/ upper slope	18.09.15	tree group	10ag(i)	Angcos	1	15-20+	6	3	fair	5.0	fragmented	adj.SEPP19/ TPO; Angcos- on upper slope adj. to driveway; ext. dead wood/ vigorous epicormic growth; part of significant remnant native Angcos group
The Quarterdeck	residential	15 The Quarterdeck-front garden/ upper slope	18.09.15	tree group	10ag(i)	Angcos	1	15-20+	5	3	good	5.0	fragmented	adj.SEPP19/ TPO; Angcos- on upper slope adj. to driveway; some dead wood/ vigorous growth; part of significant remnant native Angcos group

The Quarterdeck	residential	15 The Quarterdeck-front garden/ upper slope	18.09.15	tree group	10ag(i)	Angcos	1	5-10+	4	2	good	5.0	fragmented	adj.SEPP19/ TPO; Angcos- on upper slope adj. to driveway; sapling/ regen.; part of significant remnant native Angcos group
The Quarterdeck	residential	15 The Quarterdeck-rear garden/ upper terrace	18.09.15	tree group	10ag(i)	Angcos	1	?80-100+	20	16	good	5.0	fragmented	adj.SEPP19/ TPO; Angcos- old growth specimen on upper terrace adj. to house; vigorous growth; part of significant remnant native Angcos group
The Quarterdeck	residential	15 The Quarterdeck-rear garden/ lower level	18.09.15	tree group	10ag(i)	Eucpip	1	?100-150+	25	25	good	4.5	fragmented	adj.SEPP19/ TPO; Eucpip- old growth specimen in lower garden adj. to boundary No.13 The Quarterdeck; some dead wood (20%) & vigorous growth; part of significant remnant native tree group (incl. old growth specimens); listing subject to boundary survey; remnant native ground layer (incl. Pteesc, Lomlon); Pitund regrowth; generic native planting ( <i>Casuarina</i> sp.)
The Quarterdeck	residential	15 The Quarterdeck-rear garden/ lower level	18.09.15	tree group	10ag(i)	Eucpip	1	?100-150+	25	25	fair	4.5	fragmented	adj.SEPP19/ TPO; Eucpip- old growth multi-stemmed (2) specimen in lower garden adj. to boundary No.17 The Quarterdeck; ext. dead wood (30%) & vigorous new growth; part of significant remnant native tree group; listing subject to boundary survey
The Quarterdeck	road reserve	verge adj. to 15 & 17 The Quarterdeck	18.09.15	tree group	10ag(i)	Angcos	1	50-60+	16	12	good	5.0	fragmented	TPO; Angcos- on verge adj. to boundary Nos.15 & 17 The Quarterdeck (cnr. North Arm Rd frontage); 1 X lower main stem snapped/ vigorous new growth; part of significant remnant native Angcos group (see No.15 The Quarterdeck); highly modified/ no native ground layer; local & generic native planting (incl. Banser, Banint)/ regen. <i>Acacia</i> & <i>Leptospermum</i> spp.); dom. weeds
The Quarterdeck	road reserve	verge adj. to 15 & 17 The Quarterdeck	18.09.15	tree group	10ag(i)	Hakdac	1	15-20+	4	4	good	5.0	fragmented	TPO; Hakdac- on verge adj. to boundary Nos.15 & 17 The Quarterdeck (cnr. North Arm Rd frontage)

The Quarterdeck	residential	17 The Quarterdeck-eastern garden/ upper slope	18.09.15	tree group	10ag(i)	Eucpun	1	15-20+	12	7	good	5.0	fragmented	adj.SEPP19/ TPO; Eucpun- upper eastern garden adj. to driveway; leaning main stem/ vigorous growth; exotic & native garden/ highly modified; mature canopy/ generic native planting (incl. <i>Eucalyptus scoparia</i> , <i>E. sideroxylon</i> , <i>E. microcorys</i> ); brush turkey ( <i>Alectura lathami</i> )- nesting mound; Pitund (dom.) regrowth
The Quarterdeck	residential	17 The Quarterdeck-eastern garden	18.09.15	tree group	10ag(i)	Corgum	1	30-40+	18	5	good	5.0	fragmented	adj.SEPP19/ TPO; Corgum- lower eastern garden adj. to pool; competition w. <i>Eucalyptus microcorys</i>
The Quarterdeck	residential	17 The Quarterdeck-eastern garden/ lower slope	18.09.15	tree group	10ag(i)	Eucpun	1	50-60+	16	15	fair	5.0	fragmented	adj.SEPP19/ TPO; Eucpun- lower north-eastern garden adj. to pool; leaning main stem/ open crown, dead wood & poor vigour; Pitund regrowth; generic native planting (dom.) canopy/ dom. weeds
The Quarterdeck	residential	17 The Quarterdeck-eastern garden/ lower slope	18.09.15	tree group	10ag(i)	Eucpun	1	10-15+	15	2	good	5.0	fragmented	adj.SEPP19/ TPO; Eucpun- lower north-eastern garden; some dead wood in lower crown; listing subject to boundary survey
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Angcos	1	20-30+	15	10	good	5.0	fragmented	TPO; Angcos- possibly planted (unknown provenance) in open mown grass adj. to North Arm Rd; highly modified public reserve (road reserve); exotic/ local & generic native planting; dom. weeds; mulched areas under bush regeneration/ restoration strategy
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Euchae	1	30-40+	12	14	good	4.5	fragmented	TPO (SE group); Euchae- some dead wood; south-eastern group (mulched area) surrounded by mown grass; highly modified/ regrowth community
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Perlev	1	?50-60+	2.5	4	fair	4.5	fragmented	TPO (SE group); Perlev- old specimen/ ext. dead wood
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Euchae	1	20-30+	10	12	good	4.5	fragmented	TPO (SE group); Euchae- some dead wood
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Angcos	1	20-30+	9	8	good	4.5	fragmented	TPO (SE group); Angcos- vigorous growth

The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Corgum	1	50-60+	18	10	good	4.5	fragmented	TPO (SE group); Corgum- some dead wood
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO (SE group); highly modified/ varying level of weeds; area under bush regen./ restoration strategy; remnant native regrowth (incl. Allit (7+)- up to 10-15yrs+/ up to 6-7m HT) + Perlev, Lamfor, Lomgla, Dodtri, Diacae, Thetri, Micsti, Prapur)/ some spp. likely planted (unknown provenance); native regen./ incl. saplings (Angcos); Pitund/ Glofer regrowth; Banser X1 dead standing tree (stag)
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Eucpip	1	50-60+	20	15	see notes	4.5	fragmented	TPO (NE group); Eucpip- multi-stemmed specimen/ 1 X main stem dead; vigorous new growth on other stems; north-eastern group (mulched area) surrounded by mown grass; highly modified/ regrowth community
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Eucpip	1	?100-150+	25	22	good	4.5	fragmented	TPO (NE group); Eucpip- old growth multi-stemmed specimen (1150mm DBH); some dead wood/ vigorous growth; part of significant remnant native tree group (incl. old growth specimens)
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Corgum	1	30-40+	12	4	poor	4.5	fragmented	TPO (NE group); Corgum- ext. dead wood (70%)/ vigorous epicormic growth; part of significant remnant native tree group
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Corgum	1	unknown	7	7	see notes	4.5	fragmented	TPO (NE group); Corgum- 1 X dead/ lopped stem w. vigorous multi-stemmed (4) basal regrowth; part of significant remnant native tree group
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Angcos	1	50-60+	16	16	good	4.5	fragmented	TPO (NE group); Angcos- some dead wood/ vigorous growth; part of significant remnant native tree group
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Angcos	1	40-50+	20	10	good	4.5	fragmented	TPO (NE group); Angcos- some dead wood/ vigorous growth; part of significant remnant native tree group
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Angcos	1	40-50+	9	9	good	4.5	fragmented	TPO (NE group); Angcos- leaning main stem/ vigorous growth; part of significant remnant native tree group



The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Cergum	1	10-15+	6	3	good	4.5	fragmented	TPO (NE group); Cergum- vigorous growth; part of significant remnant native tree group
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Eucpip	1	5-10+	9	2	good	4.5	fragmented	TPO (NE group); Eucpip- sapling/ vigorous growth; part of significant remnant native tree group
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Eucpip	1	10-15+	7	3	good	4.5	fragmented	TPO (NE group); Eucpip- vigorous growth; part of significant remnant native tree group
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Eucpip	1	10-15+	7	5	good	4.5	fragmented	TPO (NE group); Eucpip- vigorous growth; part of significant remnant native tree group
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO (NE group); highly modified/ varying level of weeds; area under bush regen./ restoration strategy; remnant native regrowth (incl. Allit (5+)- up to 10-15yrs+/ up to 6-7m HT) + Leiden, Elaret, Kunamb, Banser, Perlev, Polsam, Pomint, Dodtri, Lasfer/ (all up to 5-10yrs+), Entstri, Diacae, Thetri)/ most understorey/ ground layer spp. likely planted (unknown provenance); native regen./ Angcos X 3 (up to 5-10yrs+/ up to 3-4m HT)
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Angcos	1	50-60+	18	12	good	4.5	fragmented	TPO (NW group); Angcos- some dead wood/ vigorous growth; north-western group (mulched area) surrounded by mown grass; highly modified/ regrowth community
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	tree group	10ag(i)	Angcos	1	30-40+	16	8	good	4.5	fragmented	TPO (NW group); Angcos- some dead wood/ vigorous growth
The Quarterdeck	public/ road reserve	cnr. The Quarterdeck/ North Arm Road	18.09.15	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO (NW group); highly modified/ dom. weeds; area under bush regen./ restoration strategy; remnant native regrowth (incl. Allit, Perlev, Banser, Kunamb, Leiden, Perpin, Dodtri, Polsam- (up to 10-15yrs+/ up to 6-10m HT)/ most understorey spp. likely planted (unknown provenance); ?Eucglo (possibly) X1 dead standing tree (stag); sapling regen./ <i>Eucalyptus botryoides</i> (unknown provenance)

Victoria Avenue	residential	5 Victoria Avenue "Whitehaven"- rear garden/ rock outcrops	18.01.16	tree group	10ag(i)	Ficrub	1	60-80+	16	25	good	4.5	restricted	TPO; Ficrub- possibly old growth specimen; expansive canopy/ visually prominent; vigorous growth; on significant rock outcrops; part of highly significant remnant native tree group/ community on this property; exotic garden/ highly modified; "Whitehaven"- Inter-war period house; dom. weeds
Victoria Avenue	residential	5 Victoria Avenue "Whitehaven"- rear garden/ rock outcrops	18.01.16	tree group	10ag(i)	Corgum	1	?80-100+	18	7	good	4.5	restricted	TPO; Corgum- likely old growth specimen/ vigorous growth; on significant rock outcrops adj. to Ficrub (see above); part of highly significant remnant native tree group/ community on this property
Victoria Avenue	residential	5 Victoria Avenue "Whitehaven"- rear garden/ rock outcrops	18.01.16	tree group	10ag(i)	Angcos	1	80-100+	16	16	good	4.5	restricted	TPO; Angcos- old growth specimen/ vigorous growth; on upper rock outcrops adj. to boundary No.7 Victoria Avenue; part of highly significant remnant native tree group/ community on this property
Victoria Avenue	residential	5 Victoria Avenue "Whitehaven"- rear garden/ rock outcrops	18.01.16	tree group	10ag(i)	Eucpun	1	?100-150+	25	25	good	4.5	restricted	TPO; Eucpun- old growth multi-stemmed (2) specimen/ vigorous growth; exceptionally large specimen in prominent location on upper eastern rock outcrops/ scarp adj. to boundary No.272 Eastern Valley Way; part of highly significant remnant native tree group/ community on this property
Victoria Avenue	residential	5 Victoria Avenue "Whitehaven"- rear garden/ rock outcrops	18.01.16	scarp/ rock outcrops	10ar(i)	see notes	n/a					4.5	restricted	TPO; significant rock outcrops/ rock formations on prominent elevated scarp (adj. to boundary Nos.272 & 274 Eastern Valley Way & 7 Victoria Avenue); significant remnant native tree group/ community assoc. w. rock outcrops (see below)
Victoria Avenue	residential	5 Victoria Avenue "Whitehaven"- rear garden/ rock outcrops	18.01.16	remnant community	10ar(i)	see notes	n/a	varies				4.5	restricted	TPO; highly modified/ exotic garden; remnant natives assoc. w. significant rock outcrops & formations (incl. 2X Xanarb/ old specimens, Lomlon); dom. weeds

Victoria Avenue	road reserve/ easement	verge/ rock outcrops adj. to 9 Victoria Avenue	18.01.16	single tree	10ag(i)	Corgum	1	?100-150+	16	16	good	4.5	restricted	TPO; Corgum- old growth multi-stemmed (4) specimen; massive root base/ vigorous growth; on rock outcrops/ cutting to public verge adj. to front boundary No.9 Victoria Avenue; significant remnant native specimen; remnant natives assoc. w. rock outcrops (see below); dom. weeds
Victoria Avenue	road reserve/ easement	verge/ rock outcrops adj. to 9 Victoria Avenue	18.01.16	remnant community	10ar(i)	see notes	n/a	varies				4.5	restricted	TPO; highly modified/ exotic garden; remnant natives assoc. w. rock outcrops at base of 1X Corgum (incl. Lomlon, Entstr) & regen./ sapling Angcos; dom. weeds
Victoria Avenue	residential	11 Victoria Avenue- rear garden/ upper level	18.01.16	tree group	10ag(i)	Euccap	1	?100-150+	10	18	poor	5.0	restricted	TPO; Euccap- old growth specimen/ multi-stemmed (4) at base; ext. dead wood (30%)/ epicormic growth; on rock outcrops/ upper lawn terrace; Euccap significance- relatively uncommon species (locally)/ age structure; part of larger remnant native tree group (see adj. listings); exotic garden/ highly modified; dom. weeds
Victoria Avenue	residential	11 Victoria Avenue- rear garden/ lower level	18.01.16	tree group	10ag(i)	Corgum	1	80-100+	14	12	fair	5.0	restricted	TPO; Corgum- old growth specimen; ext. dead wood (20%)/ vigorous new growth; on lower lawn terrace/ rock outcrops; part of larger remnant native tree group (see adj. listings); also 1X dead tree/ Corgum (stag) on rock outcrops adj. to boundary No.278 Eastern Valley Way
Victoria Avenue	road reserve	verge/ rock outcrops adj. to 16 Victoria Avenue	18.01.16	tree group	10ag(i)	Eucpun	1	30-40+	16	16	fair	4.5	restricted	TPO; Eucpun- some dead wood (20%)/ vigorous growth; on grass verge adj. to rock outcrops and boundary No.16 Victoria Avenue; highly modified; part of broader remnant native tree group/ community assoc. w. rock outcrops (see below)

Victoria Avenue	road reserve	verge/ rock outcrops adj. to 20 Victoria Avenue	18.01.16	tree group	10ag(i)	Corgum	1	20-30+	4	4	good	4.5	restricted	TPO; Corgum- heavily pruned under overhead powerlines; vigorous growth; on verge/ rock outcrops adj. to upper driveway No.20 Victoria Avenue; highly modified; part of broader remnant native tree group/ community assoc. w. rock outcrops (see below)
Victoria Avenue	road reserve	verge/ rock outcrops adj. to 20 Victoria Avenue	18.01.16	tree group	10ag(i)	Corgum	1	?80-100+	4	6	good	4.5	restricted	TPO; Corgum- multi-stemmed (2)/ possibly old growth specimen; snapped at base/ vigorous regrowth; on verge/ rock outcrops adj. to upper driveway No.20 Victoria Avenue; part of broader remnant native tree group/ community assoc. w. rock outcrops (see below)
Victoria Avenue	road reserve	verge/ rock outcrops adj. to 16-20 Victoria Avenue	18.01.16	remnant community	10ar(i)	see notes	n/a	varies				4.5	restricted	TPO; highly modified; mixed exotic/ generic native planting; remnant native ground layer assoc. w. rock outcrops at base of 1X Eucpun- (incl. Diarev, Dodtri, Ficrub- regen./ seedlings) & adj. to 2X Corgum (incl. Impcyl- likely restoration planting); Pitund regrowth; dom. weeds
Victoria Avenue	road reserve	road cutting adj. to lower driveway 20 Victoria Avenue	18.01.16	tree group	10ag(i)	Ficrub	1	15-20+	5	7	good	5.0	restricted	TPO; Ficrub- multi-stemmed/ vigorous growth; on lower rock face/ cutting adj. to driveway No.20 Victoria Avenue: no native ground layer; highly modified/ generic native planting (incl. <i>Callistemon salignus</i> ); dom. weeds
Victoria Avenue	residential	21 Victoria Avenue- rear garden/ rock outcrops	13.01.16	single tree	10ag(i)	Glofer	1	60-80+	12	12	good	5.0	restricted	TPO; Glofer- multi-stemmed (5+)/ possibly old growth specimen; vigorous growth; on lower slope/ significant rock outcrops; exotic garden/ highly modified; dom. weeds
Victoria Avenue	residential	23 Victoria Avenue- rear garden/ rock outcrops	13.01.16	single tree	10ag(i)	Glofer	1	50-60+	10	9	good	5.0	restricted	TPO; Glofer- vigorous growth; on rock outcrops; exotic garden/ highly modified; dom. weeds
Victoria Avenue	residential	45 Victoria Avenue- rear garden/ rock outcrops	18.01.16	single tree	10ag(i)	Glofer	1	60-80+	9	12	good	5.0	restricted	TPO; Glofer- multi-stemmed/ possibly old growth specimen; vigorous growth; on rock outcrops adj. to rear boundary No.8 Chowne Pl.; exotic garden/ highly modified; dom. weeds

Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Eucpip	1	?100-150+	15	9	see notes	4.5	fragmented	TPO (NW group- upper NW slope incl. unmade road reserve); Eucpip- old growth multi-stemmed (2) specimen/ large basal cavity; 1X main stem- dead/ 1X main stem w. vigorous growth; on rock outcrops adj. to drainage line/ small cascade; part of significant remnant native tree group; highly modified community/ successive restoration strategies (local spp./ unknown provenance); ext. earlier generic native planting; dom. weeds (see below)
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Angcos	1	30-40+	12	6	good	4.5	fragmented	TPO (NW group- upper NW slope incl. unmade road reserve); Angcos- some dead wood/ vigorous growth; on rock outcrops adj. to drainage line/ small cascade; part of significant remnant native tree group
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Eucsie	1	15-20+	14	8	good	4.5	fragmented	TPO (NW group- upper NW slope incl. unmade road reserve); Eucsie- some dead wood/ vigorous growth; adj. to Eastern Valley Way road reserve/ possibly planted (see below)
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Allit	1	20-30+	5	7	fair	4.5	fragmented	TPO (NW group- upper NW slope incl. unmade road reserve); Allit- heavily pruned/ poor vigour; adj. to Eastern Valley Way road reserve/ possibly planted
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Angcos	1	80-100+	12	15	good	4.5	fragmented	TPO (NW group- upper NW slope incl. unmade road reserve); Angcos- old growth specimen; on rock outcrops adj. to Eastern Valley Way road reserve; part of significant remnant native tree group
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Angcos	1	30-40+	18	12	good	4.5	fragmented	TPO (NW group- upper NW slope incl. unmade road reserve); Angcos- some dead wood/ vigorous growth; on lower slope adj. to Eastern Valley Way road reserve/ possibly planted

Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Angcos	1	50-60+	18	12	good	4.5	fragmented	TPO (NW group- upper NW slope incl. unmade road reserve); Angcos- some dead wood/ vigorous growth; on lower slope adj. to Eastern Valley Way road reserve; part of significant remnant native tree group
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Angcos	1	30-40+	12	6	good	4.5	fragmented	TPO (NW group- upper NW slope incl. unmade road reserve); Angcos- multi-stemmed (2) at base; some dead wood/ vigorous growth; on upper slope/ rock outcrops (Warrane Road- unmade road reserve); part of significant remnant native tree group
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Glofer	1	20-30+	12	12	good	4.5	fragmented	TPO (NW group- upper NW slope incl. unmade road reserve); Glofer- vigorous growth; on upper slope near children's playground (Warrane Road- unmade road reserve)
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	remnant community	10ag(i)	see notes	n/a	varies				4.5	fragmented	TPO (NW group- upper NW slope incl. unmade road reserve); highly modified/ dom. weeds; area under bush regen./ restoration strategy w. successive overlays- local/ unknown provenance (incl. Euchae, Calrho, Allit, Banser, Baneri, Hompop, Dodtri, Grebux, Acater, Lomlon, Diacae) & ext. earlier generic native planting (incl. <i>Eucalyptus saligna</i> (dom.), <i>Angophora floribunda</i> / <i>E. microcorys</i> incl. regen./ saplings); remnant native regrowth (incl. Pitund/ Glofer (dom.- up to 15-20yrs+/ up to 7-8m HT), Polsam, Pteesc, Hymue, Lomlon, Diacae, Leplat, Micsti); Angcos- good regen./ saplings (up to 10-15yrs+); dom. weeds
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Angcos	1	60-80+	22	12	good	4.5	fragmented	TPO (central eastern section/ east of cascades); Angcos- possibly old growth specimen/ some dead wood; trunk enmeshed w. mature <i>Cinnamomum camphora</i> ; on lower slope/ drainage line; part of significant remnant native tree group; highly modified community; dom. weeds

Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Angcos	1	50-60+	12	12	good	4.5	fragmented	TPO (central eastern section); Angcos- some dead wood/ vigorous growth; on upper slope adj. to rear boundary No.3 Chowne Pl.; part of significant remnant native tree group
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Eucpip	1	50-60+	20	10	good	4.5	fragmented	TPO (central eastern section); Eucpip- some dead wood/ vigorous growth; on upper slope adj. to rear boundary No.3 Chowne Pl.; part of significant remnant native tree group
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Angcos	1	50-60+	16	6	good	4.5	fragmented	TPO (central eastern section); Angcos- some dead wood/ vigorous growth; on upper slope adj. to rear boundary No.5 Chowne Pl.; part of significant remnant native tree group
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Angcos	1	15-20+	7	3	good	4.5	fragmented	TPO (central eastern section); Angcos- vigorous growth; adj. to rear boundary No.5 Chowne Pl.; part of significant remnant native tree group
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Angcos	1	60-80+	18	9	good	4.5	fragmented	TPO (central eastern section); Angcos- some dead wood/ vigorous growth; competition w. <i>Ficus microcarpa</i> var. <i>hillii</i> ; adj. to rear boundary No.5 Chowne Pl.; part of significant remnant native tree group
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Angcos	1	40-50+	20	12	good	4.5	fragmented	TPO (eastern end of Warrane Reserve); Angcos- some dead wood/ vigorous growth; in lower eastern depression/ drainage line; part of significant remnant native tree group
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Glofer	1	40-50+	10	12	good	4.5	fragmented	TPO (eastern end of Warrane Reserve); Glofer- vigorous growth; in lower eastern depression/ drainage line

Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	remnant community	10ag(i)	see notes	n/a	varies					4.5	fragmented	TPO (central eastern section incl. lower eastern depression/ drainage line); highly modified/ dom. weeds; area partially under bush regen./ restoration strategy (incl. Calser, Hompop, Dodtri, Lomlon, Diacae); remnant native regrowth (incl. Pitund/ Glofer (co-doms.)- up to 15-20yrs+/ up to 5-8m HT) & Gahery, Hypmue, Ptetre); dead standing trees (stags); <i>Cyathea cooperi</i> - cultivated origin; dom. weeds ( <i>Cinnamomum camphora</i> - mature canopy)
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Angcos	1	80-100+	16	16	good	4.5	fragmented	TPO (eastern section- Eastern Valley Way road reserve); Angcos- old growth specimen; some dead wood/ vigorous growth; adj. to rear boundary No.7 Chowne Pl.; part of significant remnant native tree group; local & generic native planting; highly modified/ dom. weeds	
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	tree group	10ag(i)	Angcos	1	40-50+	10	6	good	4.5	fragmented	TPO (eastern section- Eastern Valley Way road reserve); Angcos- some dead wood/ vigorous growth; adj. to rear boundary No.7 Chowne Pl.; part of significant remnant native tree group	
Warrane Road	public/ road reserve	cnr. Warrane Road/ Eastern Valley Way	08.01.16	remnant community	10ag(i)	see notes	n/a	varies					4.5	fragmented	Refer to Eastern Valley Way- road reserve for listings adj. to rear boundary Nos.9-21 Chowne Place (Eastern Valley Way frontage)

The data for this study was collected by Noel Ruting, LandArc Pty Limited between 3/11/2014 and 18/01/2016.